



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 310 571 B1

(12) EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
15.02.2006 Bulletin 2006/07

(51) Int Cl:
C12Q 1/70^(2006.01) C07K 14/015^(2006.01)
C12N 15/86^(2006.01) C12N 15/10^(2006.01)
C12Q 1/68^(2006.01) C12N 5/10^(2006.01)

(21) Application number: 02257826.4

(22) Date of filing: 12.11.2002

(54) A Method of identifying unknown adeno-associated virus (AVV) sequences and a kit for the method

Verfahren zur Identifizierung von Adeno-assoziiertem Virus (AAV) Sequenzen sowie Kit zur Ausführung der Methode

Une méthode d'identification de séquences de virus adéno-associés et kit permettant d'appliquer la méthode

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 13.11.2001 US 350607 P
17.12.2001 US 341117 P
01.05.2002 US 377066 P
05.06.2002 US 386675 P

(43) Date of publication of application:
14.05.2003 Bulletin 2003/20

(73) Proprietor: THE TRUSTEES OF THE UNIVERSITY
OF PENNSYLVANIA
Philadelphia,
Pennsylvania 19104-6283 (US)

(72) Inventors:
• Gao, Guangping
Rosemont, Pennsylvania 19010 (US)
• Wilson, James M.
Gladwyne, Pennsylvania 19035 (US)
• Alvira, Maricio
Philadelphia, Pennsylvania 19104 (US)

(74) Representative: Hale, Stephen Geoffrey et al
Bromhead Johnson,
Kingsbourne House,
229-231 High Holborn
London WC1V 7DP (GB)

(56) References cited:
WO-A-02/18659

- GAO GUANG-PING ET AL: "Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES, vol. 99, no. 18, 3 September 2002 (2002-09-03), pages 11854-11859, XP002229849 <http://www.pnas.org> September 3, 2002 ISSN: 0027-8424
- FORSLUND OLA ET AL: "A broad range of human papillomavirus types detected with a general PCR method suitable for analysis of cutaneous tumours and normal skin." JOURNAL OF GENERAL VIROLOGY, vol. 80, no. 9, 1999, pages 2437-2443, XP002229850 ISSN: 0022-1317
- XIAO WEIDONG ET AL: "Gene therapy vectors based on adeno-associated virus type 1." JOURNAL OF VIROLOGY, vol. 73, no. 5, May 1999 (1999-05), pages 3994-4003, XP002229851 ISSN: 0022-538X
- GENE THERAPY, vol. 10, 2003, pages 194-196,
- PROC. NATL. ACAD. SCI. USA, vol. 100, no. 10, 2003, pages 6081-6086,
- J. VIROL., vol. 78, no. 12, 2004, pages 6381-6388,

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

BACKGROUND OF THE INVENTION

[0001] Adeno-associated virus (AAV), a member of the Parvovirus family, is a small nonenveloped, icosahedral virus with single-stranded linear DNA genomes of 4.7 kilobases (kb) to 6 kb. AAV is assigned to the genus, Dependovirus, because the virus was discovered as a contaminant in purified adenovirus stocks. AAV's life cycle includes a latent phase at which AAV genomes, after infection, are site specifically integrated into host chromosomes and an infectious phase in which, following either adenovirus or herpes simplex virus infection, the integrated genomes are subsequently rescued, replicated, and packaged into infectious viruses. The properties of non-pathogenicity, broad host range of infectivity, including non-dividing cells, and potential site-specific chromosomal integration make AAV an attractive tool for gene transfer.

[0002] Recent studies suggest that AAV vectors may be the preferred vehicle for gene therapy. To date, there have been 6 different serotypes of AAVs isolated from human or non-human primates (NHP) and well characterized. Among them, human serotype 2 is the first AAV that was developed as a gene transfer vector; it has been widely used for efficient gene transfer experiments in different target tissues and animal models. Gene therapy vectors based on adeno-associated virus type 1 have also been disclosed (Xiao et al. J. Virology; May 1999; pages 3994-4008). Clinical trials of the experimental application of AAV2 based vectors to some human disease models are in progress, and include such diseases as cystic fibrosis and hemophilia B.

[0003] A general PCR method suitable for detecting human papillomavirus types in cutaneous tumours and normal skin is known (Forslund et al. J. of General Virology; 1999 80: P2437-2443).

[0004] What are desirable are AAV-based constructs for gene delivery.

SUMMARY OF THE INVENTION

[0005] In one aspect, the invention provides a novel method of identifying unknown AAV sequences from cellular DNAs of various human and non-human primate (NHP) tissues using bioinformatics analysis, PCR based gene amplification and cloning technology, based on the nature of latency and integration of AAVs in the absence of helper virus co-infection, the method being defined in claim 1 hereinafter.

[0006] In another aspect the invention provides a kit for use in the method of the invention, the kit being as defined in claim 23 hereinafter.

DETAILED DESCRIPTION OF THE INVENTION

[0007] In the present invention, the inventors have found a method which takes advantage of the ability of adeno-associated virus (AAV) to penetrate the nucleus, and, in the absence of a helper virus co-infection, to integrate into cellular DNA and establish a latent infection. This method utilizes a polymerase chain reaction (PCR)-based strategy for detection, identification of sequences of AAVs from DNAs from tissues of human and non-human primate origin as well as from other sources.

[0008] Nucleic acid sequences can be identified according to the method of the invention. One such adeno-associated virus is of the serotype, termed herein serotype 7 (AAV7). Other novel adeno-associated virus serotypes identified by the method include AAV10, AAV11, and AAV12.

[0009] Among particularly desirable AAV fragments which can be identified are the cap proteins, including the vp1, vp2, vp3, the hypervariable regions, the rep proteins, including rep 78, rep 68, rep 52, and rep 40, and the sequences encoding these proteins. Each of these fragments may be readily utilized in a variety of vector systems and host cells. Such fragments may be used alone, in combination with other AAV sequences or fragments, or in combination with elements from other AAV or non-AAV viral sequences. In one particularly desirable embodiment, a vector contains the AAV cap and/or rep sequences.

[0010] As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as "Clustal W", accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also used. There are also a number of algorithms known in the art which can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1. Similar programs are available for amino acid sequences, e.g., the "Clustal X" program. Generally, any of these programs are used at default settings, although one of skill in the art can alter these settings as needed. Alternatively, one of skill in the art can utilize

another algorithm or computer program which provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

[0011] The term "substantial homology" or "substantial similarity," when referring to a nucleic acid, or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or an open reading frame thereof, or another suitable fragment which is at least 15 nucleotides in length. Examples of suitable fragments are described herein.

[0012] The term "substantial homology" or "substantial similarity," when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid, there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or a protein thereof, e.g., a cap protein, a rep protein, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

[0013] By the term "highly conserved" is meant at least 80% identity, preferably at least 90% identity, and more preferably, over 97% identity. Identity is readily determined by one of skill in the art by resort to algorithms and computer programs known by those of skill in the art.

[0014] The term "percent sequence identity" or "identical" in the context of nucleic acid sequences refers to the residues in the two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome, the full-length of a gene coding sequence, or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, "percent sequence identity" may be readily determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

[0015] The AAV sequences and fragments thereof are useful in production of rAAV, and are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors.

[0016] As described herein, the vectors containing the AAV capsid proteins are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other AAV serotype based vectors, as well as other viral vectors. The rAAV vectors are particularly advantageous in rAAV readministration and repeat gene therapy.

[0017] As used throughout this specification and the claims, the terms "comprising" and "including" and their variants are inclusive of other components, elements, integers, steps and the like. Conversely, the term "consisting" and its variants is exclusive of other components, elements, integers, steps and the like.

I. Methods of the Invention

A. Detection of Sequences Via Molecular Cloning

[0018] In one aspect, the invention provides a method of identifying target (unknown) nucleic acid sequences in a sample. This method is particularly well suited for detection of viral sequences which are integrated into the chromosome of a cell, e.g., adeno-associated viruses (AAV) and retroviruses, among others.

[0019] As used herein, a sample is any source containing nucleic acids, e.g., tissue, tissue culture, cells, cell culture, and biological fluids including, without limitation, urine and blood. These nucleic acid sequences may be DNA or RNA from plasmids, natural DNA or RNA from any source, including bacteria, yeast, viruses, and higher organisms such as plants or animals. DNA or RNA is extracted from the sample by a variety of techniques known to those of skill in the art, such as those described by Sambrook, *Molecular Cloning: A Laboratory Manual* (New York: Cold Spring Harbor Laboratory). The origin of the sample and the method by which the nucleic acids are obtained for application of the method of the invention is not a limitation of the present invention. Optionally, the method of the invention can be performed directly on the source of DNA, or on nucleic acids obtained (e.g., extracted) from a source.

[0020] The method of the invention involves subjecting a sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers specific for a first region of double-stranded nucleic acid sequences, thereby obtaining amplified sequences.

[0021] As used herein, each of the "regions" is predetermined based upon the alignment of the nucleic acid sequences of at least two serotypes (e.g., AAV) or strains (e.g., lentiviruses), and wherein each of said regions is composed of sequences having a 5' end which is highly conserved, a middle which is variable, and a 3' end which is highly conserved, each of these being conserved or variable relative to the sequences of at least AAV1-AAV6. The 5' and 3' ends are highly conserved over at least 18 base pairs (bp). However, one or both of the sequences at the 5' or 3' end may be conserved over more than 18 bp, more than 25 bp, more than 30 bp, or more than 50 bp at the 5' end. With respect to the variable region, there is no requirement for conserved sequences, these sequences may be relatively conserved, or may have less than 90, 80, or 70% identity among the aligned serotypes or strains.

[0022] Each of the regions may span about 100 bp to about 10 kilobase pairs in length, provided that the first region is at least 250 bp in length. However, it is particularly desirable that one of the regions is a "signature region", i.e., a region which is sufficiently unique to positively identify the amplified sequence as being from the target source. For example, in one embodiment, the first region is about 250 bp in length, and is sufficiently unique among known AAV sequences, that it positively identifies the amplified region as being of AAV origin. Further, the variable sequences within this region are sufficiently unique that can be used to identify the serotype from which the amplified sequences originate. Once amplified (and thereby detected), the sequences can be identified by performing conventional restriction digestion and comparison to restriction digestion patterns for this region in any of AAV1, AAV2, AAV3, AAV4, AAV5, or AAV6, or that of AAV7, AAV10, AAV11, AAV12, or any of the other novel serotypes identified by the invention, which is predetermined and provided by the present invention.

[0023] Given the guidance provided herein, one of skill in the art can readily identify such regions among other integrated viruses to permit ready detection and identification of these sequences. Thereafter, an optimal set of generic primers located within the highly conserved ends can be designed and tested for efficient amplification of the selected region from samples. This aspect of the invention is readily adapted to a diagnostic kit for detecting the presence of the target sequence (e.g., AAV) and for identifying the AAV serotype, using standards which include the restriction patterns for the AAV serotypes described herein or isolated using the techniques described herein. For example, quick identification or molecular serotyping of PCR products can be accomplished by digesting the PCR products and comparing restriction patterns.

[0024] Thus, in one embodiment, the "signature region" for AAV spans about bp 2800 to about 3200 of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2, AAV3, AAV4, AAV5, and AAV6. More desirably, the region is about 250 bp, located within bp 2886 to about 3143 bp of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2 [SEQ ID NO:7], AAV3 [SEQ ID NO:8], and other AAV serotypes. To permit rapid detection of AAV in the sample, primers which specifically amplify this signature region are utilized. However, the present invention is not limited to the exact sequences identified herein for the AAV signature region, as one of skill in the art may readily alter this region to encompass a shorter fragment, or a larger fragment of this signature region.

[0025] The PCR primers are generated using techniques known to those of skill in the art. Each of the PCR primer sets is composed of a 5' primer and a 3' primer. See, e.g., Sambrook et al, cited herein. The term "primer" refers to an oligonucleotide which acts as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product which is complementary to a nucleic acid strand is induced. The primer is preferably single stranded. However, if a double stranded primer is utilized, it is treated to separate its strands before being used to prepare extension products. The primers may be about 15 to 25 or more nucleotides, and preferably at least 18 nucleotides. However, for certain applications shorter nucleotides, e.g., 7 to 15 nucleotides are utilized.

[0026] The primers are selected to be sufficiently complementary to the different strands of each specific sequence to be amplified to hybridize with their respective strands. Therefore, the primer sequence need not reflect the exact sequence of the region being amplified. For example, a non-complementary nucleotide fragment may be attached to the 5' end of the primer, with the remainder of the primer sequence being completely complementary to the strand. Alternatively, non-complementary bases or longer sequences can be interspersed into the primer, provided that the primer sequence has sufficient complementarity with the sequence of the strand to be amplified to hybridize therewith and form a template for synthesis of the extension product of the other primer.

[0027] The PCR primers for the signature region are based upon the highly conserved sequences of two or more aligned sequences (e.g., two or more AAV serotypes). The primers can accommodate less than exact identity among the two or more aligned AAV serotypes at the 5' end or in the middle. However, the sequences at the 3' end of the primers correspond to a region of two or more aligned AAV serotypes in which there is exact identity over at least five, preferably, over at least nine base pairs, and more preferably, over at least 18 base pairs at the 3' end of the primers. Thus, the 3' end of the primers is composed of sequences with 100% identity to the aligned sequences over at least five nucleotides. However, one can optionally utilize one, two, or more degenerate nucleotides at the 3' end of the primer.

[0028] For example, the primer set for the signature region of AAV was designed based upon a unique region within the AAV capsid, as follows. The 5' primer was based upon nt 2867-2891 of AAV2 [SEQ ID NO:7], 5'-GGTAATTCCTCCGAAATTGGCATT3'. The 3' primer was designed based upon nt 3096-3122 of AAV2 [SEQ ID NO:7], 5'-GACTCATCAACAACAACACTGGGGATT3'. However, one of skill in the art may have readily designed the primer set based upon the corresponding regions of AAV 1, AAV3, AAV4, AAV5, AAV6, or based upon the information provided herein, AAV7, AAV10, AAV11, AAV12, or another novel AAV. In addition, still other primer sets can be readily designed to amplify this signature region, using techniques known to those of skill in the art.

B. Isolation of Target Sequences

[0029] As described herein, the present invention uses a first primer set which specifically amplifies the signature region of the target sequence, e.g., an AAV serotype, in order to permit detection of the target. In a situation in which

further sequences are desired, e.g., if a novel AAV serotype is identified, the signature region may be extended. Thus, the invention may further utilize one or more additional primer sets.

[0030] Suitably, these primer sets are designed to include either the 5' or 3' primer of the first primer set and a second primer unique to the primer set, such that the primer set amplifies a region 5' or 3' to the signature region which anneals to either the 5' end or the 3' end of the signature region. For example, a first primer set is composed of a 5' primer, P1 and a 3' primer P2 to amplify the signature region. In order to extend the signature region on its 3' end, a second primer set is composed of primer P1 and a 3' primer P4, which amplifies the signature region and contiguous sequences downstream of the signature region. In order to extend the signature region on its 5' end, a third primer set is composed of a 5' primer, P5, and primer P2, such that the signature region and contiguous sequences upstream of the signature region are amplified. These extension steps are repeated (or performed at the same time), as needed or desired. Thereafter, the products results from these amplification steps are fused using conventional steps to produce an isolated sequence of the desired length.

[0031] The second and third primer sets are designed, as with the primer set for the signature region, to amplify a region having highly conserved sequences among the aligned sequences. Reference herein to the term "second" or "third" primer set is for each of discussion only, and without regard to the order in which these primers are added to the reaction mixture, or used for amplification. The region amplified by the second primer set is selected so that upon amplification it anneals at its 5' end to the 3' end of the signature region. Similarly, the region amplified by the third primer set is selected so that upon amplification it anneals at its 3' end to the 5' end of the signature region. Additional primer sets can be designed such that the regions which they amplify anneal to either the 5' end or the 3' end of the extension products formed by the second or third primer sets, or by subsequent primer sets.

[0032] For example, where AAV is the target sequence, a first set of primers (P1 and P2) are used to amplify the signature region from the sample. In one desirable embodiment, this signature region is located within the AAV capsid. A second set of primers (P1 and P4) is used to extend the 3' end of the signature region to a location in the AAV sequence which is just before the AAV 3' ITR, i.e., providing an extension product containing the entire 3' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P4 primer corresponds to nt 4435 to 4462 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.6 kb, which contains the 0.25 kb signature region. A third set of primers (P3 and P2) is used to extend the 5' end of signature region to a location in the AAV sequences which is in the 3' end of the rep genes, i.e., providing an extension product containing the entire 5' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P3 primer corresponds to nt 1384 to 1409 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.7 kb, which contains the 0.25 kb signature region. Optionally, a fourth set of primers are used to further extend the extension product containing the entire 5' end of the AAV capsid to also include the rep sequences. In one embodiment, the primer designated P5 corresponds to nt 108 to 133 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes and is used in conjunction with the P2 primer.

[0033] Following completion of the desired number of extension steps, the various extension products are fused, making use of the signature region as an anchor or marker, to construct an intact sequence. In the example provided herein, AAV sequences containing, at a minimum, an intact AAV cap gene are obtained. Larger sequences may be obtained, depending upon the number of extension steps performed.

[0034] Suitably, the extension products are assembled into an intact AAV sequence using methods known to those of skill in the art. For example, the extension products may be digested with DraIII, which cleaves at the DraIII site located within the signature region, to provide restriction fragments which are re-ligated to provide products containing (at a minimum) an intact AAV cap gene. However, other suitable techniques for assembling the extension products into an intact sequence may be utilized. See, generally, Sambrook et al, cited herein.

[0035] As an alternative to the multiple extension steps described above, another embodiment of the invention provides for direct amplification of a 3.1 kb fragment which allows isolation of full-length cap sequences. To directly amplify a 3.1 kb full-length cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene is utilized (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGT-TCAACTGAAACGA 3', SEQ ID NO: 7) for amplification of AAV sequences including the full-length AAV cap. Typically, following amplification, the products are cloned and sequence analysis is performed with an accuracy of $\geq 99.9\%$. Using this method, the inventors have isolated at least 50 capsid clones which have subsequently been characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomolgous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5). These clones are identified elsewhere in the specification, together with the species of animal from which they were identified and the tissues in that animal these novel sequences have been located.

II. Diagnostic Kit

[0036] In another aspect, the invention provides a diagnostic kit as defined in claim 23 hereinafter for detecting the presence of an unknown adeno-associated virus (AAV) in a sample. Such a kit may contain a first set of 5' and 3' PCR primers specific for a signature region of the AAV nucleic acid sequence. Alternatively, or additionally, such a kit can contain a first set of 5' and 3' PCR primers specific for the 3.1 kb fragment which includes the full-length AAV capsid nucleic acid sequence identified herein (e.g., the AV1ns and AV2cas primers.) Optionally, a kit of the invention may further contain two or more additional sets of 5' and 3' primers, as described herein, and/or PCR probes. These primers and probes are used according to the present invention to amplify signature regions of each AAV serotype, e.g., using quantitative PCR.

[0037] Such a kit may further include one or more restriction enzymes, standards for AAV serotypes providing their "signature restriction enzyme digestions analyses", and/or other means for determining the serotype of the AAV detected.

[0038] In addition, kits of the invention may include, instructions, a negative and/or positive control, containers, diluents and buffers for the sample, indicator charts for signature comparisons, disposable gloves, decontamination instructions, applicator sticks or containers, and sample preparator cups, as well as any desired reagents, including media, wash reagents and concentration reagents. Such reagents may be readily selected from among the reagents described herein, and from among conventional concentration reagents. In one desirable embodiment, the wash reagent is an isotonic saline solution which has been buffered to physiologic pH, such as phosphate buffered saline (PBS); the elution reagent is PBS containing 0.4 M NaCl, and the concentration reagents and devices. For example, one of skill in the art will recognize that reagents such as polyethylene glycol (PEG), or NH_4SO_4 may be useful, or that devices such as filter devices. For example, a filter device with a 100 K membrane would concentrate rAAV.

[0039] The kits provided by the present invention are useful for performing the methods described herein, and for study of biodistribution, epidemiology, mode of transmission of novel AAV serotypes in human and NHPs.

[0040] Thus, the methods and kits of the invention permit identification of target AAV sequences, particularly integrated AAV sequences.

[0041] In one notable example, the method of the invention facilitated analysis of cloned AAV sequences by the inventors, which revealed heterogeneity of proviral sequences between cloned fragments from different animals, all of which were distinct from the known six AAV serotypes, with the majority of the variation localized to hypervariable regions of the capsid protein. Surprising divergence of AAV sequences was noted in clones isolated from single tissue sources, such as lymph node, from an individual rhesus monkey. This heterogeneity is best explained by apparent evolution of AAV sequence within individual animals due, in part, to extensive homologous recombination between a limited number of co-infecting parenteral viruses. These studies suggest sequence evolution of widely disseminated virus during the course of a natural AAV infection that presumably leads to the formation of swarms of quasispecies which differ from one another in the array of capsid hypervariable regions. This is the first example of rapid molecular evolution of a DNA virus in a way that formerly was thought to be restricted to RNA viruses.

[0042] Sequences of several novel AAV serotypes identified by the method of the invention and characterization of these serotypes is provided.

III. Novel AAV Serotypes

A. Nucleic Acid Sequences

[0043] Nucleic acid sequences of novel AAV serotypes identified by the methods of the invention are provided. See, SEQ ID NO:1, 9 - 59, and 117 - 120. See also and the sequence listing.

[0044] For novel serotype AAV7, the full-length sequences, including the AAV 5' ITRs, capsid, rep, and AAV 3' ITRs are provided in SEQ ID NO:1.

[0045] For other novel AAV serotypes, the approximately 3.1 kb fragment isolated according to the method of the invention is provided. This fragment contains sequences encoding full-length capsid protein and all or part of the sequences encoding the rep protein. These sequences include the clones identified below.

[0046] For still other novel AAV serotypes, the signature region encoding the capsid protein is provided. For example, the AAV10 nucleic acid sequences include those illustrated in See, SEQ ID NO:117, which spans 255 bases. The AAV11 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO:118 which spans 258 bases. The AAV12 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO: 119, which consists of 255 bases. Using the methodology described above, further AAV10, AAV11 and AAV 12 sequences can be readily identified and used for a variety of purposes, including those described for AAV7 and the other novel serotypes herein.

[0047] Novel NHP sequences identified by the invention include those provided in the following Table I, which are identified by clone number:

Table 1

AAV Cap Sequence	Clone Number	Source		
		Species	Tissue	SEQ ID NO (DNA)
Rh.1	Clone 9 (AAV9)	Rhesus	Heart	5
Rh.2	Clone 43.1	Rhesus	MLN	39
Rh.3	Clone 43.5	Rhesus	MLN	40
Rh.4	Clone 43.12	Rhesus	MLN	41
Rh.5	Clone 43.20	Rhesus	MLN	42
Rh.6	Clone 43.21	Rhesus	MLN	43
Rh.7	Clone 43.23	Rhesus	MLN	44

Table 1 (cont'd)

Rh.8	Clone 43.25	Rhesus	MLN	45
Rh.9	Clone 44.1	Rhesus	Liver	46
Rh.10	Clone 44.2	Rhesus	Liver	59
Rh.11	Clone 44.5	Rhesus	Liver	47
Rh.12	Clone 42.1B	Rhesus	MLN	30
Rh.13	42.2	Rhesus	MLN	9
Rh.14	Clone 42.3A	Rhesus	MLN	32
Rh.15	Clone 42.3B	Rhesus	MLN	36
Rh.16	Clone 42.4	Rhesus	MLN	33
Rh.17	Clone 42.5A	Rhesus	MLN	34
Rh.18	Clone 42.5B	Rhesus	MLN	29
Rh.19	Clone 42.6B	Rhesus	MLN	38
Rh.20	Clone 42.8	Rhesus	MLN	27
Rh.21	Clone 42.10	Rhesus	MLN	35
Rh.22	Clone 42.11	Rhesus	MLN	37
Rh.23	Clone 42.12	Rhesus	MLN	58
Rh.24	Clone 42.13	Rhesus	MLN	31
Rh.25	Clone 42.15	Rhesus	MLN	28
Rh.26	Clone 223.2	Rhesus	Liver	49
Rh.27	Clone 223.4	Rhesus	Liver	50
Rh.28	Clone 223.5	Rhesus	Liver	51
Rh.29	Clone 223.6	Rhesus	Liver	52
Rh.30	Clone 223.7	Rhesus	Liver	53
Rh.31	Clone 223.10	Rhesus	Liver	48
Rh.32	Clone C1	Rhesus	Spleen, Duo, Kid & Liver	19
Rh.33	Clone C3	Rhesus		20
Rh.34	Clone C5	Rhesus		21
Rh.35	Clone F1	Rhesus	Liver	22
Rh.36	Clone F3	Rhesus		23
Rh.37	Clone F5	Rhesus		24
Cy.1	Clone 1.3	Cyno	Blood	14
Cy.2	Clone 13.3B	Cyno	Blood	15
Cy.3	Clone 24.1	Cyno	Blood	16
Cy.4	Clone 27.3	Cyno	Blood	17
Cy.5	Clone 7.2	Cyno	Blood	18
Cy.6	Clone 16.3	Cyno	Blood	10

Table 1 (cont'd)

bb.1	Clone 29.3	Baboon	Blood	11
bb.2	Clone 29.5	Baboon	Blood	13
Ch.1	Clone A3.3	Chimp	Blood	57
Ch.2	Clone A3.4	Chimp	Blood	54
Ch.3	Clone A3.5	Chimp	Blood	55
Ch.4	Clone A3.7	Chimp	Blood	56

[0048] A novel NHP clone was made by splicing capsids fragments of two chimp adenoviruses into an AAV2 rep construct. This new clone, A3.1, is also termed Ch.5 [SEQ ID NO:20]. Additionally, the present invention includes two human AAV sequences, termed H6 [SEQ ID NO:25] and H2 [SEQ ID NO:26].

[0049] The AAV nucleic acid sequences further encompass the strand which is complementary to the strands provided in the sequences provided in the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], nucleic acid sequences, as well as the RNA and cDNA sequences corresponding to the sequences provided in the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], and their complementary strands. Also included in the nucleic acid sequences are natural variants and engineered modifications of the sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], and their complementary strands. Such modifications include, for example, labels which are known in the art, methylation, and substitution of one or more of the naturally occurring nucleotides with a degenerate nucleotide.

[0050] Further included are nucleic acid sequences which are greater than 85%, preferably at least about 90%, more preferably at least about 95%, and most preferably at least about 98 to 99% identical or homologous to the sequences of the invention, including the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120]. These terms are as defined herein.

[0051] Also included are fragments of the novel AAV sequences identified by the method described herein. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest. In one embodiment, these fragments are fragments of the novel sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], their complementary strands, cDNA and RNA complementary thereto.

[0052] Examples of suitable fragments are provided with respect to the location of these fragments on AAV1, AAV2, or AAV7. However, using the alignment provided herein (obtained using the Clustal W program at default settings), or similar techniques for generating an alignment with other novel serotypes of the invention, one of skill in the art can readily identify the precise nucleotide start and stop codons for desired fragments.

[0053] Examples of suitable fragments include the sequences encoding the three variable proteins (vp) of the AAV capsid which are alternative splice variants: vp1 [e.g., nt 825 to 3049 of AAV7, SEQ ID NO: 1]; vp2 [e.g., nt 1234 - 3049 of AAV7, SEQ ID NO: 1]; and vp3 [e.g., nt 1434 - 3049 of AAV7, SEQ ID NO:1]. It is notable that AAV7 has an unusual GTG start codon. With the exception of a few house-keeping genes, such a start codon has not previously been reported in DNA viruses. The start codons for vp1, vp2 and vp3 for other AAV serotypes have been believed to be such that they permit the cellular mechanism of the host cell in which they reside to produce vp1, vp2 and vp3 in a ratio of 10%:10%:80%, respectively, in order to permit efficient assembly of the virion. However, the AAV7 virion has been found to assemble efficiently even with this rare GTG start codon. Thus, the inventors anticipate this it is desirable to alter the start codon of the vp3 of other AAV serotypes to contain this rare GTG start codon, in order to improve packaging efficiency, to alter the virion structure and/or to alter location of epitopes (e.g., neutralizing antibody epitopes) of other AAV serotypes. The start codons may be altered using conventional techniques including, e.g., site directed mutagenesis. The altered AAV virions may be of any selected serotype, composed of a vp 3, and/or optionally, vp 1 and/or vp2 having start codons altered to GTG.

[0054] Other suitable fragments of AAV, include a fragment containing the start codon for the AAV capsid protein [e.g., nt 468 to 3090 of AAV7, SEQ ID NO:1, nt 725 to 3090 of AAV7, SEQ ID NO: 1, and corresponding regions of the other AAV serotypes]. Still other fragments of AAV7 and the other novel AAV serotypes identified using the methods described herein include those encoding the rep proteins, including *rep* 78 [e.g., initiation codon 334 for AAV7], *rep* 68 [initiation codon nt 334 for AAV7], *rep* 52 [initiation codon 1006 for AAV7], and *rep* 40 [initiation codon 1006 for AAV7]. Other fragments of interest may include the AAV 5' inverted terminal repeats ITRs, [nt 1 to 107 for AAV7]; the AAV 3' ITRs [nt 4704 to 4721 for AAV7], P19 sequences, AAV P40 sequences, the rep binding site, and the terminal resolute site (TRS). Still other suitable fragments will be readily apparent to those of skill in the art.

[0055] In addition to the nucleic acid sequences provided in the figures and Sequence Listing, there are nucleic acid molecules and sequences which are designed to express the amino acid sequences, proteins and peptides of the AAV serotypes of the invention. These include nucleic acid sequences which encode the following novel AAV amino acid sequences: C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67],

A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104], 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106], 42-38 [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], and/or 42-12 [SEQ ID NO: 113], and artificial AAV serotypes generated using these sequences and/or unique fragments thereof.

[0056] As used herein, artificial AAV serotypes include, without limitation, AAV with a non-naturally occurring capsid protein. Such an artificial capsid may be generated by any suitable technique, using a novel AAV sequence (e.g., a fragment of a vp1 capsid protein) in combination with heterologous sequences which may be obtained from another AAV serotype (known or novel), non-contiguous portions of the same AAV serotype, from a non-AAV viral source, or from a non-viral source. An artificial AAV serotype may be, without limitation, a chimeric AAV capsid, a recombinant AAV capsid, or a "humanized" AAV capsid.

B. AAV Amino Acid Sequences, Proteins and Peptides

[0057] The invention provides proteins and fragments thereof which are encoded by the nucleic acid sequences of the novel AAV serotypes identified herein, including, e.g., AA V7 [nt 825 to 3049 of AA V7, SEQ ID NO: 1] the other novel serotypes provided herein. Thus, the capsid proteins of the novel serotypes of the invention, including: H6 [SEQ ID NO: 25], H2 [SEQ ID NO: 26], 42-2 [SEQ ID NO:9], 42-8 [SEQ ID NO:27], 42-15 [SEQ ID NO:28], 42-5b [SEQ ID NO: 29], 42-1b [SEQ ID NO:30], 42-13 [SEQ ID NO: 31], 42-3a [SEQ ID NO: 32], 42-4 [SEQ ID NO:33], 42-5a [SEQ ID NO: 34], 42-10 [SEQ ID NO:35], 42-3b [SEQ ID NO: 36], 42-11 [SEQ ID NO: 37], 42-6b [SEQ ID NO:38], 43-1 [SEQ ID NO: 39], 43-5 [SEQ ID NO: 40], 43-12 [SEQ ID NO:41], 43-20 [SEQ ID NO:42], 43-21 [SEQ ID NO: 43], 43-23 [SEQ ID NO:44], 43-25 [SEQ ID NO: 45], 44.1 [SEQ ID NO:47], 44.5 [SEQ ID NO:47], 223.10 [SEQ ID NO:48], 223.2 [SEQ ID NO:49], 223.4 [SEQ ID NO:50], 223.5 [SEQ ID NO:51], 223.6 [SEQ ID NO: 52], 223.7 [SEQ ID NO: 53], A3.4 [SEQ ID NO: 54], A3.5 [SEQ ID NO:55], A3.7 [SEQ ID NO: 56], A3.3 [SEQ ID NO:57], 42.12 [SEQ ID NO: 58], and 44.2 [SEQ ID NO: 59], can be readily generated using conventional techniques from the open reading frames provided for the above-listed clones.

[0058] The sequences, proteins, and fragments may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Such production methods are within the knowledge of those of skill in the art.

IV. Production of rAAV with novel AAV capsids

[0059] Novel, wild-type AAV serotypes can be identified by the invention, the sequences of which wild-type AAV serotypes are free of DNA and/or cellular material with these viruses are associated in nature. In another aspect, the present invention provides molecules which utilize the novel AAV sequences of the invention, including fragments thereof, for production of molecules useful in delivery of a heterologous gene or other nucleic acid sequences to a target cell.

[0060] The following examples illustrate several aspects and embodiments of the invention.

EXAMPLES

Example 1: PCR amplification, cloning and characterization of novel AAV sequences.

[0061] Tissues from nonhuman primates were screened for AAV sequences using a PCR method based on oligonucleotides to highly conserved regions of known AAVs. A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which a hypervariable region of the capsid protein (Cap) that is unique to each known AAV serotype, which is termed herein a "signature region," is flanked by conserved sequences. In later analysis, this signature region was shown to be located between conserved residues spanning hypervariable region 3.

[0062] An initial survey of peripheral blood of a number of nonhuman primate species revealed detectable AAV in a subset of animals from species such as rhesus macaques, cynomolgous macaques, chimpanzees and baboons. However, there were no AAV sequences detected in some other species tested, including Japanese macaques, pig-tailed macaques and squirrel monkeys. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

A. Amplification of an AAV signature region

[0063] DNA sequences of AAV1-6 and AAVs isolated from Goose and Duck were aligned to each other using "Clustal W" at default settings. Sequence similarities among AAVs were compared.

[0064] In the line of study, a 257 bp region spanning 2886 bp to 3143 bp of AAV 1 [SEQ ID NO: 6], and the corresponding region in the genomes of AAV 2-6 genomes was identified by the inventors. This region is located with the AAV capsid gene and has highly conserved sequences among at both 5' and 3' ends and is relatively variable sequence in the middle. In addition, this region contains a *DraIII* restriction enzyme site (CACCACGTC, SEQ ID NO:15). The inventors have found that this region serves as specific signature for each known type of AAV DNA. In other words, following PCR reactions, digestion with endonucleases that are specific to each known serotypes and gel electrophoresis analysis, this regions can be used to definitively identify amplified DNA as being from serotype 1, 2, 3, 4, 5, 6, or another serotype.

[0065] The primers were designed, validated and PCR conditions optimized with AAV1, 2 and 5 DNA controls. The primers were based upon the sequences of AAV2: 5' primer, 1S: bp 2867-2891 of AAV2 (SEQ ID NO:7) and 3' primer, 18as, bp 3095-3121 of AAV2 (SEQ ID NO:7).

[0066] Cellular DNAs from different tissues including blood, brain, liver, lung, testis, etc. of different rhesus monkeys were studied utilizing the strategy described above. The results revealed that DNAs from different tissues of these monkeys gave rise to strong PCR amplifications. Further restriction analyses of PCR products indicated that they were amplified from AAV sequences different from any published AAV sequences.

[0067] PCR products (about 255 bp in size) from DNAs of a variety of monkey tissues have been cloned and sequenced. Bioinformatics study of these novel AAV sequences indicated that they are novel AAV sequences of capsid gene and distinct from each other. Multiple sequence alignment analysis was performed using the Clustal W (1.81) program. The percentage of sequence identity between the signature regions of AAV 1-7 and AAV 10-12 genomes is provided below.

Table 1. Sequences for Analysis

Sequence #	AAV Serotype	Size (bp)
1	AAV1	258
2	AAV2	255
3	AAV3	255
4	AAV4	246
5	AAV5	258
6	AAV6	258
7	AAV7	258
10	AAV10	255
11	AAV11	258
12	AAV12	255

Table 3. Pairwise Alignment (Percentage of Identity)

	AAV2	AAV3	AAV4	AAV5	AAV6	AAV7	AAV10	AAV11	AAV12
AAV1	90	90	81	76	97	91	93	94	93
AAV2		93	79	78	90	90	93	93	92
AAV3			80	76	90	92	92	92	92
AAV4				76	81	84	82	81	79
AAV5					75	78	79	79	76
AAV6						91	92	94	94
AAV7							94	92	92
AAV10								95	93

Table continued

	AAV2	AAV3	AAV4	AAV5	AAV6	AAV7	AAV10	AAV11	AAV12
AAV11									94

[0068] Over 300 clones containing novel AAV serotype sequences that span the selected 257 bp region were isolated and sequenced. Bioinformatics analysis of these 300+ clones suggests that this 257 bp region is critical in serving as a good land marker or signature sequence for quick isolation and identification of novel AAV serotype.

B. Use of the signature region for PCR amplification.

[0069] The 257 bp signature region was used as a PCR anchor to extend PCR amplifications to 5' of the genome to cover the junction region of rep and cap genes (1398 bp - 3143 bp, SEQ ID NO:6) and 3' of the genome to obtain the entire cap gene sequence (2866 bp - 4600 bp, SEQ ID NO:6). PCR amplifications were carried out using the standard conditions, including denaturing at 95°C for 0.5-1 min, annealing at 60-65°C for 0.5-1 min and extension at 72° C for 1 min per kb with a total number of amplification cycles ranging from 28 to 42.

[0070] Using the aligned sequences as described in "A", two other relative conserved regions were identified in the sequence located in 3' end of rep genes and 5' to the 257 bp region and in the sequence down stream of the 257 bp fragment but before the AAV' 3 ITR. Two sets of new primers were designed and PCR conditions optimized for recovery of entire capsid and a part of rep sequences of novel AAV serotypes. More specifically, for the 5' amplification, the 5' primer, AV1Ns, was GCTGCGTCAACTGGACCAATGAGAAC [nt 1398-1423 of AAV1, SEQ ID NO:6] and the 3' primer was 18as, identified above. For the 3' amplification, the 5' primer was 1s, identified above, and the 3' primer was AV2Las, TCGTTTCAGTTGAACCTTGGTCTCTGCG [nt 4435-4462 of AAV2, SEQ ID NO:7].

[0071] In these PCR amplifications, the 257 bp region was used as a PCR anchor and land marker to generate overlapping fragments to construct a complete capsid gene by fusion at the DraIII site in the signature region following amplification of the 5' and 3' extension fragments obtained as described herein. More particularly, to generate the intact AAV7 cap gene, the three amplification products (a) the sequences of the signature region; (b) the sequences of the 5' extension; and (c) the sequences of the 3' extension were cloned into a pCR4-Topo [Invitrogen] plasmid backbone according to manufacturer's instructions. Thereafter, the plasmids were digested with DraIII and recombined to form an intact cap gene.

[0072] In this line of work, about 80 % of capsid sequences of AAV7 and AAV 8 were isolated and analyzed. Another novel serotype, AAV9, was also discovered from Monkey #2.

[0073] Using the PCR conditions described above, the remaining portion of the rep gene sequence for AAV7 is isolated and cloned using the primers that amplify 108 bp to 1461 bp of AAV genome (calculated based on the numbering of AAV2, SEQ ID NO:7). This clone is sequenced for construction of a complete AAV7 genome without ITRs.

C. Direct Amplification of 3.1 kb Cap fragment

[0074] To directly amplify a 3.1 kb full-length Cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene was selected (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt 1398-1423 of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGTTCAACTGAAACGA 3', SEQ ID NO:7) for amplification of full-length cap fragments. The PCR products were Topo-cloned according to manufacturer's directions (Invitrogen) and sequence analysis was performed by Qiagen Genomics (Qiagen Genomics, Seattle, WA) with an accuracy of $\geq 99.9\%$. A total of 50 capsid clones were isolated and characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomolgous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5).

[0075] To rule out the possibility that sequence diversity within the novel AAV family was not an artifact of the PCR, such as PCR-mediated gene splicing by overlap extension between different partial DNA templates with homologous sequences, or the result of recombination process in bacteria, a series of experiments were performed under identical conditions for VP1 amplification using total cellular DNAs. First, intact AAV7 and AAV8 plasmids were mixed at an equal molar ratio followed by serial dilutions. The serially diluted mixtures were used as templates for PCR amplification of 3.1 kb VP1 fragments using universal primers and identical PCR conditions to that were used for DNA amplifications to see whether any hybrid PCR products were generated. The mixture was transformed into bacteria and isolated transformants to look for hybrid clones possibly derived from recombination process in bacterial cells. In a different experiment, we restricted AAV7 and AAV8 plasmids with Msp I, Ava I and HaeI, all of which cut both genomes multiple times at different

positions, mixed the digestions in different combinations and used them for PCR amplification of VP1 fragments under the same conditions to test whether any PCR products could be generated through overlap sequence extension of partial AAV sequences. In another experiment, a mixture of gel purified 5' 1.5 kb AAV7 VP1 fragment and 3' 1.7 kb AAV8 VP1 fragment with overlap in the signature region was serially diluted and used for PCR amplification in the presence and absence of 200 ng cellular DNA extracted from a monkey cell line that was free of AAV sequences by TaqMan analysis. None of these experiments demonstrated efficient PCR-mediated overlap sequence production under the conditions of the genomic DNA Cap amplification (data not shown). As a further confirmation, 3 pairs of primers were designed, which were located at different HVRs, and were sequence specific to the variants of clone 42s from Rhesus macaque F953, in different combinations to amplify shorter fragments from mesenteric lymph node (MLN) DNA from F953 from which clone 42s were isolated. All sequence variations identified in full-length Cap clones were found in these short fragments (data not shown).

Example 2: Adeno-Associated Viruses Undergo Substantial Evolution in Primates During Natural Infections

[0076] Sequence analysis of selected AAV isolates revealed divergence throughout the genome that is most concentrated in hypervariable regions of the capsid proteins. Epidemiologic data indicate that all known serotypes are endemic to primates, although isolation of clinical isolates has been restricted to AAV2 and AAV3 from anal and throat swabs of human infants and AAV5 from a human condylomatous wart. No known clinical sequelae have been associated with AAV infection.

[0077] In an attempt to better understand the biology of AAV, nonhuman primates were used as models to characterize the sequelae of natural infections. Tissues from nonhuman primates were screened for AAV sequences using the PCR method of the invention based on oligonucleotides to highly conserved regions of known AAVs (see Example 1). A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which conserved sequences are flanked by a hypervariable region that is unique to each known AAV serotype, termed herein a "signature region."

[0078] An initial survey of peripheral blood of a number of nonhuman primate species including rhesus monkeys, cynomolgous monkeys, chimpanzees, and baboons revealed detectable AAV in a subset of animals from all species. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

[0079] The amplified signature sequences were subcloned into plasmids and individual transformants were subjected to sequence analysis. This revealed substantial variation in nucleotide sequence of clones derived from different animals. Variation in the signature sequence was also noted in clones obtained within individual animals. Tissues harvested from two animals in which unique signature sequences were identified (i.e., colon from 98E044 and heart from 98E056) were further characterized by expanding the sequence amplified by PCR using oligonucleotides to highly conserved sequences. In this way, complete proviral structures were reconstructed for viral genomes from both tissues as described herein. These proviruses differ from the other known AAVs with the greatest sequence divergence noted in regions of the Cap gene.

[0080] Additional experiments were performed to confirm that AAV sequences resident to the nonhuman primate tissue represented proviral genomes of infectious virus that is capable of being rescued and form virions. Genomic DNA from liver tissue of animal 98E056, from which AAV8 signature sequence was detected, was digested with an endonuclease that does not have a site within the AAV sequence and transfected into 293 cells with a plasmid containing an E1 deleted genome of human adenovirus serotype 5 as a source of helper functions. The resulting lysate was passaged on 293 cells once and the lysate was recovered and analyzed for the presence of AAV Cap proteins using a broadly reacting polyclonal antibody to Cap proteins and for the presence and abundance of DNA sequences from the PCR amplified AAV provirus from which AAV8 was derived. Transfection of endonuclease restricted heart DNA and the adenovirus helper plasmid yielded high quantities of AAV8 virus as demonstrated by the detection of Cap proteins by Western blot analysis and the presence of 10^4 AAV8 vector genomes per 293 cell. Lysates were generated from a large-scale preparation and the AAV was purified by cesium sedimentation. The purified preparation demonstrated 26 nm icosohedral structures that look identical to those of AAV serotype 2. Transfection with the adenovirus helper alone did not yield AAV proteins or genomes, ruling out contamination as a source of the rescued AAV.

[0081] To further characterize the inter and intra animal variation of AAV signature sequence, selected tissues were subjected to extended PCR to amplify entire Cap open reading frames.

[0082] The resulting fragments were cloned into bacterial plasmids and individual transformants were isolated and fully sequenced. This analysis involved mesenteric lymph nodes from three rhesus monkeys (Tulane/V223 - 6 clones; Tulane/T612 - 7 clones; Tulane/F953 - 14 clones), liver from two rhesus monkeys (Tulane/V251 - 3 clones; Penn/00E033 - 3 clones), spleen from one rhesus monkey (Penn/97E043 - 3 clones), heart from one rhesus monkey (IHGT/98E046-1 clone) and peripheral blood from one chimpanzee (New Iberia/X133 - 5 clones), six cynomolgous macaques (Charles River/A1378, A3099, A3388, A3442, A2821, A3242 - 6 clones total) and one Baboon (SFRB/8644 - 2 clones). Of the

50 clones that were sequenced from 15 different animals, 30 were considered non-redundant based on the finding of at least 7 amino acid differences from one another. The non-redundant VP1 clones are numbered sequentially as they were isolated, with a prefix indicating the species of non-human primate from which they were derived. The structural relationships between these 30 non-redundant clones and the previously described 8 AAV serotypes were determined using the SplitsTree program [Huson, D. H. SplitsTree: analyzing and visualizing evolutionary data. *Bioinformatics* 14, 68-73 (1998)] with implementation of the method of split decomposition. The analysis depicts homoplasy between a set of sequences in a tree-like network rather than a bifurcating tree. The advantage is to enable detection of groupings that are the result of convergence and to exhibit phylogenetic relationships even when they are distorted by parallel events. Extensive phylogenetic research will be required in order to elucidate the AAV evolution, whereas the intention here only is to group the different clones as to their sequence similarity.

[0083] To confirm that the novel VP1 sequences were derived from infectious viral genomes, cellular DNA from tissues with high abundance of viral DNA was restricted with an endonuclease that should not cleave within AAV and transfected into 293 cells, followed by infection with adenovirus. This resulted in rescue and amplification of AAV genomes from DNA of tissues from two different animals (data not shown).

[0084] VP1 sequences of the novel AAVs were further characterized with respect to the nature and location of amino acid sequence variation. All 30 VP1 clones that were shown to differ from one another by greater than 1% amino acid sequence were aligned and scored for variation at each residue. An algorithm developed to determine areas of sequence divergence yielded 12 hypervariable regions (HVR) of which 5 overlap or are part of the 4 previously described variable regions [Kotin, cited above; Rutledge, cited above]. The threefold-proximal peaks contain most of the variability (HVR5-10). Interestingly the loops located at the 2 and 5 fold axis show intense variation as well. The HVRs 1 and 2 occur in the N-terminal portion of the capsid protein that is not resolved in the X-ray structure suggesting that the N-terminus of the VP1 protein is exposed on the surface of the virion.

[0085] Real-time PCR was used to quantify AAV sequences from tissues of 21 rhesus monkeys using primers and probes to highly conserved regions of Rep (one set) and Cap (two sets) of known AAVs. Each data point represents analysis from tissue DNA from an individual animal. This confirmed the wide distribution of AAV sequences, although the quantitative distribution differed between individual animals. The source of animals and previous history or treatments did not appear to influence distribution of AAV sequences in rhesus macaques. The three different sets of primers and probes used to quantify AAV yielded consistent results. The highest levels of AAV were found consistently in mesenteric lymph nodes at an average of 0.01 copies per diploid genome for 13 animals that were positive. Liver and spleen also contained high abundance of virus DNA. There were examples of very high AAV, such as in heart of rhesus macaque 98E056, spleen of rhesus macaque 97E043 and liver of rhesus macaque RQ4407, which demonstrated 1.5, 3 and 20 copies of AAV sequence per diploid genome respectively. Relatively low levels of virus DNA were noted in peripheral blood mononuclear cells, suggesting the data in tissue are not due to resident blood components (data not shown). It should be noted that this method would not necessarily capture all AAVs resident to the nonhuman primates since detection requires high homology to both the oligonucleotides and the real time PCR probe. Tissues from animals with high abundance AAV DNA was further analyzed for the molecular state of the DNA, by DNA hybridization techniques, and its cellular distribution, by *in situ* hybridization.

[0086] The kind of sequence variation revealed in AAV proviral fragments isolated from different animals and within tissues of the same animals is reminiscent of the evolution that occurs for many RNA viruses during pandemics or even within the infection of an individual. In some situations the notion of a wild-type virus has been replaced by the existence of swarms of quasispecies that evolve as a result of rapid replication and mutations in the presence of selective pressure. One example is infection by HIV, which evolves in response to immunologic and pharmacologic pressure. Several mechanisms contribute to the high rate of mutations in RNA viruses, including low fidelity and lack of proof reading capacity of reverse transcriptase and non-homologous and homologous recombination.

[0087] Evidence for the formation of quasispecies of AAV was illustrated in this study by the systematic sequencing of multiple cloned proviral fragments. In fact, identical sequences could not be found within any extended clones isolated between or within animals. An important mechanism for this evolution of sequence appears to be a high rate of homologous recombination between a more limited number of parenteral viruses. The net result is extensive swapping of hypervariable regions of the Cap protein leading to an array of chimeras that could have different tropisms and serologic specificities (i.e., the ability to escape immunologic responses especially as it relates to neutralizing antibodies). Mechanisms by which homologous recombination could occur are unclear. One possibility is that + and - strands of different single stranded AAV genomes anneal during replication as has been described during high multiplicity of infections with AAV recombinants. It is unclear if other mechanisms contribute to sequence evolution in AAV infections. The overall rate of mutation that occurs during AAV replication appears to be relatively low and the data do not suggest high frequencies of replication errors. However, substantial rearrangements of the AAV genome have been described during lytic infection leading to the formation of defective interfering particles. Irrespective of the mechanisms that lead to sequence divergence, with few exceptions, vp1 structures of the quasispecies remained intact without frameshifts or nonsense mutations suggesting that competitive selection of viruses with the most favorable profile of fitness contribute to the population

dynamics.

[0088] These studies have implications in several areas of biology and medicine. The concept of rapid virus evolution, formerly thought to be a property restricted to RNA viruses, should be considered in DNA viruses, which classically have been characterized by serologic assays. It will be important in terms of parvoviruses to develop a new method for describing virus isolates that captures the complexity of its structure and biology, such as with HIV, which are categorized as general families of similar structure and function called Clades. An alternative strategy is to continue to categorize isolates with respect to serologic specificity and develop criteria for describing variants within serologic groups.

Example 3: Vectorology of recombinant AAV genomes equipped with AAV2 ITRs using chimeric plasmids containing AAV2 rep and novel AAV cap genes for serological and gene transfer studies in different animal models.

[0089] Chimeric packaging constructs are generated by fusing AAV2 rep with cap sequences of novel AAV serotypes. These chimeric packaging constructs are used, initially, for pseudotyping recombinant AAV genomes carrying AAV2 ITRs by triple transfection in 293 cell using Ad5 helper plasmid. These pseudotyped vectors are used to evaluate performance in transduction-based serological studies and evaluate gene transfer efficiency of novel AAV serotypes in different animal models including NHP and rodents, before intact and infectious viruses of these novel serotypes are isolated.

A. pAAV2GFP

[0090] The AAV2 plasmid which contains the AAV2 ITRs and green fluorescent protein expressed under the control of a constitutive promoter. This plasmid contains the following elements: the AAV2 ITRs, a CMV promoter, and the GFP coding sequences.

B. Cloning of trans plasmid

[0091] To construct the chimeric trans-plasmid for production of recombinant pseudotyped AAV7 vectors, p5E18 plasmid (Xiao *et al.*, 1999, *J. Virol* 73:3994-4003) was partially digested with Xho I to linearize the plasmid at the Xho I site at the position of 3169 bp only. The Xho I cut ends were then filled in and ligated back. This modified p5E18 plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene sequence and replaced with a 2267 bp Spe I/Xho I fragment containing the AAV7 cap gene which was isolated from pCRAAV7 6-5+15-4 plasmid.

[0092] The resulting plasmid contains the AAV2 rep sequences for Rep78/68 under the control of the AAV2 P5 promoter, and the AAV2 rep sequences for Rep52/40 under the control of the AAV2 P19 promoter. The AAV7 capsid sequences are under the control of the AAV2 P40 promoter, which is located within the Rep sequences. This plasmid further contains a spacer 5' of the rep ORF.

C. Production of Pseudotyped rAAV

[0093] The rAAV particles (AAV2 vector in AAV7 capsid) are generated using an adenovirus-free method. Briefly, the cis plasmid (pAAV2.1 lacZ plasmid containing AAV2 ITRs), and the trans plasmid pCRAAV7 6-5+15-4 (containing the AAV2 rep and AAV7 cap) and a helper plasmid, respectively, were simultaneously co-transfected into 293 cells in a ratio of 1:1:2 by calcium phosphate precipitation.

[0094] For the construction of the pAd helper plasmids, pBG 10 plasmid was purchased from Microbix (Canada). A RsrII fragment containing L2 and L3 was deleted from pBHG10, resulting in the first helper plasmid, pAdΔF13. Plasmid AdΔ F1 was constructed by cloning Asp700/Sall fragment with a PmeI/SgfI deletion, isolating from pBHG10, into Bluescript. MLP, L2, L2 and L3 were deleted in the pAdΔF1. Further deletions of a 2.3 kb NruI fragment and, subsequently, a 0.5 kb RsrII/NruI fragment generated helper plasmids pAdΔF5 and pAdΔF6, respectively. The helper plasmid, termed pΔF6, provides the essential helper functions of E2a and E4 ORF6 not provided by the E1-expressing helper cell, but is deleted of adenoviral capsid proteins and functional E1 regions).

[0095] Typically, 50 μg of DNA (cis:trans:helper) was transfected onto a 150 mm tissue culture dish. The 293 cells were harvested 72 hours post-transfection, sonicated and treated with 0.5% sodium deoxycholate (37°C for 10 min.) Cell lysates were then subjected to two rounds of a CsCl gradient. Peak fractions containing rAAV vector are collected, pooled and dialyzed against PBS.

Example 4: Creation of infectious clones carrying intact novel AAV serotypes for study of basic virology in human and NHP derived cell lines and evaluation of pathogenesis of novel AAV serotypes in NHP and other animal models.

[0096] To achieve this goal, the genome walker system is employed to obtain 5' and 3' terminal sequences (ITRs)

and complete construction of clones containing intact novel AAV serotype genomes.

[0097] Briefly, utilizing a commercially available Universal Genome Walker Kit [Clontech], genomic DNAs from monkey tissues or cell lines that are identified as positive for the presence of AAV7 sequence are digested with Dra I, EcoR V, Pvu II and Stu I endonucleases and ligated to Genome Walker Adaptor to generate 4 individual Genome Walker Libraries (GWLs). Using DNAs from GWLs as templates, AAV7 and adjacent genomic sequences will be PCR-amplified by the adaptor primer 1 (API, provided in the kit) and an AAV7 specific primer 1, followed by a nested PCR using the adaptor primer 2 (AP2) and another AAV7 specific primer 2, both of which are internal to the first set of primers. The major PCR products from the nested PCR are cloned and characterized by sequencing analysis.

[0098] In this experiment, the primers covering the 257 bp or other signature fragment of a generic AAV genome are used for PCR amplification of cellular DNAs extracted from Human and NHP derived cell lines to identify and characterize latent AAV sequences. The identified latent AAV genomes are rescued from the positive cell lines using adenovirus helpers of different species and strains.

[0099] To isolate infectious AAV clones from NHP derived cell lines, a desired cell line is obtained from ATCC and screened by PCR to identify the 257 bp amplicon, i.e., signature region of the invention. The 257 bp PCR product is cloned and serotyped by sequencing analysis. For these cell lines containing the AAV7 sequence, the cells are infected with SV-15, a simian adenovirus purchased from ATCC, human Ad5 or transfected with plasmid construct housing the human Ad genes that are responsible for AAV helper functions. At 48 hour post infection or transfection, the cells are harvested and Hirt DNA is prepared for cloning of AAV7 genome following Xiao et al., 1999, *J. Virol.*, 73:3994-4003.

Example 5 - Production of AAV Vectors

[0100] A pseudotyping strategy similar to that of Example 3 for AAV1/7 was employed to produce AAV2 vectors packaged with AAV1, AAV5 and AAV8 capsid proteins. Briefly, recombinant AAV genomes equipped with AAV2 ITRs were packaged by triple transfection of 293 cells with cis-plasmid, adenovirus helper plasmid and a chimeric packaging construct where the AAV2 rep gene is fused with cap genes of novel AAV serotypes. To create the chimeric packaging constructs, the Xho I site of p5E18 plasmid at 3169 bp was ablated and the modified plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene and replace it with a 2267 bp Spe I/Xho I fragment containing the AAV8 cap gene [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003]. A similar cloning strategy was used for creation of chimeric packaging plasmids of AAV2/1 and AAV2/5. All recombinant vectors were purified by the standard CsCl₂ sedimentation method except for AAV2/2, which was purified by single step heparin chromatography.

[0101] Genome copy (GC) titers of AAV vectors were determined by TaqMan analysis using probes and primers targeting SV40 poly A region as described previously [Gao, G., et al., (2000) *Hum Gene Ther* 11, 2079-91].

[0102] Vectors were constructed for each serotype for a number of *in vitro* and *in vivo* studies. Eight different transgene cassettes were incorporated into the vectors and recombinant virions were produced for each serotype. The recovery of virus, based on genome copies, is summarized in Table 4 below. The yields of vector were high for each serotype with no consistent differences between serotypes. Data presented in the table are average genome copy yields with standard deviation $\times 10^{13}$ of multiple production lots of 50 plate (150 mm) transfections.

Table 4. Production of Recombinant Vectors

	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8
CMV LacZ	7.30 \pm 4.33 (n=9)	4.49 \pm 2.89 (n=6)	5.19 \pm 5.19 (n=8)	3.42 (n=1)	0.87 (n=1)
CMV EGFP	6.43 \pm 2.42 (n=2)	3.39 \pm 2.42 (n=2)	5.55 \pm 6.49 (n=4)	2.98 \pm 2.66 (n=2)	3.74 \pm 3.88 (n=2)
TBG LacZ	4.18 (n=1)	0.23 (n=1)	0.704 \pm 0.43 (n=2)	2.16 (n=1)	0.532 (n=1)
Alb A1AT	4.67 \pm 0.75 (n=2)	4.77 (n=1)	4.09 (n=1)	5.04 (n=1)	2.02 (n=1)
CB A1AT	0.567 (n=1)	0.438 (n=1)	2.82 (n=1)	2.78 (n=1)	0.816 \pm 0.679 (n=2)
TBG rhCG	8.51 \pm 6.65 (n=6)	3.47 \pm 2.09 (n=5)	5.26 \pm 3.85 (n=4)	6.52 \pm 3.08 (n=4)	1.83 \pm 0.98 (n=5)
TBG cFIX	1.24 \pm 1.29 (n=3)	0.63 \pm 0.394 (n=6)	3.74 \pm 2.48 (n=7)	4.05 (n=1)	15.8 \pm 15.0 (n=5)

Example 6 - Serologic Analysis of Pseudotyped Vectors

[0103] C57BL/6 mice were injected with vectors of different serotypes of AAVCBA1AT vectors intramuscularly (5 x

10¹¹ GC) and serum samples were collected 34 days later. To test neutralizing and cross-neutralizing activity of sera to each serotype of AAV, sera was analyzed in a transduction based neutralizing antibody assay [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43]. More specifically, the presence of neutralizing antibodies was determined by assessing the ability of serum to inhibit transduction of 84-31 cells by reporter viruses (AAVCMVEGFP) of different serotypes. Specifically, the reporter virus AAVCMVEGFP of each serotype [at multiplicity of infection (MOI) that led to a transduction of 90% of indicator cells] was pre-incubated with heat-inactivated serum from animals that received different serotypes of AAV or from naïve mice. After 1-hour incubation at 37° C, viruses were added to 84-31 cells in 96 well plates for 48 or 72- hour, depending on the virus serotype. Expression of GFP was measured by Fluorolmagin (Molecular Dynamics) and quantified by Image Quant Software. Neutralizing antibody titers were reported as the highest serum dilution that inhibited transduction to less than 50%.

[0104] The availability of GFP expressing vectors simplified the development of an assay for neutralizing antibodies that was based on inhibition of transduction in a permissive cell line (i.e., 293 cells stably expressing E4 from Ad5). Sera to selected AAV serotypes were generated by intramuscular injection of the recombinant viruses. Neutralization of AAV transduction by 1:20 and 1:80 dilutions of the antisera was evaluated (See Table 5 below). Antisera to AAV1, AAV2, AAV5 and AAV8 neutralized transduction of the serotype to which the antiserum was generated (AAV5 and AAV8 to a lesser extent than AAV1 and AAV2) but not to the other serotype (i.e., there was no evidence of cross neutralization suggesting that AAV 8 is a truly unique serotype).

Table 5. Serological Analysis of New AAV Serotypes.

		% Infection on 84-31 cells with AAVCMVEGFP virus:									
		AAV2/1		AAV2/2		AAV2/5		AAV2/7		AAV2/8	
		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:	
Sera:	Immunization Vector	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80
Group 1	AAV2/1	0	0	100	100	100	100	100	100	100	100
Group 2	AAV2/2	100	100	0	0	100	100	100	100	100	100
Group 3	AAV2/5	100	100	100	100	16.5	16.5	100	100	100	100
Group 4	AAV2/7	100	100	100	100	100	100	61.5	100	100	100
Group 5	AAV2/8	100	100	100	100	100	100	100	100	26.3	60

[0105] Human sera from 52 normal subjects were screened for neutralization against selected serotypes. No serum sample was found to neutralize AAV2/7 and AAV2/8 while AAV2/2 and AAV2/1 vectors were neutralized in 20% and 10% of sera, respectively. A fraction of human pooled IgG representing a collection of 60,000 individual samples did not neutralize AAV2/7 and AAV2/8, whereas AAV2/2 and AAV2/1 vectors were neutralized at titers of serum equal to 1/1280 and 1/640, respectively.

Example 7 - In vivo Evaluation of Different Serotypes of AAV Vectors

[0106] In this study, 7 recombinant AAV genomes, AAV2CBhA1AT, AAV2AlbA1AT, AAV2CMVrhCG, AAV2TBGrhCG, AAV2TBGcFIX, AAV2CMVLacZ and AAV2TBGLacZ were packaged with capsid proteins of different serotypes. In all 7 constructs, minigene cassettes were flanked with AAV2 ITRs. cDNAs of human α -antitrypsin (A1AT) [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003] β -subunit of rhesus monkey choriogonadotropic hormone (CG) [Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9] canine factor IX [Wang, L., et al., (1997) *Proc Natl Acad Sci USA* 94, 11563-6] and bacterial β -galactosidase (i.e., Lac Z) genes were used as reporter genes. For liver-directed gene transfer, either mouse albumin gene promoter (Alb) [Xiao, W. (1999), cited above] or human thyroid hormone binding globulin gene promoter (TBG) [Wang (1997), cited above] was used to drive liver specific expression of reporter genes. In muscle-directed gene transfer experiments, either cytomegalovirus early promoter (CMV) or chicken β -actin promoter with CMV enhancer (CB) was employed to direct expression of reporters.

[0107] For muscle-directed gene transfer, vectors were injected into the right tibialis anterior of 4-6 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). In liver-directed gene transfer studies, vectors were infused intraportally into 7-9 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). Serum samples were collected intraorbitally at different time points after vector administration. Muscle and liver tissues were harvested at different time points for cryosectioning and Xgal histochemical staining from animals that received the lacZ vectors. For the re-administration experiment, C56BL/6 mice initially received AAV2/1, 2/2, 2/5, 2/7 and 2/8CBA1AT vectors intramuscularly and followed for A1AT gene expression for 7 weeks. Animals were then treated with AAV2/8TBGcFIX intraportally and studied for cFIX gene expression.

[0108] ELISA based assays were performed to quantify serum levels of hA1AT, rhCG and cFIX proteins as described previously [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43; Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9; Wang, L., et al., *Proc Natl Acad Sci U S A* 94, 11563-6]. The experiments were completed when animals were sacrificed for harvest of muscle and liver tissues for DNA extraction and quantitative analysis of genome copies of vectors present in target tissues by TaqMan using the same set of primers and probe as in titration of vector preparations [Zhang, Y., et al., (2001) *Mol Ther* 3, 697-707].

[0109] The performance of vectors based on the new serotypes were evaluated in murine models of muscle and liver-directed gene transfer and compared to vectors based on the known serotypes AAV1, AAV2 and AAV5. Vectors expressing secreted proteins (alpha-antitrypsin (A1AT) and chorionic gonadotropin (CG)) were used to quantitate relative transduction efficiencies between different serotypes through ELISA analysis of sera. The cellular distribution of transduction within the target organ was evaluated using lacZ expressing vectors and X-gal histochemistry.

[0110] The performance of AAV vectors in skeletal muscle was analyzed following direct injection into the tibialis anterior muscles. Vectors contained the same AAV2 based genome with the immediate early gene of CMV or a CMV enhanced β -actin promoter driving expression of the transgene. Previous studies indicated that immune competent C57BL/6 mice elicit limited humoral responses to the human A1AT protein when expressed from AAV vectors [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003].

[0111] In each strain, AAV2/1 vector produced the highest levels of A1AT and AAV2/2 vector the lowest, with AAV2/7 and AAV2/8 vectors showing intermediate levels of expression. Peak levels of CG at 28 days following injection of nu/nu NCR mice showed the highest levels from AAV2/7 and the lowest from AAV2/2 with AAV2/8 and AAV2/1 in between. Injection of AAV2/1 and AAV2/7 lacZ vectors yielded gene expression at the injection sites in all muscle fibers with substantially fewer lacZ positive fibers observed with AAV2/2 and AAV 2/8 vectors. These data indicate that the efficiency of transduction with AAV2/7 vectors in skeletal muscle is similar to that obtained with AAV2/1, which is the most efficient in skeletal muscle of the previously described serotypes [Xiao, W. (1999), cited above; Chao, H., et al., (2001) *Mol Ther* 4, 217-22; Chao, H., et al., (2000) *Mol Ther* 2, 619-23].

[0112] Similar murine models were used to evaluate liver-directed gene transfer. Identical doses of vector based on genome copies were infused into the portal veins of mice that were analyzed subsequently for expression of the transgene. Each vector contained an AAV2 based genome using previously described liver-specific promoters (i.e., albumin or thyroid hormone binding globulin) to drive expression of the transgene. More particularly, CMVCG and TBGCG minigene cassettes were used for muscle and liver-directed gene transfer, respectively. Levels of rhCG were defined as relative units (RUs $\times 10^3$). The data were from assaying serum samples collected at day 28, post vector administration (4 animals per group). As shown in Table 3, the impact of capsid proteins on the efficiency of transduction of A1AT vectors in nu/nu and C57BL/6 mice and CG vectors in C57BL/6 mice was consistent (See Table 6).

Table 6. Expression of β -unit of Rhesus Monkey Chorionic Gonadotropin (rhCG)

Vector	Muscle	Liver
AAV2/1	4.5 \pm 2.1	1.6 \pm 1.0
AAV2	0.5 \pm 0.1	0.7 \pm 0.3
AAV2/5	ND*	4.8 \pm 0.8
AAV2/7	14.2 \pm 2.4	8.2 \pm 4.3
AAV2/8	4.0 \pm 0.7	76.0 \pm 22.8

* Not determined in this experiment.

[0113] In all cases, AAV2/8 vectors yielded the highest levels of transgene expression that ranged from 16 to 110 greater than what was obtained with AAV2/2 vectors; expression from AAV2/5 and AAV2/7 vectors was intermediate with AAV2/7 higher than AAV2/5. Analysis of X-Gal stained liver sections of animals that received the corresponding lacZ vectors showed a correlation between the number of transduced cells and overall levels of transgene expression. DNAs extracted from livers of C57BL/6 mice who received the A1AT vectors were analyzed for abundance of vector DNA using real time PCR technology.

[0114] The amount of vector DNA found in liver 56 days after injection correlated with the levels of transgene expression (See Table 7). For this experiment, a set of probe and primers targeting the SV40 polyA region of the vector genome was used for TaqMan PCR. Values shown are means of three individual animals with standard deviations. The animals were sacrificed at day 56 to harvest liver tissues for DNA extraction. These studies indicate that AAV8 is the most efficient vector for liver-directed gene transfer due to increased numbers of transduced hepatocytes.

Table 7 - Real Time PCR Analysis for Abundance of AAV Vectors in nu/nu Mouse Liver Following Injection of 1×10^{11} Genome Copies of Vector.

AAV vectors/Dose	Genome Copies per Cell
AAV2/1A1bA1AT	0.6 ± 0.36
AAV2A1bA1AT	0.003 ± 0.001
AAV2/5A1bA1AT	0.83 ± 0.64
AAV2/7A1bA1AT	2.2 ± 1.7
AAV2/8A1bA1AT	18 ± 11

[0115] The serologic data described above suggest that AAV2/8 vector should not be neutralized *in vivo* following immunization with the other serotypes. C57BL/6 mice received intraportal injections of AAV2/8 vector expressing canine factor IX (10^{11} genome copies) 56 days after they received intramuscular injections of A1AT vectors of different serotypes. High levels of factor IX expression were obtained 14 days following infusion of AAV2/8 into naïve animals (17 ± 2 $\mu\text{g/ml}$, $n=4$) which were not significantly different than what was observed in animals immunized with AAV2/1 (31 ± 23 $\mu\text{g/ml}$, $n=4$), AAV2/2 (16 $\mu\text{g/ml}$, $n=2$), and AAV2/7 (12 $\mu\text{g/ml}$, $n=2$). This contrasts to what was observed in AAV2/8 immunized animals that were infused with the AAV2/8 factor IX vector in which no detectable factor IX was observed (< 0.1 $\mu\text{g/ml}$, $n=4$).

[0116] Oligonucleotides to conserved regions of the cap gene did amplify sequences from rhesus monkeys that represented unique AAVs. Identical cap signature sequences were found in multiple tissues from rhesus monkeys derived from at least two different colonies. Full-length rep and cap open reading frames were isolated and sequenced from single sources. Only the cap open reading frames of the novel AAVs were necessary to evaluate their potential as vectors because vectors with the AAV7 or AAV8 capsids were generated using the ITRs and rep from AAV2. This also simplified the comparison of different vectors since the actual vector genome is identical between different vector serotypes. In fact, the yields of recombinant vectors generated using this approach did not differ between serotypes.

[0117] Vectors based on AAV7 and AAV8 appear to be immunologically distinct (i.e., they are not neutralized by antibodies generated against other serotypes). Furthermore, sera from humans do not neutralize transduction by AAV7 and AAV8 vectors, which is a substantial advantage over the human derived AAVs currently under development for which a significant proportion of the human population has pre-existing immunity that is neutralizing [Chirmule, N., et al., (1999) *Gene Ther* 6, 1574-83].

[0118] The tropism of each new vector is favorable for *in vivo* applications. AAV2/7 vectors appear to transduce skeletal muscle as efficiently as AAV2/1, which is the serotype that confers the highest level of transduction in skeletal muscle of the primate AAVs tested to date [Xiao, W., cited above; Chou (2001), cited above, and Chou (2000), cited above]. Importantly, AAV2/8 provides a substantial advantage over the other serotypes in terms of efficiency of gene transfer to liver that until now has been relatively disappointing in terms of the numbers of hepatocytes stably transduced. AAV2/8 consistently achieved a 10 to 100-fold improvement in gene transfer efficiency as compared to the other vectors. The basis for the improved efficiency of AAV2/8 is unclear, although it presumably is due to uptake via a different receptor that is more active on the basolateral surface of hepatocytes. This improved efficiency will be quite useful in the development of liver-directed gene transfer where the number of transduced cells is critical, such as in urea cycle disorders and familial hypercholesterolemia.

[0119] Thus, the present invention provides a novel approach for isolating new AAVs based on PCR retrieval of genomic sequences. The amplified sequences were easily incorporated into vectors and tested in animals. The lack of pre-existing immunity to AAV7 and the favorable tropism of the vectors for muscle indicates that AAV7 is suitable for use as a vector in human gene therapy and other *in vivo* applications. Similarly, the lack of pre-existing immunity to the AAV serotypes of the invention, and their tropisms, renders them useful in delivery of therapeutic molecules and other useful molecules.

Example 9 - Tissue Tropism Studies

[0120] In the design of a high throughput functional screening scheme for novel AAV constructs, a non-tissue specific and highly active promoter, CB promoter (CMV enhanced chicken β actin promoter) was selected to drive an easily detectable and quantifiable reporter gene, human α anti-trypsin gene. Thus only one vector for each new AAV clone needs to be made for gene transfer studies targeting 3 different tissues, liver, lung and muscle to screen for tissue tropism of a particular AAV construct. The following table summarizes data generated from 4 novel AAV vectors in the tissue tropism studies (AAVCBA1AT), from which a novel AAV capsid clone, 44.2, was found to be a very potent gene transfer vehicle in all 3 tissues with a big lead in the lung tissue particularly. Table 8 reports data obtained (in μg A1AT/mL serum) at day 14 of the study.

Table 8

Vector	Target Tissue		
	Lung	Liver	Muscle
AAV2/1	ND	ND	45±11
AAV2/5	0.6±0.2	ND	ND
AAV2/8	ND	84±30	ND
AAV2/rh.2 (43.1)	14±7	25±7.4	35±14
AAV2/rh.10 (44.2)	23±6	53±19	46±11
AAV2/rh.13 (42.2)	3.5±2	2±0.8	3.5±1.7
AAV2/rh.21 (42.10)	3.1±2	2±1.4	4.3±2

A couple of other experiments were then performed to confirm the superior tropism of AAV 44.2 in lung tissue. First, AAV vector carried CC10hA1AT minigene for lung specific expression were pseudotyped with capsids of novel AAVs were given to Immune deficient animals (NCR nude) in equal volume (50 μ l each of the original preps without dilution) via intratracheal injections as provided in the following table. In Table 9, 50 μ l of each original prep per mouse, NCR Nude, detection limit ≥ 0.033 μ g/ml, Day 28

Table 9

Vector	Total GC in 50 μ l vector	μ g of A1AT/ml with 50 μ l vector	μ g of A1AT/ml with 1×10^{11} vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	3×10^{12}	2.6 ± 0.5	0.09 ± 0.02	2.2
2/2	5.5×10^{11}	<0.03	<0.005	<0.1
2/5	3.6×10^{12}	0.65 ± 0.16	0.02 ± 0.004	0.5
2/7	4.2×10^{12}	1 ± 0.53	0.02 ± 0.01	0.5
2/8	7.5×10^{11}	0.9 ± 0.7	0.12 ± 0.09	2.9
2/ch.5 (A.3.1)	9×10^{12}	1 ± 0.7	0.01 ± 0.008	0.24
2/rh.8 (43.25)	4.6×10^{12}	26 ± 21	0.56 ± 0.46	13.7
2/rh.10 (44.2)	2.8×10^{12}	115 ± 38	4.1 ± 1.4	100
2/rh.13 (42.2)	6×10^{12}	7.3 ± 0.8	0.12 ± 0.01	2.9
2/rh.21 (42.10)	2.4×10^{12}	9 ± 0.9	0.38 ± 0.04	9.3
2/rh.22 (42.11)	2.6×10^{12}	6 ± 0.4	0.23 ± 0.02	5.6
2/rh.24 (42.13)	1.1×10^{11}	0.4 ± 0.3	0.4 ± 0.3	1

The vectors were also administered to immune competent animals (C57BL/6) in equal genome copies (1×10^{11} GC) as shown in the Table 10. (1×10^{11} GC per animal, C57BL/6, day 14, detection limit ≥ 0.033 μ g/ml)

Table 10

AAV Vector	μ g of A1AT/ml with 1×10^{11} vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	0.076 ± 0.031	2.6
2/2	0.1 ± 0.09	3.4
2/5	0.084 ± 0.033	2.9

Table continued

AAV Vector	μg of A1AT/ml with 1×10^{11} vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/7	0.33 ± 0.01	11
2/8	1.92 ± 1.3	2.9
2/ch.5 (A.3.1)	0.048 ± 0.004	1.6
2/rh.8 (43.25)	1.7 ± 0.7	58
2/rh.10 (44.2)	2.93 ± 1.7	100
2/rh.13 (42.2)	0.45 ± 0.15	15
2/rh.21 (42.10)	0.86 ± 0.32	29
2/rh.22 (42.11)	0.38 ± 0.18	13
2/rh.24 (42.13)	0.3 ± 0.19	10

[0121] The data from both experiments confirmed the superb tropism of clone 44.2 in lung-directed gene transfer.

[0122] Interestingly, performance of clone 44.2 in liver and muscle directed gene transfer was also outstanding, close to that of the best liver transducer, AAV8 and the best muscle transducer AAV1, suggesting that this novel AAV has some intriguing biological significance.

[0123] To study serological properties of those novel AAVs, pseudotyped AAVGFP vectors were created for immunization of rabbits and in vitro transduction of 84-31 cells in the presence and absence of antisera against different capsids.

The data are summarized below:

Table 11a. Cross-NAB assay in 8431 cells and adenovirus (Adv) coinfection infection in 8431 cells (coinfecting with Adv) with:

Serum from rabbit immunized with:	10 ⁹ GC	10 ⁹ GC	10 ⁹ GC	10 ¹⁰ GC
	rh.13	rh.21	rh.22	rh.24
	AAV2/42.2	AAV2/42.10	AAV2/42.1	AAV2/42.13
AAV2/1	1/20	1/20	1/20	No NAB
AAV2/2	1/640	1/1280	1/5120	No NAB
AAV2/5	No NAB	1/40	1/160	No NAB
AAV2/7	1/81920	1/81920	1/40960	1/640
AAV2/8	1/640	1/640	1/320	1/5120
Ch.5 AAV2/A3	1/20	1/160	1/640	1/640
rh.8 AAV2/43.25	1/20	1/20	1/20	1/320
rh.10 AAV2/44.2	No NAB	No NAB	No NAB	1/5120
rh.13 AAV2/42.2	1/5120	1/5120	1/5120	No NAB
rh.21 AAV2/42.10	1/5120	1/10240	1/5120	1/20
rh.22 AAV2/42.11	1/20480	1/20480	1/40960	No NAB
rh.24 AAV2/42.13	No NAB	1/20	1/20	1/5120

Table 11b. Cross-NAB assay in 8431 cells and Adv coinfection Infection in 8431 cells (coinfected with Adv) with:

Serum from rabbit immunized with:	10 ⁹ GC	10 ¹⁰ GC	10 ¹⁰ GC	10 ⁹ GC	10 ⁹ GC
	<i>rh.12</i>	<i>ch.5</i>	<i>rh. 8</i>	<i>rh.10</i>	<i>rh.20</i>
	AAV2/42.1B	AAV2/A3	AAV2/43.25	AAV2/44.2	AAV2/42.8.2
AAV2/1	No NAB	1/20480	No NAB	1/80	ND
AAV2/2	1/20	No NAB	No NAB	No NAB	ND
AAV2/5	No NAB	1/320	No NAB	No NAB	ND
AAV2/7	1/2560	1/640	1/160	1/81920	ND
AAV2/8	1/10240	1/2560	1/2560	1/81920	ND
<i>ch.5</i> AAV2/A3	1/1280	1/10240	ND	1/5120	1/320
<i>rh.8</i> AAV2/43.25	1/1280	ND	1/20400	1/5120	1/2560
<i>rh.10</i> AAV2/44.2	1/5120	ND	ND	1/5120	1/5120
<i>rh.13</i> AAV2/42.2	1/20	ND	ND	No NAB	1/320
<i>rh.21</i> AAV2/42.10	1/20	ND	ND	1/40	1/80
<i>rh.22</i> AAV2/42.1 1	No NAB	ND	ND	ND	No NAB
<i>rh.24</i> AAV2/42.13	1/5120	ND	ND	ND	1/2560

Table 12

Titer of rabbit sera			Titer after Boosting
Vector	Titer d21		
<i>ch.5</i>	AAV2/A3	1/10,240	1/40,960
<i>rh.8</i>	AAV2/43.25	1/20,400	1/163,840
<i>rh.10</i>	AAV2/44.2	1/10,240	1/527,680
<i>rh.13</i>	AAV2/42.2	1/5,120	1/20,960
<i>rh.21</i>	AAV2/42.10	1/20,400	1/81,920
<i>rh.22</i>	AAV2/42.11	1/40,960	N D
<i>rh.24</i>	AAV2/42.13	1/5,120	ND

Table 13 a. Infection in 8431 cells (coinfected with Adv) with GFP

	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well
						<i>ch.5</i>
	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8	AAV2/A3
# GFU/field	128	>200	95	56	13	1
	83	>200	65	54	11	1

Table 13b. Infection in 8431 cells (coinfecting with Adv) with GFP

	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well	10 ⁹ GC/well
	<i>rh.8</i>	<i>rh.10</i>	<i>rh.13</i>	<i>rh.21</i>	<i>rh.22</i>	<i>rh.24</i>	<i>rh.12</i>	
	AAV2/43.25	AAV2/44.2	AAV2/42.2	AAV2/42.10	AAV2/42.11	AAV2/42.13	AAV2/42.1B	
	3	13	54	62	10	3	18	
	2	12	71	60	14	2	20	
# GFU/field			48	47	16	3	12	

Example 10 - Mouse Model of Familial Hypercholesterolemia

[0124] The following experiment demonstrates that the AAV2/7 construct of the invention delivers the LDL receptor and express LDL receptor in an amount sufficient to reduce the levels of plasma cholesterol and triglycerides in animal models of familial hypercholesterolemia.

A. Vector Construction

[0125] AAV vectors packaged with AAV7 or AAV8 capsid proteins were constructed using a pseudotyping strategy [Hildinger M, *et al.*, *J. Virol* 2001; 75:6199-6203]. Recombinant AAV genomes with AAV2 inverted terminal repeats (ITR) were packaged by triple transfection of 293 cells with the *cis*-plasmid, the adenovirus helper plasmid and a chimeric packaging construct, a fusion of the capsids of the novel AAV serotypes with the rep gene of AAV2. The chimeric packaging plasmid was constructed as previously described [Hildinger et al, cited above]. The recombinant vectors were purified by the standard CsCl₂ sedimentation method. To determine the yield TaqMan (Applied Biosystems) analysis was performed using probes and primers targeting the SV40 poly(A) region of the vectors [Gao GP, *et al.*, *Hum Gene Ther.* 2000 Oct 10;11(15):2079-91]. The resulting vectors express the transgene under the control of the human thyroid hormone binding globulin gene promoter (TBG).

B. Animals

[0126] LDL receptor deficient mice on the C57Bl/6 background were purchased from the Jackson Laboratory (Bar Harbor, ME, USA) and maintained as a breeding colony. Mice were given unrestricted access to water and obtained a high fat Western Diet (high % cholesterol) starting three weeks prior vector injection. At day -7 as well at day 0, blood was obtained via retroorbital bleeds and the lipid profile evaluated. The mice were randomly divided into seven groups. The vector was injected via an intraportal injection as previously described ([Chen SJ *et al.*, *Mol Therapy* 2000; 2(3), 256-261]. Briefly, the mice were anaesthetized with ketamine and xylazine. A laparotomy was performed and the portal vein exposed. Using a 30g needle the appropriate dose of vector diluted in 100ul PBS was directly injected into the portal vein. Pressure was applied to the injection site to ensure a stop of the bleeding. The skin wound was closed and draped and the mice carefully monitored for the following day. Weekly bleeds were performed starting at day 14 after liver directed gene transfer to measure blood lipids. Two animals of each group were sacrificed at the time points week 6 and week 12 after vector injection to examine atherosclerotic plaque size as well as receptor expression. The remaining mice were sacrificed at week 20 for plaque measurement and determination of transgene expression.

Table 14

	Vector	dose	n
Group 1	AAV2/7-TBG-hLDLr	1x 10 ¹² gc	12
Group 2	AAV2/7-TBG-hLDLr	3x 10 ¹¹ gc	12
Group 3	AAV2/7-TBG-hLDLr	1x 10 ¹¹ gc	12
Group 4	AAV2/8-TBG-hLDLr	1x 10 ¹² gc	12
Group 5	AAV2/8-TBG-hLDLr	3x 10 ¹¹ gc	12
Group 6	AAV2/8-TBG-hLDLr	1x 10 ¹¹ gc	12
Group 7	AAV2/7-TBG-LacZ	1x 10 ¹¹ gc	16

C. Serum lipoprotein and liver function analysis

[0127] Blood samples were obtained from the retroorbital plexus after a 6 hour fasting period. The serum was separated from the plasma by centrifugation. The amount of plasma lipoproteins and liver transaminases in the serum were detected using an automatized clinical chemistry analyzer (ACE, Schiapparelli Biosystems, Alpha Wassermann)

D. Detection of transgene expression

[0128] LDL receptor expression was evaluated by immuno-fluorescence staining and Western blotting. For Western Blot frozen liver tissue was homogenized with lysis buffer (20 mM Tris, pH7.4, 130mM NaCl, 1% Triton X 100, proteinase inhibitor (complete, EDTA-free, Roche, Mannheim, Germany). Protein concentration was determined using the Micro

BCA Protein Assay Reagent Kit (Pierce, Rockford, IL). 40 µg of protein was resolved on 4- 15% Tris-HCl Ready Gels (Biorad, Hercules, CA) and transferred to a nitrocellulose membrane (Invitrogen,). To generate Anti-hLDL receptor antibodies a rabbit was injected intravenously with an AdhLDLr prep (1×10^{13} GC). Four weeks later the rabbit serum was obtained and used for Western Blot. A 1:100 dilution of the serum was used as a primary antibody followed by a HRP-conjugated anti-rabbit IgG and ECL chemiluminescent detection (ECL Western Blot Detection Kit, Amersham, Arlington Heights, IL).

E. Immunocytochemistry

[0129] For determination of LDL receptor expression in frozen liver sections immunohistochemistry analyses were performed. 10µm cryostat sections were either fixed in acetone for 5 minutes, or unfixed. Blocking was obtained via a 1 hour incubation period with 10% of goat serum. Sections were then incubated for one hour with the primary antibody at room temperature. A rabbit polyclonal antibody anti-human LDL (Biomedical Technologies Inc., Stoughton, MA) was used diluted accordingly to the instructions of the manufacturer. The sections were washed with PBS, and incubated with 1:100 diluted fluorescein goat anti-rabbit IgG (Sigma, St Louis, MO). Specimens were finally examined under fluorescence microscope Nikon Microphot-FXA. In all cases, each incubation was followed by extensive washing with PBS. Negative controls consisted of preincubation with PBS, omission of the primary antibody, and substitution of the primary antibody by an isotype-matched non-immune control antibody. The three types of controls mentioned above were performed for each experiment on the same day.

F. Gene transfer efficiency

[0130] Liver tissue was obtained after sacrificing the mice at the designated time points. The tissue was shock frozen in liquid nitrogen and stored at -80°C until further processing. DNA was extracted from the liver tissue using a QIAamp DNA Mini Kit (QIAGEN GmbH, Germany) according to the manufacturers protocol. Genome copies of AAV vectors in the liver tissue were evaluated using Taqman analysis using probes and primers against the SV40 poly(A) tail as described above.

G. Atherosclerotic plaque measurement

[0131] For the quantification of the atherosclerotic plaques in the mouse aorta the mice were anaesthetized (10% ketamine and xylazine, ip), the chest opened and the arterial system perfused with ice-cold phosphate buffered saline through the left ventricle. The aorta was then carefully harvested, slit down along the ventral midline from the aortic arch down to the femoral arteries and fixed in formalin. The lipid-rich atherosclerotic plaques were stained with Sudan IV (Sigma, Germany) and the aorta pinned out flat on a black wax surface. The image was captured with a Sony DXC-960 MD color video camera. The area of the plaque as well as of the complete aortic surface was determined using Phase 3 Imaging Systems (Media Cybernetics).

H. Clearance of 125 LDL

[0132] Two animals per experimental group were tested. A bolus of 125 -labeled LDL (generously provided by Dan Rader, U Penn) was infused slowly through the tail vein over a period of 30 sec (1,000,000 counts of 125]-LDL diluted in 100µl sterile PBS/ animal). At time points 3min, 30 min, 1.5hr, 3hr, 6hr after injection a blood sample was obtained via the retro-orbital plexus. The plasma was separated off from the whole blood and 10µl plasma counted in the gamma counter. Finally the fractional catabolic rate was calculated from the lipoprotein clearance data.

I. Evaluation of Liver Lipid accumulation

[0133] Oil Red Staining of frozen liver sections was performed to determine lipid accumulation. The frozen liver sections were briefly rinsed in distilled water followed by a 2 minute incubation in absolute propylene glycol. The sections were then stained in oil red solution (0.5% in propylene glycol) for 16 hours followed by counterstaining with Mayer's hematoxylin solution for 30 seconds and mounting in warmed glycerin jelly solution.

[0134] For quantification of the liver cholesterol and triglyceride content liver sections were homogenized and incubated in chloroform/methanol (2:1) overnight. After adding of 0.05% H_2SO_4 and centrifugation for 10 minutes, the lower layer of each sample was collected, divided in two aliquots and dried under nitrogen. For the cholesterol measurement the dried lipids of the first aliquot were dissolved in 1% Triton X-100 in chloroform. Once dissolved, the solution was dried under nitrogen. After dissolving the lipids in ddH_2O and incubation for 30 minutes at 37°C the total cholesterol concentration was measured using a Total Cholesterol Kit (Wako Diagnostics). For the second aliquot the dried lipids were dissolved

in alcoholic KOH and incubated at 60°C for 30 minutes. Then 1 M MgCl₂ was added, followed by incubation on ice for 10 minutes and centrifugation at 14,000 rpm for 30 minutes. The supernatant was finally evaluated for triglycerides (Wako Diagnostics).

[0135] All of the vectors pseudotyped in an AAV2/8 or AAV2/7 capsid lowered total cholesterol, LDL and triglycerides as compared to the control. These test vectors also corrected phenotype of hypercholesterolemia in a dose-dependent manner. A reduction in plaque area for the AAV2/8 and AAV2/7 mice was observed in treated mice at the first test (2 months), and the effect was observed to persist over the length of the experiment (6 months).

Example 10 - Functional Factor IX Expression and Correction of Hemophilia

A. Knock-Out Mice

[0136] Functional canine factor IX (FIX) expression was assessed in hemophilia B mice. Vectors with capsids of AAV1, AAV2, AAV5, AAV7 or AAV8 were constructed to deliver AAV2 5' ITR - liver-specific promoter [LSP] - canine FIX - woodchuck hepatitis post-regulatory element (WPPE) - AAV2 3' ITR. The vectors were constructed as described in Wang et al, 2000, *Molecular Therapy* 2: 154-158), using the appropriate capsids.

[0137] Knock-out mice were generated as described in Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* 94: 11563-11566. This model closely mimics the phenotypes of hemophilia B in human.

[0138] Vectors of different serotypes (AAV1, AAV2, AAV5, AAV7 and AAV8) were delivered as a single intraportal injection into the liver of adult hemophilic C57Bl/6 mice in a dose of 1×10^{11} GC/mouse for the five different serotypes and one group received an AAV8 vector at a lower dose, 1×10^{10} GC/mouse. Control group was injected with 1×10^{11} GC of AAV2/8 TBG LacZ3. Each group contains 5-10 male and female mice. Mice were bled bi-weekly after vector administration.

1. ELISA

[0139] The canine FIX concentration in the mouse plasma was determined by an ELISA assay specific for canine factor IX, performed essentially as described by Axelrod et al, 1990, *Proc. Natl. Acad. Sci. USA*, 87:5173-5177 with modifications. Sheep anti-canine factor IX (Enzyme Research Laboratories) was used as primary antibody and rabbit anti-canine factor IX ((Enzyme Research Laboratories) was used as secondary antibody. Beginning at two weeks following injection, increased plasma levels of cFIX were detected for all test vectors. The increased levels were sustained at therapeutic levels throughout the length of the experiment, i.e., to 12 weeks. Therapeutic levels are considered to be 5% of normal levels, i.e., at about 250 ng/mL.

[0140] The highest levels of expression were observed for the AAV2/8 (at 10^{11}) and AAV2/7 constructs, with sustained superphysiology levels cFIX levels (ten-fold higher than the normal level). Expression levels for AAV2/8 (10^{11}) were approximately 10 fold higher than those observed for AAV2/2 and AAV2/8 (10^{10}). The lowest expression levels, although still above the therapeutic range, were observed for AAV2/5.

2. In Vitro Activated Partial Thromboplastin time (aPTT) Assay

[0141] Functional factor IX activity in plasma of the FIX knock-out mice was determined by an *in vitro* activated partial thromboplastin time (aPTT) assay-Mouse blood samples were collected from the retro-orbital plexus into 1/10 volume of citrate buffer. The aPTT assay was performed as described by Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* 94: 11563-11566.

[0142] Clotting times by aPTT on plasma samples of all vector injected mice were within the normal range (approximately 60 sec) when measured at two weeks post-injection, and sustained clotting times in the normal or shorter than normal range throughout the study period (12 weeks).

[0143] Lowest sustained clotting times were observed in the animals receiving AAV2/8 (10^{11}) and AAV2/7. By week 12, AAV2/2 also induced clotting times similar to those for AAV2/8 and AAV2/7. However, this lowered clotting time was not observed for AAV2/2 until week 12, whereas lowered clotting times (in the 25 - 40 sec range) were observed for AAV2/8 and AAV2/7 beginning at week two.

[0144] Immuno-histochemistry staining on the liver tissues harvested from some of the treated mice is currently being performed. About 70-80% of hepatocytes are stained positive for canine FIX in the mouse injected with AAV2/8. cFIX vector.

B. Hemophilia B Dogs

[0145] Dogs that have a point mutation in the catalytic domain of the F.IX gene, which, based on modeling studies,

appears to render the protein unstable, suffer from hemophilia B [Evans et al, 1989, Proc. Natl. Acad. Sci. USA, 86:10095-10099]. A colony of such dogs has been maintained for more than two decades at the University of North Carolina, Chapel Hill. The homeostatic parameters of these dogs are well described and include the absence of plasma F.IX antigen, whole blood clotting times in excess of 60 minutes, whereas normal dogs are 6-8 minutes, and prolonged activated partial thromboplastin time of 50-80 seconds, whereas normal dogs are 13-28 seconds. These dogs experience recurrent spontaneous hemorrhages. Typically, significant bleeding episodes are successfully managed by the single intravenous infusion of 10 ml/kg of normal canine plasma; occasionally, repeat infusions are required to control bleeding.

[0146] Four dogs are injected intraportally with AAV.cFIX according to the schedule below. A first dog receives a single injection with AAV2/2.cFIX at a dose of 3.7×10^{11} genome copies (GC)/kg. A second dog receives a first injection of AAV2/2.cFIX (2.8×10^{11} GC/kg), followed by a second injection with AAV2/7.cFIX (2.3×10^{13} GC/kg) at day 1180. A third dog receives a single injection with AAV2/2.cFIX at a dose of 4.6×10^{12} GC/kg. The fourth dog receives an injection with AAV2/2.cFIX (2.8×10^{12} GC/kg) and an injection at day 99.5 with AAV2/7.cFIX (5×10^{12} GC/kg).

[0147] The abdomen of hemophilia dogs are aseptically and surgically opened under general anesthesia and a single infusion of vector is administered into the portal vein. The animals are protected from hemorrhage in the peri-operative period by intravenous administration of normal canine plasma. The dog is sedated, intubated to induce general anesthesia, and the abdomen shaved and prepped. After the abdomen is opened, the spleen is moved into the operative field. The splenic vein is located and a suture is loosely placed proximal to a small distal incision in the vein. A needle is rapidly inserted into the vein, then the suture loosened and a 5 F cannula is threaded to an intravenous location near the portal vein threaded to an intravenous location near the portal vein bifurcation. After hemostasis is secured and the catheter balloon inflated, approximately 5.0 ml of vector diluted in PBS is infused into the portal vein over a 5 minute interval. The vector infusion is followed by a 5.0 ml infusion of saline. The balloon is then deflated, the cannula removed and venous hemostasis is secured. The spleen is then replaced, bleeding vessels are cauterized and the operative wound is closed. The animal is extubated having tolerated the surgical procedure well. Blood samples are analyzed as described. [Wang et al, 2000, *Molecular Therapy* 2: 154-158]

[0148] Results showing correction or partial correction are anticipated for AAV2/7.

SEQUENCE LISTING

[0149]

<110> The Trustees of The University of Pennsylvania

<120> A Method of Detecting and/or Identifying Adeno-Associated Virus (AAV) Sequences and Isolating Novel Sequences Identified Thereby

<130> UPN-02735ff

<150> US 60/350,607

<151> 2001-11-13

<150> US 60/341,117

<151> 2001-12-17

<150> US 60/377,066

<151> 2002-05-01

<150> US 60/386,675

<151> 2002-06-05

<160> 120

<170> PatentIn version 3.1

<210> 1

<211> 4721

<212> DNA

<213> adeno-associated virus serotype 7

EP 1 310 571 B1

<400> 1

	ttggccactc cctctatgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc	60
5	agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcat agagggagtg	120
	gccaaactcca tcactagggg taccggaag cgcctccac gctgccgctg cagcgctgac	180
	gtaaatcacg tcatagggga gtggtcctgt attagctgtc acgtgagtg ttttgcgaca	240
10	ttttgcgaca ccacgtggcc atttgaggta tatatggccg agtgagcgag caggatctcc	300
	attttgaccg cgaaatttga acgagcagca gccatgccgg gtttctacga gatcgtgatc	360
	aaggtgccga gcgacctgga cgagcacctg ccgggcattt ctgactcgtt tgtgaactgg	420
15	gtggccgaga aggaatggga gctgcccccg gattctgaca tggatctgaa tctgatcgag	480
	caggcacccc tgaccgtggc cgagaagctg cagcgcgact tcctgggtcca atggcgccgc	540
	gtgagtaagg ccccgagggc cctgttcttt gttcagttcg agaagggcga gagctacttc	600
20	caccttcacg ttctgggtgga gaccacgggg gtcaagtcca tggtgctagg ccgcttcctg	660
	agtcagattc gggagaagct ggtccagacc atctaccgcg gggtcgagcc cacgctgccc	720
	aactggttcg cggtgaccaa gacgcgtaat ggcgccggcg gggggaacaa ggtggtggac	780
25	gagtgtctaca tccccaaacta cctcctgccc aagacccagc ccgagctgca gtgggcgtgg	840
	actaacatgg aggagtatat aagcgcggtgt ttgaacctgg ccgaacgcaa acggctcgtg	900
30		
35		
40		
45		
50		
55		

ggcgcagcacc tgacccacgt cagccagacg caggagcaga acaaggagaa tctgaacccc 960
 aattctgacg cgcccgatgat cagggtcaaaa acctccgcgc gctacatgga gctggtcggg 1020
 5 tggctggtgg accggggcat cacctccgag aagcagtggg tccaggagga ccaggcctcg 1080
 tacatctcct tcaacgccgc ctccaactcg cgttcccaga tcaaggccgc gctggacaat 1140
 gccggcaaga tcatggcgct gaccaaattcc gcgccgact acctgggtggg gccctcgctg 1200
 10 cccgcggaca ttaaaaccaa ccgcatctac cgcacctctg agctgaacgg gtacgaatcct 1260
 gcctacgccg gctccgtctt tctcggctgg gcccgaaaa agttcgggaa gcgcaacacc 1320
 atctggctgt ttggggccgc caccaccggc aagaccaaca ttgcggaagc catcgccac 1380
 15 gccgtgccct tctacggctg cgtcaactgg accaatgaga actttccctt caacgattgc 1440
 gtcgacaaga tgggtgatctg gtgggaggag ggcaagatga cggccaaggc cgtggagtcc 1500
 gccaaaggcca ttctcggcgg cagcaagggt cgcgtggacc aaaagtgcaa gtcgtccgcc 1560
 20 cagatcgacc ccacccccgt gatcgtcacc tccaacacca acatgtgcgc cgtgattgac 1620
 gggaacagca ccaccttcga gcaccagcag ccgttgacag accggatgtt caaatttgaa 1680
 ctcacccgcc gtctggagca cgactttggc aagggtgacga agcaggaagt caaagagttc 1740
 25 ttccgctggg ccagtgatca cgtgaccgag gtggcgcatg agttctacgt cagaaagggc 1800
 ggagccagca aaagaccgcg ccccgatgac gcggatataa gcgagccaa gcgggcctgc 1860
 ccctcagtcg cggatccatc gacgtcagac gcggaaggag ctccggtgga ctttgccgac 1920
 30 aggtacaaaa acaaatgttc tcgtcacgcg ggcatgattc agatgctgtt tccctgcaaa 1980
 acgtgcgaga gaatgaatca gaatttcaac atttgcttca cacacggggt cagagactgt 2040
 ttagagtgtt tccccggcgt gtcagaatct caaccggtcg tcagaaaaaa gacgtatcgg 2100
 35 aaactctcgc cgattcatca tctgctgggg cgggcgcccg agattgcttg ctcggcctgc 2160
 gacctggtca acgtggacct ggacgactgc gtttctgagc aataaatgac ttaaacagg 2220
 tatggctgcc gatggttate ttccagattg gctcgaggac aacctctctg agggcatctg 2280
 40 cgagtgggtg gacctgaaac ctggagcccc gaaaccaaa gccaaaccagc aaaagcagga 2340
 caacggccgg ggtctggtgc ttcttggtca caagtacctc ggacccttca acggactcga 2400
 caagggggag cccgtcaacg cggcggacgc agcggccctc gagcacgaca aggcctacga 2460
 45 ccagcagctc aaagcgggtg acaatccgta cctgcggtat aaccacgccg acgccagatt 2520
 tcaggagcgt ctgcaagaag atacgtcatt tgggggcaac ctcgggcgag cagtcttcca 2580
 ggccaagaag cgggttctcg aacctctcgg tctggttgag gaaggcgcta agacggctcc 2640
 50 tgcaaaagaa agaccggtag agccgtcacc tcagcgttcc cccgactcct ccacgggcat 2700
 cggcaagaaa ggccagcagc ccgccagaaa gagactcaat ttcggtcaga ctggcgactc 2760
 agagtcagtc cccgaccctc aacctctcgg agaacctcca gcagcgccct ctagtgtggg 2820
 55

EP 1 310 571 B1

atctggtaca gtggctgcag gcggtggcgc accaatggca gacaataacg aagggtgccga 2880
 cggagtgggt aatgcctcag gaaattggca ttgcgattcc acatggctgg gcgacagagt 2940
 5 cattaccacc agcaccgaa cctgggccct gccacctac aacaaccacc tctacaagca 3000
 aatctccagt gaaactgcag gtagtaccaa cgacaacacc tacttcggct acagcaccct 3060
 ctgggggtat ttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg 3120
 10 actcatcaac aacaactggg gattccggcc caagaagctg cggttcaagc tcttcaacat 3180
 ccagggtcaag gaggtcacga cgaatgacgg cgttacgacc atcgctaata accttaccag 3240
 cagattcag gtattctcgg actcgggaata ccagctgccg tacgtcctcg gctctgcgca 3300
 15 ccagggctgc ctgcctcctg tccggcgga cgtcttcattg attcctcagt acggctacct 3360
 gactctcaac aatggcagtc agtctgtggg acgttcctcc ttctactgcc tggagtactt 3420
 cccctctcag atgtgagaa cgggcaacaa ctttgagttc agctacagct tcgaggacgt 3480
 20 gcctttccac agcagctacg cacacagcca gagcctggac cggctgatga atccccctcat 3540
 cgaccagtac ttgtactacc tggccagaac acagagtaac ccaggaggca cagctggcaa 3600
 tcgggaactg cagttttacc agggcgggccc ttcaactatg gccgaacaag ccaagaattg 3660
 25 gttacctgga ccttgcttcc ggcaacaaag agtctccaaa acgctggatc aaaacaacaa 3720
 cagcaacttt gcttggaactg gtgccaccaa atatcacctg aacggcagaa actcgttggg 3780
 taatccccgc gtcgccatgg caactcacaa ggacgacgag gaccgctttt tcccatccag 3840
 30 cggagtccctg atttttggaa aaactggagc aactaacaaa actacattgg aaaatgtgtt 3900
 aatgacaaat gaagaagaaa ttcgtcctac taatcctgta gccacggaag aatacgggat 3960
 agtcagcagc aacttacaag cggctaatac tgcagcccag acacaagttg tcaacaacca 4020
 35 gggagcccta cctggcatgg tctggcagaa cggggacgtg tacctgcagg gtcccatctg 4080
 ggccaagatt cctcacacgg atggcaactt tcaccctgtt cctttgatgg gcggctttgg 4140
 acttaaacat ccgcctcctc agatcctgat caagaacact cccgttcccg ctaatcctcc 4200
 40 ggaggtgttt actcctgcca agtttgcttc gttcatcaca cagtacagca ccggacaagt 4260
 cagcgtggaa atcgagtggg agctgcagaa ggaaaacagc aagcgtgga acccgagat 4320
 tcagtacacc tccaactttg aaaagcagac tgggttggaac tttgccgttg acagccaggg 4380
 45 tgtttactct gagcctcgcc ctattggcac tcgttacctc acccgtaatc tgtaattgca 4440
 tgttaatcaa taaaccgggt gattcggttc agttgaactt tggctcctg tgcttcttat 4500
 cttatcgggt tccatagcaa ctggttacac attaactgct tgggtgcgct tcacgataag 4560
 50 aacactgacg tcaccgcggt acccctagtg atggagtgg ccactccctc tatgcgcgct 4620
 cgctcgtcgt gtggggcctg cggaccaaag gtccgcagac ggcagagctc tgctctgccg 4680
 55 gccccaccga gcgagcgagc gcgcatagag ggagtggcca a 4721

<210> 2

<211> 737

EP 1 310 571 B1

<212> PRT

<213> capsid protein of adeno-associated virus serotype 7

<400> 2

5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

10

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

15

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

20

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

25

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

30

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

35

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

40

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

45

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

50

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210 215 220

55

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

EP 1 310 571 B1

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 5
 Leu Tyr Lys Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
 260 265 270
 10
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 15
 Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
 305 310 315 320
 20
 Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
 340 345 350
 25
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 30
 Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 35
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
 405 410 415
 40
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
 435 440 445
 45
 Arg Thr Gln Ser Asn Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
 450 455 460
 50
 Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
 465 470 475 480
 55
 Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
 485 490 495

5 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

10 Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

15 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
 530 535 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
 545 550 555 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
 565 570 575

20 Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
 580 585 590

25 Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
 595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
 610 615 620

30 His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
 625 630 635 640

35 Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
 645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
 660 665 670

40 Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
 675 680 685

45 Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser
 690 695 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
 705 710 715 720

50 Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
 725 730 735

55 Leu

EP 1 310 571 B1

<211> 623
<212> PRT
<213> rep protein of adeno-associated virus serotype 7

<400> 3

5
Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp
1 5 10 15
10
Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Asn Trp Val Ala Glu
20 25 30
15
Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile
35 40 45
20
Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu
50 55 60
25
Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val
65 70 75 80
30
Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Val Leu Val Glu
85 90 95
35
Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile
100 105 110
40
Arg Glu Lys Leu Val Gln Thr Ile Tyr Arg Gly Val Glu Pro Thr Leu
115 120 125
45
Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly
130 135 140
50
Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys
145 150 155 160
55
Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile
165 170 175
60
Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His
180 185 190
65
Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn
195 200 205
70
Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr
210 215 220
75
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
225 230 235 240

Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
 245 250 255
 5 Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
 260 265 270
 10 Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ser
 275 280 285
 Leu Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
 290 295 300
 15 Asn Gly Tyr Asp Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
 305 310 315 320
 20 Gln Lys Lys Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
 325 330 335
 Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
 340 345 350
 25 Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
 355 360 365
 30 Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
 370 375 380
 Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
 385 390 395 400
 35 Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
 405 410 415
 40 Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
 420 425 430
 Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
 435 440 445
 45 Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
 450 455 460
 50 Glu Val Lys Glu Phe Phe Arg Trp Ala Ser Asp His Val Thr Glu Val
 465 470 475 480
 Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Ser Lys Arg Pro Ala
 485 490 495
 55

EP 1 310 571 B1

5 Pro Asp Asp Ala Asp Ile Ser Glu Pro Lys Arg Ala Cys Pro Ser Val
 500 505 510
 Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala
 515 520 525
 10 Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Ile Gln Met
 530 535 540
 Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile
 545 550 555 560
 15 Cys Phe Thr His Gly Val Arg Asp Cys Leu Glu Cys Phe Pro Gly Val
 565 570 575
 Ser Glu Ser Gln Pro Val Val Arg Lys Lys Thr Tyr Arg Lys Leu Cys
 580 585 590
 20 Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala
 595 600 605
 25 Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln
 610 615 620

30 <210> 4
 <211> 4393
 <212> DNA
 <213> adeno-associated virus serotype 8
 35 <400> 4

40

45

50

55

	cagagagggga gtggccaact ccatcactag gggtagcgcg aagcgccctcc cacgctgccg	60
	cgtcagcgct gacgtaaatt acgtcatagg ggagtgggtcc tgtattagct gtcacgtgag	120
5	tgcttttgcg gcattttgcy acaccacgtg gccatttgag gtatatatgg ccgagtgagc	180
	gagcaggatc tccattttga ccgcgaaatt tgaacgagca gcagccatgc cgggcttcta	240
	cgagatcgtg atcaaggtgc cgagcgacct ggacgagcac ctgccgggca tttctgactc	300
10	gtttgtgaac tgggtggcgc agaaggaatg ggagctgccc ccggattctg acatggatcg	360
	gaatctgac gagcaggcac ccctgaccgt ggccgagaag ctgcagcgcg acttcctggt	420
	ccaatggcgc cgcgtgagta agggcccgga ggccctcttc tttgttcagt tcgagaaggg	480
15	cgagagctac tttcacctgc acgttctggt cgagaccacg ggggtcaagt ccatggtgct	540
	aggccgcttc ctgagtcaga ttcgggaaaa gcttgggtcca gaccatctac ccgcggggtc	600
	gagccccacc ttgcccact ggttcgcggt gaccaaagac gcgtaaatgg cgccggcggg	660
20	ggggaacaag gtggtggacg agtgctacat ccccaactac ctctgcccag actcagcc	720
	cgagctgcag tgggcgtgga ctaacatgga ggagtatata agcgcgtgct tgaacctggc	780

25

30

35

40

45

50

55

EP 1 310 571 B1

	cgagcgcaaa cggctcgtgg cgcagcacct gaccacgctc agccagacgc aggagcagaa	840
5	caaggagaat ctgaacccca attctgacgc gcccgatgc aggtcaaaaa cctccgcgcg	900
	ctatatggag ctggtcgggt ggctgggtgga ccggggcacc acctccgaga agcagtggat	960
	ccaggaggac caggcctcgt acatctcctt caacgcgcgc tccaactcgc ggtcccagat	1020
10	caaggccgcg ctggacaatg ccggcaagat catggcgctg accaaatccg cgcccgacta	1080
	cctgggtggg ccctcgtgc ccgcggacat taccacagaac cgcactctacc gcactcctgc	1140
	tctcaacggc tacgacctg cctacgcgg ctccgtcttt ctgggtggg ctcaaaaaa	1200
15	gttcgggaaa cgcaacacca tctggctgtt tggaccgcgc accaccggca agaccaacat	1260
	tgcggaagcc atcgccacg ccgtgccctt ctacggctgc gtcaactgga ccaatgagaa	1320
	ctttcccttc aatgattgcg tcgacaagat ggtgatctgg tgggaggagg gcaagatgac	1380
20	ggccaaggtc gtggagtccg ccaaggccat tctcggcggc agcaaggctg gcgtggacca	1440
	aaagtgcgaag tcgtccgccc agatcgaccc cccccctgtg atcgtcacct ccaacaccaa	1500
	catgtgcgcc gtgattgacg ggaacagcac caccttcgag caccagcagc ctctccagga	1560
25	ccggatgttt aagttcgaac tcacccgccc tctggagcac gactttggca aggtgacaaa	1620
	gcaggaagtc aaagagttct tccgctgggc cagtgatcac gtgaccgagg tggcgcatga	1680
	gttttacgtc agaaagggcg gagccagcaa aagaccgcgc cccgatgacg cggataaaag	1740
30	cgagcccaag cgggcctgcc cctcagtcgc ggatccatcg acgtcagacg cggaaggagc	1800
	tccgggtggac tttgccgaca ggtaccaaaa caaatgttct cgtcacgcgg gcattgcttca	1860
	gatgctgttt ccctgcaaaa cgtgcgagag aatgaatcag aatttcaaca tttgcttcac	1920
35	acacggggtc agagactgct cagagtgttt ccccggcgtg tcagaatctc aaccggctgt	1980
	cagaaagagg acgtatcgga aactctgtgc gattcatcat ctgctggggc gggctcccga	2040
	gattgcttgc tcggcctgcg atctggtcaa cgtggacctg gatgactgtg tttctgagca	2100
40	ataaatgact taaaccaggt atggctgccg atgggtatct tccagattgg ctcgaggaca	2160
	acctctctga gggcattcgc gagtggtggg cgctgaaacc tggagccccg aagcccaaaag	2220
	ccaaccagca aaagcaggac gacggccggg gtctggtgct tcctggctac aagtacctcg	2280
45	gaccttcaa cggactcgac aagggggagc ccgtcaacgc ggcggaacga gcggccctcg	2340
	agcacgacaa ggcctacgac cagcagctgc aggggggtga caatccgtac ctgcggtata	2400
	accacgccga cgccgagttt caggagcgtc tgcaagaaga tacgtctttt gggggcaacc	2460
50	tcgggcgagc agtcttccag gccaaagaagc gggttctcga acctctcggc ctggttgagg	2520
	aaggcgctaa gacggctcct ggaaagaaga gaccggtaga gccatcacc cagcgttctc	2580
	cagactcctc tacgggcacg ggcaagaaag gccaacagcc cgccagaaaa agactcaatt	2640
55	ttggtcagac tggcgactca gagtcagttc cagaccctca acctctcggg gaacctccag	2700

	cagcgccctc	tggtgtggga	cctaatacaa	tggtgcagg	cggtggcgca	ccaatggcag	2760
	acaataacga	agggcgccgac	ggagtgggta	gttcctcggg	aaattggcat	tgcgattcca	2820
5	catggctggg	cgacagagtc	atcaccacca	gcaccogaac	ctgggccttg	cccacctaca	2880
	acaaccacct	ctacaagcaa	atctccaacg	ggacatcggg	aggagccacc	aacgacaaca	2940
	cctacttcgg	ctacagcacc	ccctgggggt	attttgactt	taacagattc	cactgccact	3000
10	tttcaccacg	tgactggcag	cgactcatca	acaacaactg	gggattccgg	cccaagagac	3060
	tcagcttcaa	gctcttcaac	atccagggtca	aggaggtcac	gcagaatgaa	ggcaccaaga	3120
	ccatcgccaa	taacctcacc	agcaccatcc	agggtgttac	ggactcggag	taccagctgc	3180
15	cgtacgttct	cggtctctgc	caccagggct	gcctgcctcc	gttcccggcg	gacgtgttca	3240
	tgattcccca	gtacggctac	ctaacactca	acaacggtag	tcaggccgtg	ggacgctcct	3300
	ccttctactg	cctggaatac	tttccttcgc	agatgctgag	aaccggcaac	aacttccagt	3360
20	ttacttacac	cttcgaggac	gtgcctttcc	acagcagcta	cgcccacagc	cagagcttgg	3420
	accggctgat	gaatcctctg	attgaccagt	acctgtacta	cttgtctcgg	actcaaacaa	3480
	caggaggcac	ggcaaatacg	cagactcttg	gcttcagcca	agggtggcct	aatacaatgg	3540
25	ccaatcaggc	aaagaactgg	ctgccaggac	cctgttaccg	ccaacaacgc	gtctcaacga	3600
	caaccgggca	aaacaacaat	agcaactttg	cctggactgc	tgggaccaa	taccatctga	3660
	atggaagaaa	ttcattggct	aatcctggca	tcgctatggc	aacacacaaa	gacgacgagg	3720
30	agcgtttttt	tcccagtaac	gggatcctga	tttttggcaa	acaaaatgct	gccagagaca	3780
	atgcggatta	cagcgatgtc	atgctcacca	gcgaggaaga	aatcaaaacc	actaacctctg	3840
	tggctacaga	ggaatacggg	atcgtggcag	ataacttgca	gcagcaaaac	acggctcctc	3900
35	aaattggaac	tgtcaacagc	cagggggcct	taccgggtat	ggtctggcag	aaccgggacg	3960
	tgtacctgca	gggtcccatc	tgggccaaga	ttcctcacac	ggacggcaac	ttccaccctg	4020
	ctccgctgat	gggcggcttt	ggcctgaaac	atcctccgcc	tcagatcctg	atcaagaaca	4080
40	cgctgtacc	tgcggtacct	ccgaccacct	tcaaccagtc	aaagctgaac	tctttcatca	4140
	cgcaatacag	caccggacag	gtcagcgtgg	aaattgaatg	ggagctgcag	aaggaaaaca	4200
45	gcaagcgctg	gaaccccgag	atccagtaca	cctccaacta	ctacaaatct	acaagtgtgg	4260
	actttgctgt	taatacagaa	ggcgtgtact	ctgaaccccg	ccccattggc	accggttacc	4320
	tcacccgtaa	tctgttaattg	cctgttaatc	aataaaccgg	ttgattcggt	tcagttgaac	4380
50	tttggctctct	gcg					4393

<210> 5

<211> 4385

<212> DNA

55 <213> adeno-associated virus serotype 9

<400> 5

	cagagagggga gtggccaact ccatacactag gggtaatcgc gaagcgccctc ccacgctgcc	60
	gcgtcagcgc tgacgtagat tacgtcatag gggagtggtc ctgtattagc tgtcacgtga	120
5	gtgcttttgc gacattttgc gacaccacat ggccatttga ggtatatatg gccgagtga	180
	cgagcaggat ctccattttg accgcgaaat ttgaacgagc agcagccatg ccgggcttct	240
	acgagattgt gatcaagggtg ccgagcgacc tggacgagca cctgccgggc atttctgact	300
10	cttttgtgaa ctgggtggcc gagaaggaaat gggagctgcc cccggattct gacatggatc	360
	ggaatctgat cgagcaggca cccctgaccg tggccgagaa gctgcagcgc gacttcctgg	420
	tccaatggcg ccgcgtgagt aaggccccgg aggccctctt ctttgttcag ttcgagaagg	480
15	gcgagagcta ctttcacctg cacgttcttg tgcagaccac ggggggtcaag tccatggtgc	540
	tagggcgctt cctgagtcag attcgggaga agctggtcca gaccatctac cgcgggatcg	600
	agccgacctt gcccaacctgg ttgcgggtga ccaagacgcg taatggcgcc ggcgggggga	660
20	acaagggtggg ggacgagtgc tacatcccca actacctctt gcccaagact cagcccagac	720
	tgcagtgggc gtggactaac atggaggagt atataagcgc gtgcttgaac ctggccgagc	780
	gcaaacggct cgtggcgag cacctgacct acgtcagcca gacgcaggag cagaacaagg	840
25	agaatctgaa ccccaattct gacgcgcccg tgatcaggtc aaaaacctcc gcgcgtaca	900
	tggagctggg cgggtggctg gtggaccggg gcatcacctc cgagaagcag tggatccagg	960
	aggaccaggc ctctacatc tccttcaacg ccgcctccaa ctgcgggtcc cagatcaagg	1020
30	ccgcgctgga caatgccggc aagatcatgg cgctgaccaa atccgcgcc gactacctgg	1080
	tagggccttc acttccggtg gacattacgc agaaccgcat ctaccgcac ctcagctca	1140
	acggctacga cctgcctac gccggctccg tctttctcgg ctgggcacaa aagaagtctg	1200
35	ggaaacgcaa caccatctgg ctgtttgggc cggccaccac gggaaagacc aacatcgag	1260
	aagccattgc ccacgccgtg ccttctacg gctgcgtcaa ctggaccaat gagaactttc	1320
	ccttcaacga ttgcgtcgac aagatggtga tctggtggga ggagggcaag atgacggcca	1380
40	aggtcgtgga gtccgccaaag gccattctcg gggcgagcaa ggtgcgcgtg gaccaaagt	1440
	gcaagtcgtc cggccagatc gacccactc ccgtgatcgt cacctccaac accaactatg	1500
	gcgccgtgat tgacgggaac agcaccacct tcgagacca gcagcctctc caggaccgga	1560
45	tgtttaagtt cgaactcacc cgccgtctgg agcacgactt tggcaagggtg acaaagcagg	1620
	aagtcaaaga gttcttccgc tgggccagtg atcacgtgac cgagggtggcg catgagtttt	1680
	acgtcagaaa gggcggagcc agcaaaagac ccgccccga tgacgggat aaaagcgagc	1740
50	ccaagcgggc ctgcccctca gtcgcggatc catcgacgtc agacgcggaa ggagctccgg	1800
	tggactttgc cgacaggta caaaaaaat gttctcgtca cgcgggcatg cttcagatgc	1860
55	tgcttccctg caaaacgtgc gagagaatga atcagaattt caacatttgc ttcacacacg	1920

EP 1 310 571 B1

	gggtcagaga ctgctcagag tgtttccccg gcgtgtcaga atctcaaccg gtcgtcagaa	1980
	agaggacgta tcggaaactc tgtgcgattc atcatctgct ggggcgggct cccgagattg	2040
5	cttgctcggc ctgcatctg gtcaacgtgg acctggatga ctgtgtttct gagcaataaa	2100
	tgacttaaac caggatggc tgccgatggc tatcttcag attggctcga ggacaacctc	2160
	tctgagggca ttcgagagt gtgggcgctg aaacctggag cccggaagcc caaagccaac	2220
10	cagcaaaagc aggacgacgg cgggggtctg gtgcttcctg gctacaagta cctcggacct	2280
	ttcaacggac tcgacaagg ggagcccgtc aacgcggcg acgcagcggc cctcagacac	2340
	ggcaaggcct acgaccagca gctgcaggcg ggtgacaatc cgtacctgag gtataaccac	2400
15	gccgacgccg agtttcagga gcgtctgcaa gaagatacgt cttttggggg caacctcggg	2460
	cagcagctct tccaggccaa gaagcgggtt ctggaacctc tcggtctggt tgaggaaggc	2520
	gctaagacgg ctccctggaaa gaagagaccg gtagagccat caccacagcg ttctccagac	2580
20	tcctctacgg gcatcgga gaaaggccaa cagcccgcca gaaaaagact caattttggt	2640
	cagactggcg actcagagtc agttccagac cctcaacctc tcggagaacc tccagcagcg	2700
	ccctctgggt tgggacctaa tacaatggct gcaggcgggt gcgcaccaat ggagacaat	2760
25	aacgaaggcg ccgacggagt gggtaattcc tcgggaaatt ggcattgcga tcccacatgg	2820
	ctgggggaca gagtcatcac caccagcacc cgaacctggg cattgccac ctacaacaac	2880
	cacctctaca agcaaattct caatggaaca tcgggaggaa gcaccaacga caaacctac	2940
30	tttggctaca gcacccctg ggggtatctt gacttcaaca gattccactg ccacttctca	3000
	ccacgtgact ggcagcgact catcaacaac aactggggat tccggccaaa gagactcaac	3060
	ttcaagctgt tcaacatcca ggtcaaggag gttacgacga acgaaggcac caagaccatc	3120
35	gccataaacc ttaccagcac cgtccaggtc tttacggact cggagtacca gctaccgtac	3180
	gtcctaggct ctgcccacca aggatgcctg ccaccgttct ctgcagacgt cttcatgggt	3240
	cctcagtacg gctacctgac gctcaacaat ggaagtcaag cgttaggacg ttcttctttc	3300
40	tactgtctgg aataactccc ttctcagatg ctgagaaccg gcaacaactt tcagttcagc	3360
	tacactttcg aggacgtgcc tttccacagc agctacgcac acagccagag tctagatcga	3420
	ctgatgaacc cctcatcga ccagtaccta tactacctgg tcagaacaca gacaactgga	3480
45	actgggggaa ctcaaacttt ggcattcagc caagcaggcc ctagctcaat ggccaatcag	3540
	gctagaaaact gggtagccgg gccttgctac cgtcagcagc gcgtctccac aaccaccaac	3600
	caaaataaca acagcaactt tgctgggacg ggagctgcta aattcaagct gaacgggaga	3660
50	gactcgctaa tgaatcctgg cgtggctatg gcatcgaca aagacgacga ggaccgcttc	3720
	tttccatcaa gtggcgttct catatttggc aagcaaggag ccgggaacga tggagtcgac	3780
55	tacagccagg tgctgattac agatgaggaa gaaattaaag ccaccaaccc tgtagccaca	3840

EP 1 310 571 B1

gaggaatacgc gagcagtgcc catcaacaac caggccgcta acacgcaggc gcaaaactgga 3900
 5 cttgtgcata accagggagtg tttccttggt atggtctggc agaaccggga cgtgtacctg 3960
 caggggcccta tttgggctaa aatacctcac acagatggca actttcaccg gtctcctctg 4020
 atgggtggat ttggactgaa acacccacct ccacagattc taattaaaaa tacaccagtg 4080
 10 ccggcagatc ctctctttac cttcaatcaa gccaaagtga actctttcat cagcagtgac 4140
 agcacgggac aagtcagcgt ggaaatcgag tgggagctgc agaaagaaaa cagcaagcgc 4200
 tggaatccag agatccagta tacttcaaac tactacaaat ctacaaatgt ggactttgct 4260
 15 gtcaatacca aaggtgttta ctctgagcct cgccttcattg gtactcgtta cctcaccctg 4320
 aatttgtaat tgcctgttaa tcaataaacc ggtaattcg tttcagttga actttggtct 4380
 ctgcg 4385

20 <210> 6
 <211> 4718
 <212> DNA
 <213> adeno-associated virus serotype 1
 25 <400> 6

ttgccactc cctctctgcg cgtctgctcg ctggtgggg cctgcggacc aaaggtccgc 60
 30 agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgag agagggagtg 120
 ggcaactcca tctactagggg taatcgcgaa gcgcctccca cgctgccgcg tcagcgctga 180
 cgtaaattac gtcataagggg agtggctctg tattagctgt cagtgagtg cttttgcgac 240
 35 atttttgcgac accacgtggc catttagggg atatatggc gagtgagcga gcaggatctc 300
 cattttgacc gcgaaatttg aacgagcagc agccatgccg ggcttctacg agatcgtgat 360
 caaggtgccg agcgacctgg acgagcacct gccgggcatt tctgactcgt ttgtgagctg 420
 40 ggtggccgag aaggaatggg agctgcccc ggattctgac atggatctga atctgattga 480
 gcaggcaccg ctgaccgtgg ccgagaagct gcagcgcgac ttcttggtcc aatggcgccg 540
 cgtgagtaag gccccggagg cctctctctt tgttcagttc gagaagggcg agtctactt 600
 45 ccacctccat attctggtgg agaccacggg ggtcaaatcc atggtgctgg gccgcttctc 660
 gagtcagatt agggacaagc tgggtgcagac catctaccgc gggatcgagc cgacctgcc 720
 caactgggtc gcggtgacca agacgcgtaa tggcgccgga ggggggaaca aggtgggtgga 780
 50 cgagtgtctac atccccaaact acctcctgcc caagactcag cccgagctgc agtgggcgtg 840
 gactaacatg gaggagtata taagcgcttg tttgaacctg gccgagcgca aacggctcgt 900
 ggcgcagcac ctgaccacag tcagccagac ccaggagcag aacaaggaga atctgaaccc 960
 55 caattctgac gcgcctgtca tccgggtcaa aacctccgcg cgctacatgg agctggtcgg 1020
 gtggctggtg gaccggggca tcacctccga gaagcagtg atccaggagg accaggcctc 1080

gtacatctcc ttcaacgccc cttccaactc gcgggtcccag atcaaggccc ctctggacaa 1140
 tgccggcaag atcatggcgc tgaccaaata cgcccccgcac tacctggtag gccccgctcc 1200
 5 gcccgcggac attaaaaacca accgcatcta ccgcatcctg gagctgaacg gctacgaacc 1260
 tgcttacgcc ggctccgtct ttctcggtg ggcccagaaa aggttcggga agcgcaaacac 1320
 catctggctg tttgggcccg ccaccacggg caagaccaac atcgcggaag ccacgcccc 1380
 10 cgccgtgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaatgattg 1440
 cgctgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc 1500
 cgccaaggcc attctcggcg gcagcaaggt gcgctggac caaaagtgc aagtcgtccgc 1560
 15 ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 1620
 cgggaacagc accaccttcg agcaccagca gccgttgacg gaccggatgt tcaaatttga 1680
 actcaccgc cgtctggagc atgacttttg caaggtgaca aagcaggaag tcaaagagtt 1740
 20 ctcccgctgg gcgcaggatc acgtgaccga ggtggcgcat gatttctacg tcagaaaggg 1800
 tggagccaac aaaagacccg cccccgatga gcgggataaa agcgagccca agcgggctg 1860
 cccctcagtc gcggatccat cgacgtcaga gcggaagga gctccggtg actttgccga 1920
 25 caggtacca aacaaatgtt ctctcagc gcggcatgctt cagatgctgt ttccctgcaa 1980
 gacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga cgagagactg 2040
 ttcagagtgc ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg 2100
 30 gaaactctgt gccattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg 2160
 cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaacag 2220
 gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc 2280
 35 gcgagtgtg ggacttgaaa cctggagccc cgaagcccaa agccaaccag caaaagcagg 2340
 acgacggccg ggggtctggtg cttcctggct acaagtacct cggacccttc aacggactcg 2400
 acaaggggga gcccgtaac gcggcgacg cagcggccct cgagcacgac aaggcctacg 2460
 40 accagcagct caaagcgggt gacaatccgt acctgcggtg taaccacgcc gacgccgagt 2520
 ttcaggagcg tctgcaagaa gatacgtctt ttgggggcaa cctcgggcga gcagtcttcc 2580
 aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 2640
 45 ctggaaagaa acgtccggtg gagcagtcgc cacaagagcc agactcctcc tcgggcatcg 2700
 gcaagacagg ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 2760
 agtcagtccc cgatccacaa cctctcggag aacctccagc aacccccgct gctgtgggac 2820
 ctactacaat ggcttcaggc ggtggcgac caatggcaga caataacgaa ggcccgacg 2880
 gagtgggtaa tgcctcagga aattggcatt gcgattccac atggctgggc gacagagtca 2940
 55 tcaccaccag caccgcacc tgggccttgc ccacctacaa taaccacctc tacaagcaaa 3000

EP 1 310 571 B1

	tctccagtgc ttcaacgggg gccagcaacg acaaccacta cttcggtac agcaccctt	3060
5	gggggtatgt tgatttcaac agattccact gccacttttc accacgtgac tggcagcgac	3120
	tcatacaaca caattgggga ttccggccca agagactcaa cttcaaaactt ttcaacatcc	3180
	aagtcaggga ggtcacgacg aatgatggcg tcacaacat cgctaataac cttaccagca	3240
10	cggttcaagt cttctcggac tcggagtacc agcttccgta cgtcctcggc tctgcgcacc	3300
	agggtgcct cctcctgttc ccggcggacg tgttcattgat tccgcaatac ggctacctga	3360
	cgtcaacaa tggcagccaa gccgtgggac gttcatcctt ttactgcctg gaataatttc	3420
15	cttctcagat gctgagaacg ggcaacaact ttaccttcag ctacaccttt gaggaagtgc	3480
	ctttccacag cagctacgag cacagccaga gcctggaccg gctgatgaat cctctcatcg	3540
	accaatacct gtattacctg aacagaactc aaaatcagtc cggaagtgcc caaacaagg	3600
20	acttgctgtt tagccgtggg tctccagctg gcatgtctgt tcagcccaaa aactggctac	3660
	ctggaccctg ttatcggcag cagcgcgttt ctaaaacaaa aacagacaac aacaacagca	3720
	attttacctg gactggtgct tcaaaatata acctcaatgg gcgtgaatcc atcatcaacc	3780
25	ctggcactgc tatggcctca cacaaagacg acgaagacaa gttctttccc atgagcgggtg	3840
	tcattgattt tggaaaagag agcgcgggag cttcaaacac tgcattggac aatgtcatga	3900
	ttacagacga agaggaaatt aaagccacta accctgtggc caccgaaaga tttgggaccg	3960
30	tggcagtcac ttccagagc agcagcacag acctgcgac cggagatgtg catgctatgg	4020
	gagcattacc tggcatgggt tggcaagata gagacgtgta cctgcagggt cccatttggg	4080
	ccaaaatttc tcacacagat ggacactttc acccgtctcc tcttatgggc ggctttggac	4140
35	tcaagaacct gcctcctcag atcctcatca aaaacacgac tgttctctgc aatcctcgg	4200
	cggagttttc agctacaaag tttgcttcat tcattcaccata atactccaca ggacaagtga	4260
	gtgtggaaat tgaatgggag ctgcagaaag aaaacagcaa gcgctggaat cccgaagtgc	4320
40	agtacacatc caattatgca aaatctgccac aggttgattt tactgtggac aacaatggac	4380
	tttatactga gcctcgcccc attggcaccg gttaccttac ccgtcccttg taattacgtg	4440
	ttaatcaata aaccgggtga ttctgttcag ttgaactttg gtctcctgtc cttcttatct	4500
45	tatcggttac catggttata gcttacacat taactgcttg gttgcgcttc gcgataaaag	4560
	acttacgtca tggggttacc cctagtgatg gagttgccca ctccctctct gcgcgctcgc	4620
	tcgctcgggtg gggcctgcgg accaaaggtc cgcagacggc agagctctgc tctgcgggcc	4680
50	ccaccgagcg agcagcgcg cagagaggga gtgggcaa	4718

<210> 7

<211> 4675

<212> DNA

<213> adeno-associated virus serotype 2

<400> 7

	ttggccactc cctctctgcg cgctcgctcg ctactgagg ccgggcgacc aaaggtcgcc	60
	cgacgcccgg gctttgcccg ggcggcctca gtgagcgagc gagcgcgag agagggagtg	120
5	gccaaactca tcaactagggg ttcttgaggg ggtggagtcg tgacgtgaat tacgtcatag	180
	ggttagggag gtcctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacaccat	240
	gtggtcacgc tgggtattta agcccagatg agcacgcagg gtctccattt tgaagcggga	300
10	ggtttgaacg cgcagccgcc atgccggggt ttacgagat tgtgattaag gtccccagcg	360
	accttgacgg gcatctgccc ggcatttctg acagctttgt gaactgggtg gccgagaagg	420
	aatgggagtt gccgccagat tctgacatgg atctgaatct gattgagcag gcacccctga	480
15	ccgtggccga gaagctgcag cgcgactttc tgacggaatg gcgccgtgtg agtaaggccc	540
	cggaggccct tttctttgtg caatttgaga agggagagag ctacttccac atgcacgtgc	600
	tcgtggaaac caccggggtg aaatccatgg ttttgggacg tttcctgagt cagattcgcg	660
20	aaaaactgat tcagagaatt taccgcggga tcgagccgac tttgccaaac tggttcgcg	720
	tcacaaagac cagaaatggc gccggaggcg ggaacaagggt ggtggatgag tgctacatcc	780
	ccaattactt gctccccaaa acccagcctg agctccagtg ggcgtggact aatatggaac	840
25	agtatttaag cgcctgtttg aatctcacgg agcgtaaacg gttggtggcg cagcatctga	900
	cgcacgtgtc gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc	960
	cggtgatcag atcaaaaact tcagccagggt acatggagct ggtcgggtgg ctctgtggaca	1020
30	aggggattac ctcgagagaag cagtggatcc aggaggacca ggcctcatac atctccttca	1080
	atgcggcctc caactcgcgg tcccaaatac aggctgcctt ggacaatgcg ggaaagatta	1140
	tgagcctgac taaaaccgcc cccgactacc tgggtgggcca gcagcccggtg gaggacattt	1200
35	ccagcaatcg gatattataa attttggaaac taaacgggta cgatcccaa tatgcggcctt	1260
	ccgtctttct gggatgggcc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg	1320
	ggcctgcaac taccgggaag accaacatcg cggaggccat agcccacact gtgcccttct	1380
40	acgggtgcgt aaactggacc aatgagaact ttcccttcaa cgactgtgtc gacaagatgg	1440
	tgatctggtg ggaggagggg aagatgaccg ccaaggctgt ggagtgggcc aaagccattc	1500
	tcggaggaag caagggtgcgc gtggaccaga aatgcaagtc ctcggccag atagaccga	1560
45	ctcccgatgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga	1620
	ccttcgaaca ccagcagccg ttgcaagacc ggatgttcaa atttgaactc acccgccgtc	1680
	tggatcatga ctttgggaag gtcaccaagc aggaagtcaa agactttttc cgggtgggcaa	1740
50	aggatcacgt ggttgaggtg gagcatgaat tctacgtcaa aaagggtgga gccaaagaaa	1800
	gacccgcccc cagtgcgcga gatataagtg agcccaaacg ggtgcgcgag tcagttgcgc	1860
55	agccatcgac gtcagacgcg gaagcttcga tcaactacgc agacaggtac caaaacaaat	1920

EP 1 310 571 B1

	gttctcgtca cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga	1980
	atcagaattc aaatatctgc ttcactcacg gacagaaaga ctgttttagag tgctttcccg	2040
5	tgtcagaatc tcaaccggtt tctgtcgtca aaaagycgta tcagaaactg tgctacattc	2100
	atcatatcat gggaaagggtg ccagacgctt gcactgcctg cgatctggtc aatgtggatt	2160
	tggatgactg catctttgaa caataaatga tttaaatcag gtatggctgc cgatggttat	2220
10	cttccagatt ggctcgagga cactctctct gaaggaataa gacagtgggtg gaagctcaaa	2280
	cctggcccac caccacaaa gccgcgagag cggcataagg acgacagcag gggctctgtg	2340
	cttcctgggt acaagtacct cggacccttc aacggactcg acaagggaga gccggtcaac	2400
15	gaggcagacg ccgcggccct cgagcacgta caaagcctac gaccggcagc tcgacagcgg	2460
	agacaacccg tacctcaagt acaaccacgc cgacgcggag tttcaggagc gccttaaaga	2520
	agatacgtct tttgggggca acctcggacg agcagtcttc caggcgaaaa agagggttct	2580
20	tgaacctctg ggcttggtg aggaacctgt taagacggct ccgggaaaaa agaggccggt	2640
	agagcactct cctgtggagc cagactcctc ctccgggaacc ggaaaggcgg gccagcagcc	2700
	tgcaagaaaa agattgaatt ttggtcagac tggagacgca gactcagtac ctgaccccca	2760
25	gcctctcgga cagccaccag cagccccctc tggctctggga actaatcga tggctacagg	2820
	cagtggcgca ccaatggcag acaataacga gggcgccgac ggagtgggtg attcctccgg	2880
	aaattggcat tgcgattcca catggatggg cgacagagtc atcaccacca gcacccgaac	2940
30	ctggggccctg cccacctaca acaaccacct ctacaaacaa atttccagcc aatcaggagc	3000
	ctcgaacgac aatcactact ttggctacag ccccccttgg gggatatttg acttcaacag	3060
	attccactgc cactttttcac cagtgactg gcaagactc atcaacaaca actggggatt	3120
35	ccgacccaag agactcaact tcaagctctt taacattcaa gtcaaagagg tcacgcagaa	3180
	tgacggtagc acgacgattg ccaataacct taccagcacg gttcaggtgt ttactgactc	3240
	ggagtaccag ctcccgtacg tcctcggctc ggcgcacaa ggatgcctcc cgcggttccc	3300
40	agcagacgtc ttcatggtgc cacagtatgg atacctcacc ctgaacaacg ggagtcaggc	3360
	agtaggacgc tcttcatttt actgcctgga gtactttcct tctcagatgc tgcgtaccgg	3420
	aaacaacttt accttcagct acacttttga ggacgttctt ttccacagca gctacgetca	3480
45	cagccagagt ctggaccgtc tcatgaatcc tctcatcgac cagtacctgt attacttgag	3540
	cagaacaaac actccaagtg gaaccaccac gcagtcaagg cttcagtttt ctcaggccgg	3600
	agcgagtgc attcgggacc agtctaggaa ctggcttctt ggacctgtt accgccagca	3660
50	gcgagtatca aagacatctg cggataacaa caacagtga tactcgtgga ctggagctac	3720
	caagtaccac ctcaatggca gagactctct ggtgaatccg gccatggcaa gccacaagga	3780
55	cgatgaagaa aagttttttc ctcagagcgg ggttctcatc tttgggaagc aaggctcaga	3840

EP 1 310 571 B1

gaaaacaaat gtgaacattg aaaagggtcat gattacagac gaagaggaaa tcggaacaac 3900
 caatcccgtg gctacggagc agtatgggtc tgtatctacc aacctccaga gaggaacaac 3960
 5 acaagcagct accgcagatg tcaacacaca aggcgttctt ccaggcatgg tctggcagga 4020
 cagagatgtg taccttcagg ggcccatctg ggcaaagatt ccacacacgg acggacattt 4080
 tcacccctct cccctcatgg gtggattcgg acttaaacac cctcctccac agattctcat 4140
 10 caagaacacc cgggtacctg cgaatccttc gaccaccttc agtgcggaag agtttgcttc 4200
 ctcatcaca cagtactcca cgggacacgg tcagcgtgga gatcgagtgg gagctgcaga 4260
 aggaaaacag caaacgctgg aatcccgaat ttcagtacac ttccaactac aacaagtctg 4320
 15 ttaatcgtgg acttaccgtg gataactaatg gcgtgtattc agagcctcgc cccattggca 4380
 ccagatacct gactcgtaat ctgtaattgc ttgttaatca ataaaccgtt taattcgttt 4440
 cagttgaact ttggtctctg cgtatttctt tcttatctag tttccatggc tacgtagata 4500
 20 agtagcatgg cgggttaatc attaaactaca aggaaccctt agtgatggag ttggccactc 4560
 cctctctgcg cgctcgctcg ctactgagg cggggcgacc aaaggctcgc cgacgccggg 4620
 gctttgcccg ggcgccctca gtgagcgagc gagcgcgag agagggagtg gccaa 4675

<210> 8

<211> 4726

<212> DNA

<213> adeno-associated virus serotype 3

<400> 8

ttggccactc cctctatgcg cactcgctcg ctcggtgggg cctggcgacc aaaggctcgc 60
 agacggacgt gctttgcacg tccggcccca ccgagcgagc gagtgcgcat agagggagtg 120
 gccaaactcca tcactagagg tatggcagtg acgtaacgcg aagcgcgga agcgagacca 180
 40 cgcctaccag ctgctcagc agtcagggtga cctttttgcg acagtttgcg acaccacgtg 240
 gccgctgagg gtatatattc tcgagtgagc gaaccaggag ctccattttg accgcgaaat 300
 ttgaacgagc agcagccatg cgggggttct acgagattgt cctgaaggtc ccgagtgacc 360
 45 tggacgagcg cctgccgggc atttctaact cgtttgttaa ctgggtggcc gagaaggaaat 420
 gggacgtgcc gccggattct gacatggatc cgaatctgat tgagcaggca cccctgaccg 480
 tggccgaaaa gcttcagcgc gagttcctgg tggagtggcg ccgctgagt aaggccccgg 540
 50 aggcctctt tttgtccag ttcgaaaagg gggagacctt ctccacctg cacgtgctga 600
 ttgagaccat cgggggtcaa tccatgggtg tcggccgcta cgtgagccag attaaagaga 660
 agctggtgac ccgcatctac cgggggtcgc agcccgagct tccgaactgg ttcgctgtga 720
 55 ccaaaacgcg aaatggcgcc gggggcgga acaagggtgt ggacgactgc tacatcccca 780
 actacctgct cccaagacc cagcccgagc tccagtgggc gtggactaac atggaccagt 840

EP 1 310 571 B1

	atttaagcgc ctgtttgaat ctcgcggagc gtaaaccggct ggtggcgag catctgacgc	900
	acgtgtcgca gacgcaggag cagaacaaag agaatcagaa cccaattct gacgcgccgg	960
5	tcacaggtc aaaaacctca gccaggtaga tggagctggc cgggtggctg gtggaccgcg	1020
	ggatcacgtc agaaaagcaa tggattcagg aggaccaggc ctcgtacatc tccttcaacg	1080
10	ccgcctccaa ctcgcgggtcc cagatcaagg ccgcgctgga caatgcctcc aagatcatga	1140
	gcctgacaaa gacggctccg gactacctgg tgggcagcaa ccgcgccggag gacattacca	1200
	aaaatcggat ctaccaaadc ctggagctga acgggtacga tccgcagtag gcggcctccg	1260
15	tcttctctggg ctgggcgcaa aagaagtctg ggaagaggaa caccatctgg ctctttgggc	1320
	cggccacgac gggtaaaacc aacatcgcgg aagccatcgc ccacgccgtg cccttctacg	1380
	gctgcgtaaa ctggaccaat gagaactttc ccttcaacga ttgcgtcgac aagatgggtga	1440
20	tctgggtggga ggagggcaag atgacggcca aggtcgtgga gagcgccaag gccattcttg	1500
	gcggaagcaa ggtgcgcgtg gacaaaaagt gcaagtcacg ggcccagatc gaacccactc	1560
	ccgtgatcgt cacctccaac accaaccatgt gcgccgtgat tgacgggaac agcaccacct	1620
25	tcgagcatca gcagccgctg caggaccgga tgtttgaatt tgaacttacc cgccgtttgg	1680
	accatgactt tgggaaggct accaaacagg aagtaaagga ctttttccgg tgggcttccg	1740
	atcacgtgac tgacgtggct catgagttct acgtcagaaa ggggtggagct aagaaacgcc	1800
30	ccgcctccaa tgacgcggat gtaagcgagc caaaacggga gtgcacgtca cttgcgcagc	1860
	cgacaacgtc agacgcggaa gcaccggcgg actacgcgga caggtaccaa aacaaatggt	1920
	ctcgtcacgt gggcatgaat ctgatgcttt ttccctgtaa aacatgcgag agaatgaatc	1980
35	aaatttccaa tgtctgtttt acgcatggct aaagagactg tggggaatgc ttccctggaa	2040
	tgtcagaatc tcaaccctgt tctgtcgtca aaaagaagac ttatcagaaa ctgtgtccaa	2100
	ttcatcatat cctgggaagg gcacccgaga ttgcctgttc ggcctgcgat ttggccaatg	2160
40	tggacttgga tgactgtgtt tctgagcaat aaatgactta aaccaggtag ggctgctgac	2220
	ggttatcttc cagattggct cgaggacaac ctttctgaag gcattcgtga gtggtgggct	2280
	ctgaaacctg gagtccctca acccaaagcg aaccaacaac accaggacaa ccgtcgggggt	2340
45	cttgtgcttc cgggttacaa atacctcggg cccggtaacg gactcgacaa aggagagccg	2400
	gtcaacgagg cggacgcggc agccctcgaa cacgacaaag cttacgacca gcagctcaag	2460
	gccggtgaca acccgtagct caagtacaac cacgccgacg ccgagtttca ggagcgtctt	2520
50	caagaagata cgtcttttgg gggcaacctt ggagagcag tcttccaggc caaaaagagg	2580
	atccttgagc ctcttggtct ggttgaggaa gcagctaaaa cggctcctgg aaagaagggg	2640
	gctgtagatc agtctcctca ggaaccggac tcacatctg gtgttgcaa atcgggcaaa	2700
55	cagcctgcca gaaaaagact aaatttcggg cagactggag actcagagtc agtcccagac	2760

	cctcaacctc tcggagaacc accagcagcc cccacaagtt tgggatctaa tacaatggct	2820
5	tcaggcgggtg gcgcaccaat ggcagacaat aacgaggggtg ccgatggagt gggtaatcc	2880
	tcaggaaatt ggcattgcga ttcccaatgg ctgggcgaca gagtcattcac caccagcacc	2940
	agaacctggg ccctgcccac ttacaacaac catctctaca agcaaattctc cagccaatca	3000
10	ggagcttcaa acgacaacca ctactttggc tacagcacc cttgggggta ttttgacttt	3060
	aacagattcc actgccactt ctcaccacgt gactggcagc gactcattaa caacaactgg	3120
	ggattccggc ccaagaaact cagcttcaag ctcttcaaca tccaagttag aggggtcacg	3180
15	cagaacgatg gcacgacgac tattgccaat aaccttacca gcacggttca agtgtttacg	3240
	gactcggagt atcagctccc gtacgtgctc gggtcggcgc accaaggctg tctcccgcgc	3300
	tttcagcgg acgtcttcat ggtccctcag tatggatacc tcacctgaa caacggaagt	3360
20	caagcgggtg gacgctcatc cttttactgc ctggagtact tcccttcgca gatgctaagg	3420
	actggaaata acttccaatt cagctatacc ttcgaggatg taccttttca cagcagctac	3480
	gctcacagcc agagtttgga tcgcttgatg aatcctctta ttgatcagta tctgtactac	3540
25	ctgaacagaa cgcaaggaac aacctctgga acaaccaacc aatcacggct gctttttagc	3600
	caggctgggc ctcagcttat gtctttgcag gccagaaatt ggctacctgg gccctgctac	3660
	cggcaacaga gactttcaaa gactgctaac gacaacaaca acagtaactt tccttgga	3720
30	gcggccagca aatatcatct caatggccgc gactcgtctg tgaatccagg accagctatg	3780
	gccagtcaca aggacgatga agaaaaattt ttccctatgc acggcaatct aatatttggc	3840
	aaagaaggga caacggcaag taacgcagaa ttagataatg taatgattac ggatgaagaa	3900
35	gagattcgta ccaccaatcc tgtggcaaca gagcagtatg gaactgtggc aaataaactg	3960
	cagagctcaa atacagctcc cagcactgga actgtcaatc atcagggggc cttacctggc	4020
	atgggtgtggc aagatcgtga cgtgtacctt caaggaccta tctgggcaaa gattcctcac	4080
40	acggatggac actttcatcc ttctcctctg atgggaggct ttggactgaa acatccgcct	4140
	cctcaaataca tgatcaaaaa tactccggta ccggcaaatc ctccgacgac tttcagcccg	4200
	gccaagtttg cttcatttat cactcagtac tccactggac aggtcagcgt ggaaattgag	4260
45	tgggagctac agaaagaaaa cagcaaacgt tggaatccag agattcagta cacttccaac	4320
	tacaacaagt ctgttaatgt ggactttact gtagacacta atgggtgttta tagtgaacct	4380
	cgccctattg gaaccggta tctcacacga aacttgtgaa tcctgggttaa tcaataaacc	4440
50	gtttaattcg tttcagttga actttggctc ttgtgcactt ctttatcttt atcttgcttc	4500
	catggctact gcgtagataa gcagcggcct gcggcgcttg cgcttcgagg tttacaactg	4560
	ctggttaata tttactctc gccatacctc tagtgatgga gttggccact ccctctatgc	4620
55	gcactcgtc gctcgggtggg gcctggcgac caaaggctgc cagacggacg tgctttgcac	4680

gtccggcccc accgagcgag cgagtgcgca tagagggagt ggccaa

4726

<210> 9

<211> 3098

<212> DNA

<213> new AAV serotype, clone 42.2

<400> 9

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatgggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
15	ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg	180
	cccagatcga tccccacccc gtgatcgtca cttccaacac caacatgtgc gctgtgattg	240
20	acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
	aactcaccgc ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcaaagagt	360
	tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtcttac gtcagaaagg	420
25	gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct	480
	gcccctcagt cgcggtatcca tcgacgtcag acgcgggaagg agctccggtg gactttgccg	540
	acaggatacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
30	agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact	660
	gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
35	gcgatctggt caacgtggac ctggatgacc gtgtttctga gcaataaatg acttaaacca	840
	ggtatggctg ccgatgggta tcttccagat tggctcgagg acaacctctc tgagggcatt	900
	cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
40	gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
	gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac	1080
	gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag	1140
45	tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
	cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc	1320
50	cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcc	1380
	gacccccaac ctctcgga gaacctccgc gcgccctcag gtctgggatac tgggtacaatg	1440
	gctgcaggcg gtggcgaccc aatggcagac aataacgaag gcgccgacgg agtgggtaat	1500
55	gcctccggaa attggcattg cgattccaca tggctgggag acagagtcac caccaccagc	1560
	acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtacg	1620
	agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac	1680

EP 1 310 571 B1

5 ttcaacagat tccactgccca cttctcacca cgtgactggc agcgactcat caacaacaac 1740
 tggggattcc ggcccagaaa gctgcgggtc aagttgttca acatccaggt caaggagggtc 1800
 acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcagggtcttc 1860
 tcggactcgg agtaccact gccgtacgtc ctcggtcttg cgcaccaggg ctgcctccct 1920
 10 ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc 1980
 agtcagtctg tgggacgttc ctcttcttac tgccctggagt actttccttc tcagatgctg 2040
 agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc 2100
 15 tatgcgaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac 2160
 tacctggccc ggaccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct 2220
 gggccaaca ccattggcga gcaatcaaag aactggctgc cggaccctg ttatcggcag 2280
 20 cagagactgt caaaaaacat agacagcaac aacaacagta actttgcctg gaccggggcc 2340
 actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc 2400
 aacaaggacg acgaggacca gttctttccc atcaacggag tgctggtttt tggcgaaacg 2460
 25 ggggctgcc acaagacaac gctggaaaac gtgctaata ccagcgagga ggagatcaaa 2520
 accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct 2580
 acggccggac ccagacaca gactgtcaac agccaggggg ctctgcccg catggtctgg 2640
 30 cagaaccggg acgtgtacct gagggtccc atctgggcca aaattcctca cacggacggc 2700
 aactttcacc cgtctccct gatggcgga tttggactca aacaccgcc tcctcaaatt 2760
 ctcatcaaaa acaccccggt acctgcta atctccagagg tgtttactcc tgccaagttt 2820
 35 gcctcattta tcacgcagta cagcaccggc cagggtcagc tggagatcga gtgggaactg 2880
 cagaaagaaa acagcaaacg ctggaatcca gagattcagt acacctcaaa ttatgccaag 2940
 tctaataatg tggaaatttg tgtcaacaac gaaggggttt atactgagcc tcgccccatt 3000
 40 ggcaccggtt acctacccg taacctgtaa ttgcctgtta atcaataaac cggttaattc 3060
 gtttcagttg aactttggc tctgcgaagg gcgaattc 3098

<210> 10

<211> 3098

<212> DNA

<213> new AAV serotype, clone 16.3

<400> 10

gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta 60
 acaagtaatt acagggttac ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120
 accccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgagggtgtac 180
 tgaatctctg gattccagcg tttgctgttt tctttctgca gttcccactc gatctccacg 240

EP 1 310 571 B1

	ctgacctggc cggtgctgta ctgcgtgata aatgaggcaa actaggcagg agtaaacacc	300
	cctggaggat tagcaggtac cgggggtgttt ttgatgagaa tttagaggagg cgggtgtttg	360
5	agtcctaaatc cgcccatcag gggagacggg tgaaagtgtc cgtccgtgtg aggaattttg	420
	gcccagatgg gacctgtcag gtacacgtcc cggttctgtcc agaccatgcc gggcagagcc	480
10	ccctggctgt tgacagtctg tgtctggggg cggccgtag acgattgcag gttgctggag	540
	accacaccgt attcttctgt agccacggga ttggtggttt tgatctcttc ctgctggtc	600
	attagcacgt tttccagcgt tgtctgtttg gcagccccg ttttgccaaa aaccagcact	660
15	ccgttgatgg gaaagaactg gccctcgtcg tccttggttg tggccatggc tacgccggg	720
	ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta	780
	ctgttgttgt tgctgtctat gttttttgac agtctctgct gccgataaca gggtcggggc	840
20	agccagttct ttgattgtc ggccatggtg ttgggcccag cctgatggaa ctgcagctcc	900
	cttgtggacc cgtagtgtc ctgggtccgg gccaggtagt acaggtagt gtcgatgagg	960
	ggattcatca gccgggtccag gctctggctg tgcgcatagc tgctgtggaa aggcacttcc	1020
25	tcaaaggtgt agctgaattc aaagttaattg cccgttctca gcattctgaga aggaaagtac	1080
	tccaggcagt agaaggagga acgtcccata gactgactgc cgttggttag agtcagatat	1140
	ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca	1200
30	gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta	1260
	aggttatttag cgtatggtcgt aacgccgtcg ttcgtcgtga cctccttgac ctggatgttg	1320
	aacaacttga accgcagctt tctggggccgg aatccccagt tgttggtgat gagtcgctgc	1380
35	cagtcacgtg gtgagaagtg gcagtggaa ctgttgaagt caaaatagcc ccaggggggtg	1440
	ctgtagccga agaagtgtt gtcgttggtg gccccgctct gacttgatat ctgctttag	1500
	agggtggttgt tgtaggtggg cagggcccag gtgcgggtgc tgggtggtgat gactctgtcg	1560
40	cccagccatg tggaatcgca atgccaattt ccggaggcat taccactcc gtcggcgcc	1620
	tcgttattgt ctgccattgg tgcgccaccg cctgcagcca ttgtaccaga tcccagacct	1680
	gagggcgcg cgggaggttc tccgagaggt tgggggtcgg gcaactgactc tgagtcgcca	1740
45	gtctgcccaa agttgagctt ctttttagcg ggctgtggc ctttcttgcc gatgccgtg	1800
	gaggagtgg gggattctat ggggtctctt tttccaggag ccgtcttagc gccttctca	1860
	accagaccga gaggttcgag aaccgcctt ttggcctgga agactgctcg cccgaggtt	1920
50	ccccaaaaag acgtatcttc ttgaagacgc tcctgaaact cagcgtcggc gtgggtgtac	1980
	ttgaggtacg ggttgtcccc ctgctcgagc tgctgtcgt aggccttgc gtgctcgagg	2040
	gccgcggcgt ctgectcgtt gaccggctct ccttctcga gtccgttgaa gggtcggagg	2100
55	tactttagc caggaagcac cagaccccg ccgtcgtct gcttttgcgt gttggctttg	2160

EP 1 310 571 B1

```

ggtttcgggg ctccagggtt caagtcccac cactcgcgaa tgccctcaga gaggttggtcc 2220
tcgagccaat ctggaagata accatcggca gccataacctg gtttaagtca tttattgctc 2280
5 agaaacacag tcattccaggt ccacgttgac cagatcgag gccgagcaag caatctcggg 2340
agcccgcgcc agcagatgat gaatggcaca gagtttccga tacgtcctct tcttgacgac 2400
cggttgagat tctgacacgc cggggaaaca tctgaacag tctctggtcc cgtgcgtgaa 2460
10 gcaaagtgtg aaattctgat tcattctctc gcatgtcttg cagggaaaca gcatctgaag 2520
catgccgcgc tgacgagAAC atttggtttg gtacctgtcg gcaaagtcca ccggagctcc 2580
ttccgcgtct gacgtcgatg gatccgcgac tgaggggcag gcccgcttgg gctcgctttt 2640
15 atccgcgtca tcgggggcgg gcctcttggt ggctccaccc tttctgacgt agaactcatg 2700
cgccacctcg gtcacgtgat cctgcgcccc gcggaagaac tctttgactt cctgctttgt 2760
caccttgcca aagtctgtct ccagacggcg ggtgagttca aatttgaaca tccggtcttg 2820
20 taacggctgc tgggtgctga aggtggtgct gttcccgta atcacggcgc acatgttggt 2880
gttggaagtg acgatcacgg gggtagggatc gatctgggcg gacgacttgc acttttggtc 2940
cacgcgcacc ttgctgccgc cgagaatggc cttggcggac tccacgacct tggccgctcat 3000
25 cttgccctcc tcccaccaga tcaccatctt gtcgacgcaa tcgttgaagg gaaagtcttc 3060
attggtccag ttgacgcagc cgtagaaagg gcgaattc 3098

```

<210> 11

<211> 3121

<212> DNA

<213> new AAV serotype, clone 29.3

<400> 11

EP 1 310 571 B1

	gaattcgccc ttcgagaga ccaaagttca actgaaacga atcaaccggt ttattgatta	60
	acaagcaatt acagattacg ggtgaggtaa cgggtgccga tggggcgagg ctgagaataa	120
5	gtgccatctg tgttaacagc aaagtccaca ttgttagatt tgtagtagtt ggaagtgtat	180
	tgaatctctg gggtccagcg ttgtctgttt tctttctgca gctcccattc aatttccacg	240
	ctgacctgtc cgggtgctgta ctgcgtgatg aacgacgcc gcttagcttg actgaaggta	300
10	gttggaggat ccgcgggaac aggtgtattc ttaatcagga tctgaggagg cgggtgtttc	360
	agtccaaagc ccccatcag cggcgaggga tgaagtttc cgtccgtgtg aggaatcttg	420
	gccagatag gacctgcag gtacacgtcc cggttctgcc agaccatgcc aggttaaggct	480
15	ccttgactgt tgacggcccc tacaatagga gcggcgtttt gctgttgtag gttatcggcc	540
	accacgccgt actgttctgt ggccactggg ttggtggttt taatttcttc ctcactggtt	600
	agcataacgc tgctatagtc cacgttgccct tttccagctc cctgtttccc aaacattaag	660
20	actccgctgg acggaaaaaa tcgtctcttcg tcgtccttgt gggttgccat agcgacaccg	720
	ggatttacca gagagtctct gccattcaga tgatacttgg tggcaccggt ccaggcaaag	780
25		
30		
35		
40		
45		
50		
55		

	ttgctgttgt tattttgcga cagtgtcgtg gagacgcgtt gctgccggta gcagggcccg	840
5	ggtagccagt ttttggcctg agccgacatg ttattaggcc cggcctgaga aaatagcaac	900
	tgctgagttc ctgcggtacc tcccgtggac tgagtcagag acaggtagta cagggtactgg	960
	tcgatgaggg ggttcatcag ccgggtccagg ctttggctgt gcgcgtagct gctgtgaaaa	1020
10	ggcacgtcct caaactggta gctgaactca aagtgtgtgc ccgttctcag catttgagaa	1080
	ggaaagtact ccaggcagta gaaggaggaa cggccacagg cctgactgcc attgttcaga	1140
	gtcagggtacc cgtactgagg aatcatgaag acgtccgcg ggaacggagg caggcagccc	1200
15	tggcgcgag agccgaggac gtacgggagc tggattccg agtccgtaa gacctgaatc	1260
	gtgctggtaa ggttattggc gatggctctg gtgccttcat tctgcgtgac ctcttgacc	1320
	tggatgttga agagcttgaa gttgagtcctc ttgggccgga atcccagtt gttgttgatg	1380
20	agtcgctgcc agtcacgtgg tgagaagtgg cagtggatc tgttaaagtc aaaatacccc	1440
	caggggggtgc tgtagccgaa gtaggtgttg tcgttgggtgc ttcttccga agtcccggtg	1500
	gagatttgct tgtagaggtg gttgttgtag gtggggaggg cccaggttcg ggtgctggtg	1560
25	gtgatgactc tgtcgcgccag ccagtgtgaa tcgcaatgcc aatttctga ggaactacct	1620
	actccgtcgg cgccttcgtt attgtctgcc attggagcgc caccgcctgc agccattgta	1680
	ccagatccca gaccagaggg gcctgcgggg ggttctccga ttggttgagg gtcgggcact	1740
30	gactctgagt cgccagtctg cccaaagtgt agtctctttt tcgcggtctg ctggcctttc	1800
	ttgccgatgc ccgtagtggg gtctggagaa cgctgggtg atggctctac cggctctctc	1860
	tttccaggag ccgtcttagc gccttctca accagaccga gaggttcgag aaccgcctc	1920
35	ttggcctgga agactgctcg tccgaggttg ccccaaaag acgtatcttc ttgcagacgc	1980
	tcctgaaact cggcgtcggc gtggttatac cgcaggtacg gattgtcacc cgctttgagc	2040
	tgctgggtcgt aggccttgct gtgctcgagg gccgctgcgt ccgccgcgtt gacgggctcc	2100
40	cccttgctga gtccgttgaa ggggtccgagg tacttgtagc caggaagcac cagaccccg	2160
	ccgtcgtcct gcttttgctg gttggctttg ggcttcgggg ctccaggttt cagcgccac	2220
	cactcgcgaa tgccctcaga gaggttgtcc tcgagccaat ctggaagata accatcggca	2280
45	gccatacctg atctaaatca tttattgttc aaagatgcag tcatccaaat ccacattgac	2340
	cagatcgcag gcagtgcag cgtctggcac ctttcccatg atatgatgaa tgtagcacag	2400
	tttctgatac gcctttttga cgacagaaac ggggttgagat tctgacacgg gaaagcactc	2460
50	taaacagtct ttctgtccgt gagtgaagca gatatttgaa ttctgattca ttctctgca	2520
	ttgtctgcag ggaaacagca tcagattcat gccacgtga cgagaacatt tgttttggtg	2580
	cctgtccgcg tagttgatcg aagcttccgc gctgacgtc gatggctgcg caactgactc	2640
55	gcgcacccgt ttgggtcac ttatatctgc gtcactgggg gcgggtcttt tcttggctcc	2700

EP 1 310 571 B1

	accctttttg acgtagaatt catgctccac ctcaaccacg tgatcctttg cccaccggaa	2760
5	aaagtctttg acttcctgct tggtagacctt cccaaagtca tgatccagac ggcgggtgag	2820
	ttcaaatttg aacatccggg cttgcaacgg ctgctggtgt tcgaagggtcg ttgagttccc	2880
	gtcaatcacg gcgcacatgt tgggtgttga ggtgacgac acgggagtcg ggtctatctg	2940
10	ggccgaggac ttgcatttct ggtccacgcg caccttgctt cctccgagaa tggctttggc	3000
	cgactccacg accttgggcg tcatcttccc ctccctccac cagatcacca tcttgctcgac	3060
	acagtcgttg aagggaaagt tctcattggt ccagttgacg cagccgtaga agggcggaatt	3120
15	c	3121

<210> 12

<211> 3121

20 <212> DNA

<213> new AAV serotype, clone 29.4

<400> 12

25

30

35

40

45

50

55

EP 1 310 571 B1

	gaattcgccc ttctacggct gcgtaactg gaccaatgag aactttccct tcaacgactg	60
	tgtcgacaag atggtgatct ggtgggagga ggggaagatg accgccaagg tcgtggagtc	120
5	ggccaaagcc attctcggag gaagcaagggt gcgcgtggac cagaaatgca agtcctcggc	180
	ccagatagac ccgactcccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga	240
	cgggaactca acgaccttcg aacaccagca gccgttgcaa gaccggatgt tcaaatttga	300
10	actcaccgcg cgtctggatc atgactttgg gaaggtcacc aagcaggaag tcaaagactt	360
	tttccggtgg gcaaaggatc acgtggttga ggtggagcac gaattctacg tcaaaaaggg	420
	tggagccaag aaaagacccg cccccagtga cgcagatata agtgagccca aacgggtgcg	480
15	cgagtcaagt gcgcagccat cgacgtcaga cgcggaagct tcgatcaact acgcagacag	540
	gtacaaaaac aaatgttttc gtcacgcggg catgaatctg atgctgtttc cctgcagaca	600
	atgcgagaga atgaatcaga attcaaatat ctgcttcaact cacggacaga aagactgttt	660
20	agagtgcctt cccgtgtcag aatctcaacc cgtttctgtc gtcaaaaagg cgtatcagaa	720
	actgtgctac attcatcata tcatgggaaa ggtgccagac gcttgcactg cctgcgatct	780
	ggtcgatgtg gatttggatg actgcatctt tgaacaataa atgatttaaa tcaggatatg	840
25	ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt	900
	ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag caggacggcg	960
	gccggggctt ggtgcttcct ggctacaagt acctcggacc cttcaacgga ctcgacaagg	1020
30	gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc	1080
	agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgcgcagcc gagtttcagg	1140
	agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc ttccaggcca	1200

EP 1 310 571 B1

agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gtccttgga 1260
agaagagacc ggtagagcca tcacccacgc gttctccaga ctctctacg ggcacggca 1320
5 agaaaaggcca gcagcccgcg aaaaagagac tcaactttgg gcagactggc gactcagagt 1380
cagtgcgccga ccctcaacca atcggagAAC ccccgagg cccctctggt ctgggatctg 1440
gtacaatggc tgcaggcggt ggcgctccaa tggcagacaa taacgaaggc gccgacggag 1500
10 tgggtagttc ctcaggaaat tggcattgag attccacatg gctgggagac tgagtcacatca 1560
ccaccagcac ccgaacctgg gccctcccca cctacaacaa ccacctctac aagcaaattct 1620
ccaacgggac ttcgggagga agcaccaacg acaacaccta cttcggctac agcacccct 1680
15 ggggggtatct tgactttaac agattccact gccacttctc accacgtgac tggcagcgac 1740
tcatcaacaa caactgggga ttccggccca agagactcaa cttcaagctc ttcaacatcc 1800
aggctcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac cttaccagca 1860
20 cgattcaggt ctttacggac tcggaatacc agtcccgta cgtcctcggc tctgcgcacc 1920
agggctgcct gcctccgttc ccggcgagc tcttcattgat tcctcagtac gggtagctga 1980
ctctgaacaa tggcagtcag gccgtgggac gttcctcctt ctactgcctg gagtactttc 2040
25 cttctcaaat gctgagaacg ggcaacaact ttgagttcag ctaccagttt gaggacgtgc 2100
cttttcacag cagctacgcg cacagccaaa gcctggaccg gctgatgaac cccctcatcg 2160
accagtacct gtactacctg tctcggactc agtccacggg aggtaccgca ggaactcagc 2220
30 agttgctatt ttctcaggcc gggcctaata acatgtcggc tcaggccaaa aactggctac 2280
ccggggccctg ctaccggcag taacgcgtct ccacgacact gtcgcaaaat aacaacagca 2340
actttgtctg gaccggtgcc accaagtatc atctgaatgg cagagactct ctggtagatc 2400
35 ccggtgtcgc tatggcaacc cacaaggacg acgaagagcg attttttccg tccagcggag 2460
tcataatgtt tgggaaacag ggagctggaa aagacaacgt ggactatagc agcgtcatgc 2520
taaccagtga ggaagaaatt aaaaccacca acccagtggc cacagaacag tacggcgtgg 2580
40 tggccgataa cctgcaacag caaaacgccc ctctattgt aggggcccgtc aacagtcaag 2640
gagccttacc tggcatggtc tggcagaacc gggacgtgta cctgcagggt cctacctggg 2700
ccaagattcc tcacacggac ggaactttc atccctcgcc gctgatggga ggctttggac 2760
45 tgaaacaccc gcctcctcag atcctgatta agaatacacc tggtcccgcg gatcctccaa 2820
ctaccttcag tcaagctaag ctggcgctgt tcatacagca gtacagcacc ggacaggatca 2880
gcgtggaaat tgaatgggag ctgcaggaag aaaacagcaa acgctggaac ccagagattc 2940
50 aatacacttc caactactac aaatctacaa atgtggactt tgctgttaac acagatggca 3000
cttattctga gcctcgcccc atcggcaccg gttacctac ccgtaattctg taattgcttg 3060
ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120
55

c

3121

5

<210> 13

<211> 3121

<212> DNA

<213> new AAV serotype, clone 29.5

10

<400> 13

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

	gaattcgccc ttcgcgagac caaagttcaa ctgaaacgaa tcaaccggtt tattgattaa	60
	caagcaatta cagattacgg gtgaggtaac gggcgccgat gggcgaggc tcagaataag	120
5	tgccatctgt gttaacagca aagtccacat ttgtagattt gtagtagttg gaagtgtatt	180
	gaatctctgg gttccagcgt ttgctgtttt ctttctgcag ctcccatcca atttccacgc	240
	tgacctgtcc ggtgctgtac tgcgtgatga acgacgccag cttagcttga ctgaaggtag	300
10	ttggaggatc cgcgggaaca ggtgtattct taatcaggat ctgaggaggc ggggtgttcca	360
	gtccaaagcc tcccatcagc ggcgagggat gaaagtctcc gtccgtgtga ggaatcttgg	420
	cccagatagg accctgcagg tacacgtccc ggttctgccca gaccatgccca ggtaaggctc	480
15	cttgactgtt gacggcccct acaataggag cggcggtttt ctggttcagg ttatcggcca	540
	ccacgccgta ctgttctgtg gccactgggt tgggtgtttt aatttcttcc tcaactggtta	600
	gcataacgct gctatagtcc acgttgtctt ttccagctcc ctgtttccca aacattaaga	660
20	ctccgctgga cggaaaaaat cgctcttcgt cgctcttctg ggttgccata gcgacaccgg	720
	gatttaccag agagtctctg ccattcagat gatacttggg ggcaccggc caggcaaagt	780
	tgctgttctc attttgcgac agtgtcgtgg agacgcgttg ctgccggtag caggggcccg	840
25	gtagccagtt tttggcctga gccgacatgt tattaggccc ggcctgagaa aatagcaact	900
	gctgagttcc tgcggtacct ccggtggact gagtccgaga caggtagtac aggtactggg	960
	cgatgagggg gttcatcagc cgggtccaggc tttggctgtg cgcgtagctg ctgtgaaaag	1020
30	gcacgtcttc aaactggtag ctgaactcaa agttgttgcc cgttctcagc atttgagaag	1080
	gaaagtactc caggcagtag aaggaggaaac ggcccacggc ctgactgccca ttgttcagag	1140
	tcagggtaccc gtactgagga atcatgaaga cgtccgccgg gaacggaggc aggcagccct	1200
35	gggtgcgcaga gccgaggacg tacgggagct ggtattccga gtccgtaaag acctgaatcg	1260
	tgctggtaag gttattggcg atggtcttgg tgccttcatt ctgcgtgacc tccttgacct	1320
	ggatgttgaa gagcttgaag ttgaggctct tgggcccggaa tccccagttg ttgttgatga	1380
40	gtcgtgccca gtcacgtggt gagaagtggc agtggaatct gttaaagtca aaataccccc	1440
	aggggggtgct gtagccgaag taggtgttgt cgttggtgct tcctcccgaa gtcccgttgg	1500
	agatttgctt gtagaggtag ttgtttagg tggggagggc ccagggttcgg gtgctggtgg	1560
45	tgatgactcc gtcgcccagc catgtggaat cgcaatgccca atttcctgag gaactaccca	1620
	ctccgtcggc gccttcgtta ttgtctgccca ttggagcgcc accgcctgca gccattgtac	1680

50

55

EP 1 310 571 B1

5 cagatcccag accagagggg cctgcggggg gtctctccgat tggttgaggg tcgggcactg 1740
 actctgagtc gccagtctgc ccaaagtga gtctcttttt cgcgggctgc tggcctttct 1800
 10 tgccgatgcc cgtagaggag tctggagaac gctgggggtga tggctctacc ggtctcttct 1860
 ttcaggagc cgtcttagcg ccttctctcaa ccagaccgag aggttcgaga acccgcttct 1920
 tggcctggaa gactgctcgc ccgaggttgc ccccaaaaga cgtatcttct tgcagacgct 1980
 15 cctgaaactc ggcgtcggcg tggttatacc gcaggtacgg attgtcaccg gctttgagct 2040
 gctggctgta ggccttctgc tgctcgaggg ccgctgcgtc cgcgcggtg acgggctccc 2100
 ccttgtcgag tccgttgaag ggtccgaggt acttgtagcc aggaagcacc agaccccggc 2160
 20 cgtcgtcctg cttttgctgg ttggtcttgg gcttcggggc tccaggtttc agcgccacc 2220
 actcgcgaat gccctcagag aggttctcct cgagccaatc tggaaagataa ccatcggcag 2280
 ccatacctga tttaaatcat ttattgttca aagatgcagt catccaaatc cacattgacc 2340
 25 agatcgcagg cagtgcagc gtctggcacc tttcccatga tatgatgaat gtagcacagt 2400
 ttctgatacg cttttttgac gacagaaacg ggttgagatt ctgacacggg aaagcactct 2460
 aaacagtctt tctgtccgtg agtgaagcag atatttgaat tctgattcat tctctcgcat 2520
 30 tgtctgcagg gaaacagcat cagattcatg cccacgtgac gagaacattt gttttggtac 2580
 ctgtctcgt agttgatcga agcttcgcg tctgacgtcg atggctgcgc aactgactcg 2640
 cgcaccggt tgggctcact tatatctgcg tcaactgggg cgggtctttt cttggctcca 2700
 35 ccctttttga cgtagaattc atgctccacc tcaaccacgt gatcccttgc ccaccggaaa 2760
 aagtctttga cttctgctt ggtgacctc ccaaagtcac gatccagacg gcgggtgagt 2820
 tcaaatttga acatccggtc ttgcaacggc tgctggtgtt cgaaggctgt tgagttcccc 2880
 40 tcaatcacgg cgcacatgtt ggtgttggag gtgacgatca cgggagtcgg gtctatcttg 2940
 gccgaggact tgcatttctg gtccacgcgc accttgcttc ctccgagaat ggctttggcc 3000
 gactccacga cttggcggt catcttcccc tctcccacc agatcaccat ctgtctgaca 3060
 45 cagtcgttga agggaaagt ctcatgtgac cagttgacgc agccgtagaa agggcgaatt 3120
 c 3121

45 <210> 14
 <211> 3131
 <212> DNA
 <213> new AAV serotype, clone 1-3

50 <400> 14

55 gcggccgcga attcgcctt ggctgcgtca actggaccaa tgagaacttt cccttcaatg 60
 attgcgtcga caagatggtg atctgggtgg aggagggcaa gatgacggcc aaggtcgtgg 120
 agtccgcgca ggccattctc ggcggcagca aggtgcgcgt ggaccaaag tgcaagtcgt 180

	ccgcccagat cgaccccacc cccgtgateg tcacctccaa caccaacatg tgcgccgtga	240
5	ttgacgggaa cagcaccacc ttcgagcacc agcagcctct ccaggaccgg atgtttaagt	300
	tcgaactcac ccgccgtctg gagcacgact ttggcaagggt gacaaagcag gaagtcaaag	360
	agttcttccg ctggggccagt gatcacgtga ccgaggtggc gcatgagttt tacgtcagaa	420
10	agggcggagc cagcaaaaaga cccgcccccg atgacgcgga taaaagcgag cccaagcggg	480
	cctgccccctc agtcgcggat ccatcgacgt cagacgcgga aggagctccg gtggactttg	540
	ccgacaggta ccaaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct	600
15	gcaaaaactg cgagagaatg aatcggaatt tcaacatttg cttcacacac ggggtcagag	660
	actgctcaga gtgtttcccc ggctgttcag aatctcaacc ggctgtcaga aagaggacgt	720
	atcggaact ccgtgcgatt catcatctgc tggggcgggc tcccagagatt gcttgctcgg	780
20	cctgcgatct ggtcaacgtg gacctggatg actgtgtttc tgagcaataa atgacttaaa	840
	ccaggatatg ctgccgatg ttatcttcca gattggctcg aggacaacct ctctgagggc	900
	attcgcgagt ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag	960
25	caggacgacg gccgggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga	1020
	ctcgacaagg gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggct	1080
	tacgaccagc agctgcaggc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc	1140
30	gagtttcagg agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc	1200
	ttccaggcca agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg	1260
	gctcctggaa agaagagacc ggtagagcca tcacccagc gttctccaga ctctcttacg	1320
35	ggcatcggca agaaaggcca acagcccggc agaaaaagac tcaattttgg tcagactggc	1380
	gactcagagt cagttccaga ccctcaacct ctcggagaac ctccagcagc gccctctggt	1440
	gtgggacctt atacaatggc tgcaggcggg ggcgaccaa tggcagacaa taacgaaggc	1500
40	gccgacggag tgggtagtct ctcgggaaat tggcattgag attccacatg gctgggcgac	1560
	agagtcatca ccaccagcac ccgaacctgg gccctgcca cctacaacaa ccacctctac	1620
	aagcaaactc ccaacgggac atcgggagga gccaccaacg acaacacctt cttcggctac	1680
45	agcaccacct ggggggtattt tgactttaac agattccact gccacctttc accacgtgac	1740
	tggcagcgac tcataacaa caactgggga ttccgacca agagactcag cttcaagctc	1800
	ttcaacatcc aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac	1860
50	ctcaccagca ccattcaggt gtttacggac tcggagtacc agctgccgta cgttctcggc	1920
	tctgtccacc agggctgcct gcctccgttc cggcgggacg tgttcatgat tcccagtac	1980
	ggctacctaa cactcaacaa cggtagtcag gccgtgggac gctcctcctt ctactgcctg	2040
55	gaatactttc cttcgcagat gctgagaacc ggcaacaact tccagtttac ttacaccttc	2100

EP 1 310 571 B1

5
10
15
20
25
30

gaggacgtgc ctttccacag cagctacgcc cacagctaga gcttggaccg gctgatgaat 2160
cctctgattg accagtacct gtactacttg tctcggactc aaacaacagg aggcacggca 2220
aatacgcaga ctctgggctt cagccaaggc gggcctaata caatggccaa tcaggcaaag 2280
aactggctgc caggaccctg ttaccgccaa caacgcgtct caacgacaac cgggcaaaac 2340
aacaatagca actttgcctg gactgctggg accaaatacc atctgaatgg aagaaattca 2400
ttggctaata ctggcatcgc tatggcaaca cacaagacg acgaggagcg tttttttccc 2460
agtaacggga tcctgatttt tggcaaacaa aatgctgccg gagacaatgc ggattacagc 2520
gatgtcatgc tcaccagcga ggaagaaatc aaaaccacta accctgtggc tacagaggaa 2580
tacggtatcg tggcagataa cttgcagcag caaaacacgg ctctctaaat tggaaactgtc 2640
aacagccagg gggccttacc cggatatggc tggcagaacc gggacgtgta cctgcagggt 2700
cccatctggg ccaagattcc tcacacggac ggcaacttcc acccgtctcc gctgatgggc 2760
ggcttttgcc tgaaacatcc tccgcctcag atcctgatca agaacacgcc tgtacctgcg 2820
gatcctccga ccaccttcaa ccagtcaaag ctgaactctt tcatcacgca atacagcacc 2880
ggacagggtca gcgtggaaat tgaatgggag ctgcagaagg aaaacagcaa gcgctggaac 2940
cccagatcc agtacacctc caactactac aaatctataa gtgtggactt tgctgttaat 3000
acagaaggcg tgtactctga accccgcccc attggcaccg gttacctcac ccgtaatctg 3060
taattgcctg ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga 3120
agggcgaatt c 3131

35
40
45
50
55

<210> 15
<211> 3127
<212> DNA
<213> new AAV serotype, clone 13-3b

<400> 15

EP 1 310 571 B1

gcgggccgca attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac atgcaattac agattacggg tgaggtaacg agtgccaata gggcgagget 120
5 cagagtaaac accctggctg tcaacggcaa agtccacacc agtctgcttt tcaaagttag 180
aggtgtactg aatctccggg tcccagcgct tgctgttttc cttctgcagc tcccactcga 240
tttccacgct gacttgctcg gtgctgtact gtgtgatgaa cgaagcaaac ttggcaggag 300
10 taaacacctc cggaggatta gcgggaacgg gagtgttctt gatcaggatc tgaggaggcg 360
gatgtttaag tccaaagccg cccatcaaag gagacgggtg aaagttgcca tccgtgtgag 420
gaatcttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccag 480
15 gtaaggctcc ctggttgttg acaacttgtg tctgggctgc agtattagcc gcttgtaagt 540
tgctgctgac tatcccgat tcttccgtgg ctacaggatt agtaggacga atttcttctt 600
catttgatc taacacattt tccaatgtag ttttgtagt tgctccagtt tttccaaaaa 660
20
25
30
35
40
45
50
55

	tcaggactcc gctggatggg aaaaagcggg cctcgtcgtc cttgtgagtt gccatggcga	720
5	cgccgggatt aaccaacgag tttctgccgt tcagggtgata tttgggtggca ccagtccaag	780
	caaagttgct gttgttgttt tgatccagcg ttttgagagac cctttgttgc cggaagcagg	840
	gtccaggtaa ccaattcttg gcttgttcgg ccatagttaga agggccgccc tggtaaaact	900
10	gcagttcccc attgccagct gtgcctcctg ggteactctg tgttctggcc aggtagtaca	960
	agtactgggtc gatgagggga ttcattcagcc ggtccaggct ctggctgtgt gcgtagctgc	1020
	tgtggaaaagg cacgtcctcg aagctgtagc tgaactcaaa gttgttgccc gttctcagca	1080
15	tctgagaggg gaagtactcc aggcagtaga aggaggaacg tcccacagac tgactgccat	1140
	tgttgagagt caggtagccg tactgaggaa tcatgaagac gtccgccggg aacggaggca	1200
	ggcagccctg gtgcgcagag ccgaggacgt acggcagctg gtattccgag tccgagaata	1260
20	cctgaatcgt gctggtaagg ttattagcga tggctcgtaac gccgtcatte gtcgtgacct	1320
	ccttgacctg gatgttgaag agcttgaacc gcagcttctt gggccggaat cccagttgt	1380
	tgttgatgag tcgctgccag tcacgtggtg agaagtggca gtggaatctg ttaaagtcaa	1440
25	aataccccca gggggtgctg tagccgaagt aggtgttgtc gttggtacta cctgcagttt	1500
	cactggagat ttgctcgtag aggtggtgtg tgtaggtggg cagggcccag gttcgggtgc	1560
	tgggtgtaat gactctgtcg ccagccatg tggaatcgca atgccaatte cctgaggcat	1620
30	taccactcc gtcggcacct tcgttattgt ctgccattgg tgcgccaccg cctgcagcca	1680
	ctgtaccaga tcccacacta gaggcgctg ctggaggttc tccgagaggt tgagggtcgg	1740
	ggactgactc tgagtcgcca gtctgaccga aattgagtct ctttctggcg ggctgctggc	1800
35	ccttcttgcc gatgcccggtg gaggagtcgg gggaaacgtg aggtgacggc tctaccggtc	1860
	tcttctttgc aggagccgtc tttagccctt cctcaaccag accgagaggt tcgagaaccc	1920
	gcttcttggc ctggaagact gctcgcccga ggttgcccc aaatgacgta tcttcttgca	1980
40	gacgtcctg aaactcggcg tcggcgtggt tataccgcag gtacgggttg tcaccgcacat	2040
	tgagctgctg gtcgtaggcc ttgtcgtgct cgagggccgc tgcgtccgcc gcgttgacgg	2100
	gtcccccctt gtcagtcgg ttgaagggtc cgaggtagctt gtagccagga agcaccagac	2160
45	ccgggcccgtt gtccgtgctt tgcgtggttg ctttgggttt cggggctcca ggtttcaggt	2220
	cccaccactc gcgaatgcc tcagagaggt tgcctcagag ccaatctgga agataacccat	2280
	cggcagccat acctgattta aatcatttat tgttcaaaga tgcagtcac ccaatccaca	2340
50	ttgaccagat cgcaggcagt gcaagcgtct ggcaccttt ccatgatatg atgaatgtag	2400
	cacagtttct gatacgctt tttgacgaca gaaacgggtt tagattctga cacgggaaaag	2460
	cactctaaac agtctttctg tccgtgagtg aagcagatat ttgaattctg attcattctc	2520
55	tcgcattgtc tgcagggaaa cagcatcaga ttcattgccc cgtgacgaga acatttggtt	2580

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

tggtagctgt ctgcgtagtt gatcgaagct tccgcgtctg acgtcgtatgg ctgcgcaact 2640
 gactcgcgca cccgtttggg ctcacttata tctgcgtcac tgggggcggg tcttttcttg 2700
 gctccaccct ttttgacgta gaattcatgc tccacctcaa ccacgtaatc ctttgcccac 2760
 cggaaaaagt ctttgacttc ctgcttgggtg accttcccaa agtcattgatc cagacggcgg 2820
 gtgagttcaa atttgaacat ccgggtcttg acgggtgct ggtgttcgaa ggtcgttgag 2880
 ttcccgtcga tcacggcgca catgttgggtg ttggagatga cgatcgcggg agtcgggtct 2940
 atctggggccg aggacttgca tttctgggtcc acgcgcacct tgcttccctcc gagaatggct 3000
 ttggccgact ccacgacctt ggcggtcacc ttccctcctc cccaccagat caccatcttg 3060
 tcgacacagt cgttgaaggg aaagtcttca ttggtccagt tgacgcagcc gtagaaaggg 3120
 cgaattc 3127

<210> 16

<211> 3106

<212> DNA

<213> new AAV serotype, clone 24-1

<400> 16

EP 1 310 571 B1

	gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccgggtt	60
	attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct	120
5	cagtataaac ccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg	180
	aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tccactcga	240
	tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag	300
10	taaacacctc tggaggatta gcaggtagcg ggggtgtttt gatgagaatt tgaggaggcg	360
	ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag	420
	gaattttggc ccagatggga cctgcaggc acacgtcccg gttctgccag accatgccgg	480
15	gcagagcccc ctggctgttg acagtctgtg tctgggtcc gccgtagac gattgcaggt	540
	tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctctcct	600
	cgctggatcat tagcacgttt tccagcgttg tctgttggc agccccggtt ttgccaaaaa	660
20	ccagcactcc gttgatggga aagaactggc cctcgtcgtc cttgttggtg gccatggcta	720
	cgcccggtt ggttaatgaa tttctacat tcagatggta tttagtggcc ccggtccagg	780
	caaagttact gttgttggtg ctgtctatgt ttttgacag tctctgctgc cgataacagg	840
25	gtccgggcag ccagttcttt gattgctcg ccatgggtgtt gggcccagcc tgatggaaact	900
	gcagctccct tgtggacccc gtagtgctct gggccgggc caggtagtac aggtactggt	960
	cgatgagggg attcatcagc cggctcaggc tctggctgtg cacatagctg ctgtggaaaag	1020
30	gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag	1080

35

40

45

50

55

5 gaaagtactc caggcagtag aaggaggaac gtccacaga ctgactgccg ttgttagag 1140
 tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
 tgctggttaag gttattagcg atggtcgtta cgcctcgtt cgtcgtgacc tccttgacct 1320
 10 ggatgttgaa caacttgaa cgcagctttc tgggcccggaa tccccagttg ttgttgatga 1380
 gtcgctgccg gtcacgtggt gagaagtggc agtgaatct gttgaagtca aaatagcccc 1440
 agggggtgct gtagctgaag aagtgttgt cgttggtagc cccgctctga cttgatattc 1500
 15 gctttagtag gtggttgttg taggtgggca gggccaggt gcgggtgctg gtggtgatga 1560
 ctctgtcgcc cagccatgtg gaatcgcaat gccaatctcc ggaggcatta cccactccgt 1620
 cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
 20 ccagacctga gggcgccggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
 agtcgccagt ctgccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga 1800
 tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcga 1860
 25 ctctctcaac cagaccgaga ggttcgagaa cccgcttctt ggcttgaag actgctcgcc 1920
 cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
 ggttgactt gaggtacggg ttgtccctt gctcgagctg cttgtcgtag gccttgctgt 2040
 30 gctcgagggc cgcggcgtct gcctcgttga cggctctcc cttgtcgtag ccgttgaagg 2100
 gtctgaggta cttgtagcca ggaagcacca gaccccgcc gtcgtcctgc ttttgctggt 2160
 tggctttggg ttctggggct ccaggtttca agtccacca ctgcgaatg cctcagaga 2220
 35 ggttgctctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
 tattgtcag aaacacagtc atccaggtcc acgttgacca gatcgcaggc cgagcaagca 2340
 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 40 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
 tgcgtgaagc aaatgttgaa attctgattc actctctcgc atgtcttgca gggaaacagc 2520
 atctgaagca tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 45 ggagctcctt ccgctctga cgtcgatgga ttcgcgactg aggggcaggc ccgcttgggc 2640
 tcgcttttat ccgctcatc gggggcgggt ctcttggtgg cccaccctt tctgacgtag 2700
 aacccatgcg ccacctcggg cacgtgatcc tgcgcccagc ggaagaacct ttgacttcc 2760
 50 tgctttgtca ccttgccaaa gttatgctcc agacggcggg tgggttcaa tttgaacatc 2820
 cggctctgca acggctgctg gtgctcgaag gtggcgctgt tcccgtaac cacggcgcac 2880
 atgttggtgt tggaggtgac ggtcacgggg gtggggtcga tctgggcgga cgacttgac 2940
 55 ttttggtcca cgcgcacctt gctgcgcgcg agaatggcct tggcggaactc cagaccttg 3000

EP 1 310 571 B1

gccgtcatct tgccttcctc ccaccagatc accatcttgt cggcgcaatc gttgaagggg 3060

aagttctcat tgggccagtt gacgcagccg tagaaagggc gaattc 3106

5

<210> 17

<211> 3102

<212> DNA

10 <213> new AAV serotype, clone 27-3

<400> 17

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

gcggccgcga attcgcctt cgagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
5 cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg 180
aggtgtactg aatctctgga ttccagcggt tgctgttttc tttctgcagt tccactcga 240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300
10 taaacacctc tggaggatta gcaggtaccg ggggtgtttt gatgagaatt tgaggaggcg 360
gggtgttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420
gaatttcggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg 480
15 gcagagcccc ctggctgttg acagtctgtg tccgggggtcc ggcgtagac gattgcaggt 540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct 600
cgctggcat tagcacgttt tccagcggtg tcttgttggc agccccgtt ttgccaaaaa 660
20 ccagcactcc gttgatggga aggaactggt cctcgtcgtc cttgttggtg gccatggcta 720
cgccccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780
caaagtact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg 840
25 gtccgggcag ccagttcttt gattgctcgg ccacgggtgtt gggcccagcc tgatggaact 900
gcagctccct tgtggacccc gtagtgctct ggggtccggc caggtagtac aggtactggt 960
cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatagctg ctgtggaaag 1020
30 gcaattcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag 1080
gaaagtactc caggcagcag aaggaggaac gtcccacaga ctgactgccg ttgtttagag 1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
35 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
tgctggtaag gttattagcg atggctgtaa cggcgtcgtt cgtcgtgacc tccttgacct 1320
ggatgttgaa caacttgaa cgcagctttc tgggcccggaa tccccagttg ttgttgatga 1380
40 gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440
aggggggtgct gtagccgaag aagtgggtgt cgttggtagc cccgctctga cttgatattc 1500
gcttgtagag gtggttggtg taggtgggca gggcccaggt gcgggtgctg gtggtgatga 1560
45 ctctgtcgcc cagccatgtg gaatcgcaat gccaatctcc ggaggcatta cccactccgt 1620

50

55

EP 1 310 571 B1

5 cggcgcccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
 ccagacctga gggcgcgggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
 agtcgccagt ctgccc aaag ttgagcttct ttttagcggg ctgctggcct tctttgccga 1800
 tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccggaagcc gtcttagcgc 1860
 10 cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
 cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
 ggttgtaact gaggtacggg ttgtccccc gtctgagctg cttgtcgtag gccttgctgt 2040
 gctcgagggc cgcggcgtct gcctcgttga ccggtctctc cttgtcgagt ccgttgaagg 2100
 15 gtccgaggta cttgtagcca ggaagacca gaccccgccc gtcgtcctgc ttttgctggg 2160
 tggttttggg tttcggggct ccaggtttca agtcccacca ctgcggaatg ccctcagaga 2220
 ggttgctctc gagccaatct ggaagataac catcggcagc catacctggg ttaagtcatt 2280
 20 tattgctcag aaacacagtc atccaggctc acgttgacca gatcgaggc cgagcaagca 2340
 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctgggtccc 2460
 25 tgcggtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca gggaaacagc 2520
 atctgaagca tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 ggagctcctt ccgcgtctga cgtcgatgga tccgcgactg aggggcaagc ccgtttgggc 2640
 30 tcgcttttat ccgcgtcatc gggggcgggt ctcttggttg ctccaccctt tctgacgtag 2700
 aactcatgcg ccacctcggt cacgtgatcc tgcgccagc ggaagaactc tttgacttcc 2760
 tgctttgtca ccttgccaaa gtcattgctc agacggcggg tgagttcaaa tttgaacatc 2820
 35 cggctcttgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
 atgttggtgt tggaagtga gatcacgggg gtgggatcga tctgggcgga cgacttgcac 2940
 ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgacctg 3000
 40 gccgtcatct tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
 aagttctcat tgggtccagt gacgcagccg aagggcgaat tc 3102

45 <210> 18
 <211> 3106
 <212> DNA
 <213> new AAV serotype, clone 7-2

50 <400> 18

55 ggggccgga attcgccctt cgcagagacc aaagttcaac tgaaacgaat cagccggtt 60
 attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
 cagtataaac ccttctgttg ttgacagcaa attccacatt attagacttg gcataatttg 180

	aggtgtactg aatctctgga ttccagcggt tgctgttttc tttctgcagt tcccactcga	240
	tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag	300
5	taaacacctc tggaggatta gcaggtaccg ggggtgtttt gatgagaatt tgaggaggcg	360
	gggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag	420
	gaattttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg	480
10	gcagagcccc ctggctgttg acagtctgtg tctgggggtcc ggccgtagac gattgcaggt	540
	tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct	600
	cgctgggtcat tagcacgttt tccagcggtg tcttgttggc agccccgtt ttgccaaaaa	660
15	ccagcactcc gttgatggga aagaactggg cctcgtcgtc cttgttggtg gccatggcta	720
	cggccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg	780
	caaagtact gttgttgttg ctgtctatgt ttttgacag tctctgctgc cgataacagg	840
20	gtccgggcag ccagttcttt gattgctcgg ccattggtgtt gggcccagcc tgatggaact	900
	gcagctccct tgtggacccc gtagtgctct gggtcggggc caggtagtac aggtactggt	960
	cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatagctg ctgtggaaag	1020
25	gcacttcctc aaaggtgtag ctgaattcaa agttatcgcc cgttctcagc atctgagaag	1080
	gaaagtactc caggcagtag aaggaggaaac gtcccacaga ctgactgccg ttgttttagag	1140
	tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct	1200
30	gggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg	1260
	tgctggtaag gttattagcg atggtcgtaa cgccgtcgtt cgtcgtgacc tccttgacct	1320
	ggatgttgaa caacttgaa cgcagctttc tgggcccggaa tccccagttg ttgttgatga	1380
35	gtcgtgccca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc	1440
	aggggggtgct gtagccgaag aagtgggtgt cgttggttagc cccgctctga cttgatatct	1500
	gcttgtagag gtggttgttg taggtgggca gggcccagggt gcgggtgctg gtggtgatga	1560
40	ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt	1620
	cggcgccttc gttattgtct gccattgggtg cgccaccgcc tgacagccatt gtaccagatc	1680
	ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg	1740
45	agtcgccagt ctgccc aaag ttgagcttct ttttagcggg cggctggccg ttcttgccga	1800
	tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcgc	1860
	cttctcaac cagaccgaga ggttcgagaa cccgcttctt ggccctggaag actgctcgcc	1920
50	cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt	1980
	gggtgtactt gaggtacggg ttgtccccct gctcgagctg cttgtcgtag gccttgctgt	2040
55	gctcgagggc cggcggctct gcctcggtga ccggctctcc cttgtcgagt ccgttgaagg	2100

EP 1 310 571 B1

gtccgaggta cctgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
 5 tggctttggg tttcggggct ccaggtttca agtcccacca ctgcgaatg ccctcagaga 2220
 ggttgccctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
 tattgctcag aaacacagtc atccagggtcc acgttggcca gatcgcaggc cgagcaagca 2340
 10 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
 tgcgtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca ggggaacagc 2520
 15 atctgaagca tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 ggagctcctt ccgcgtctga cgtcgtatga tccgcgactg aggggcaggc ccgcttgggc 2640
 tcgcttttat ccgcgtcatc gggggcgggt ctcttgttgg ctccaccctt tctgacgtag 2700
 20 aactcatacg ccacctcggg cacgtgatcc tgcgccagc ggaagaactc tttgacttcc 2760
 tgctttgtca ccttgccaaa gtcattgtcc agacggcggg tgagttcaaa tttgaacatc 2820
 cggctcttga acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
 25 atgttggtgt tggaagtgac gatcacgggg gtgggatcga tctgggcgga cgacttgcac 2940
 ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgacctg 3000
 gccgtcatcc tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
 30 aagttctcat tgggtccagtt gacgcagccg tagaaagggc gaattc 3106

<210> 19

<211> 3105

<212> DNA

<213> new AAV serotype, clone C1

<400> 19

EP 1 310 571 B1

	gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg	60
	acaagatggg gatctgggtg gaggagggca agatgaccgc caaggtcgtg gagtccgcca	120
5	aggccattct gggcggaagc aaggtgcgcg tggaccaaaa gtgcaagtca tcggcccaga	180
	tcgacccac gcccgatgac gtcacctcca acaccaacat gtgcgccgtg atcgacggga	240
	acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca	300
10	cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gatttcttcc	360
	gctgggctca ggatcacgtg actgaggtg cgcatgagtt ctacgtcaga aaggcgagg	420
	ccacaaaag acccgcccc agtgacgcgg atataagcga gcccaagcgg gcctgcccct	480
15	cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacaggtaac	540
	aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg	600
	agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt	660
20	gcttccccgg cgcgtcagaa tctcaaccgg tcgtcagaaa aaagacgtat cagaaactgt	720
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

	gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc cgcgatctcg	780
5	tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct	840
	gctgacggtt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg	900
	tgggacctga aacctggagc cccaagccc aaggccaacc agcagaagca ggacgacggc	960
10	cggggtctgg tgcttctg ctacaagtac ctcggaccct tcaacggact cgacaagggg	1020
	gagcccgtca acgcggcgga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag	1080
	ctcaaagcgg gtgacaatcc gtacctgagg tataaccacg ccgacgccga gtttcaggag	1140
15	cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag	1200
	aagagggtag tcgaacctct gggcctgggt gaagaagggt ctaagacggc tcctggaaag	1260
	aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc	1320
20	aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc	1380
	cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc	1440
	ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg	1500
25	cattgcgatt ccacctgggtc tgagggcaag gtcacaacaa cctcgaccag aacctgggtc	1560
	ttgccacact acaacaacca cttgtacctg cggctcggaa caacatcaa cagcaacacc	1620
	tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcacttc	1680
30	tcaccacgtg actggcaaaag actcatcaac aacaactggg gactacgacc aaaagccatg	1740
	cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg	1800
	gtcgctaata accttaccag cacggttcag atatttgcgg actcgtcgta tgagctcccg	1860
35	tacgtgatgg acgctggaca agagggaagt ctgtctcctt tccccaatga cgtcttcatg	1920
	gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga	1980
	aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt	2040
40	gaaatggctt acaactttgg gaaggtgccg ttccactcaa tgtatgctta cagccagagc	2100
	ccggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc	2160
	tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtggg	2220
45	gactttgcct tttacagaaa gaactggctg cctgggcctt gtgttaaaca gcagagactc	2280
	tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaag	2340
	tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgcttg acctccaatg	2400
50	gcaacagctg gaccttcaga tggggacttc agcaacgcc agctcatctt ccctggacca	2460
	tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaagaagaa	2520
	attgctgcca ccaacccaag agacacggac atgtttgggt agattgctga caataatcag	2580
55	aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgtt tcctggcatg	2640

EP 1 310 571 B1

5 gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg 2700
 gacggacatt ttcatacttc accgctaatt ggcggttttg gactgaaaca tccgcctccc 2760
 cagatattta tcaaaaacac ccccgtagct gccaatcctg cgacaacctt cactgcagcc 2820
 agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg 2880
 10 gaaatcgaaa aggaacgctc caaacgctgg aatcctgaag tgcagtttac ttcaaactat 2940
 gggaaccagt cttctatggt gtgggctccc gatacaactg ggaagtatac agagccgcgg 3000
 gttattggct ctcgttatct gactaatcat ttgtaactgc ctagttaatc aataaaccgt 3060
 15 gtgattcgtt tcagttgaac ttggtctctt gcgaaggcg aattc 3105

<210> 20

<211> 3105

20 <212> DNA

<213> new AAV serotype, clone C3

<400> 20

25

30

35

40

45

50

55

EP 1 310 571 B1

	gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg	60
	acaagatggt gatctggtgg gaggagggca agatgaccgc caaggtcgtg gagtccgcc	120
5	aggccattct gggcggagc aaggtgcgcg tggacaaaa gtgcaagtca tcggcccaga	180
	tcgacccac gcccggtgac gtcacctcca acaccaacat gtgcgccgtg atcgacggga	240
	acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca	300
10	cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gagtctctcc	360
	gctgggctca ggatcacgtg actgaggtgg cgcgtgagtt ctacgtcaga aagggcggag	420
	ccacaaaag acccgcccc agtgacggcg atataagcga gcccaagcgg gcctgccct	480
15	cagttgcgga gccatcgacg tcagacggcg aagcaccggg ggactttgcg gacaggtacc	540
	aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg	600
	agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt	660
20	gcttcccccg cgcgtcagaa tctcaacccg tcgtcagaaa aaagacgtat cagaaactgt	720
	gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc tgcgatctcg	780
	tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct	840
25	gctgacgggt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg	900
	tgggacctga aacctggagc ccccaagctc aaggccaacc agcagaagca ggacgacggc	960
	cggggctctgg tgcttccctgg ctacaagtac ctcggaacct tccacggact cgacaagggg	1020
30	gagcccgctca acgcgggcga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag	1080
	ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga gtttcaggag	1140
	cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag	1200

	aagaggggtac tcgaaccact gggcctgggtt gaagaagggtg ctaagacggc tcctggaaaag	1260
5	aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc	1320
	aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc	1380
	cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc	1440
10	ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg	1500
	cattgctgatt ccacctggtc tgaggggcaag gtcacaacaa cctcgaccag aacctgggtc	1560
	ttgcccacct acaacaacca cttgtacctg cggctcggaa caacatcaaa cagcaacacc	1620
15	tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcaacttc	1680
	tcaccacgtg actggcaaag actcatcaac aacaactggg gactacgacc aaaagccatg	1740
	cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg	1800
20	gtcgctaata accttaccag cactggttcag atatttgcgg actcgtcgta tgagctcccg	1860
	tactgtatgg acgctggaca agagggaagt ctgcctcctt tccccaatga cgtcttcattg	1920
	gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga	1980
25	aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt	2040
	gaaatggctt acaactttga gaaggtgccc ttccactcaa tgtatgctca cagccagagc	2100
	ctggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc	2160
30	tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtggg	2220
	gactttgcct ttacagaaa gaactggctg cctgggacct gtgttaaaaa gcagagattc	2280
	tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaaag	2340
35	tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgccctgg acctccaatg	2400
	gcaacagctg gaccttcaga tggggacttc agcaacgccc agctcatctt ccctggacca	2460
	tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaaggagaa	2520
40	attgctgcca ccaacccaag agacacggac atgtttggtc agattgctga caataatcag	2580
	aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgtc tcctggcatg	2640
	gtgtggcaaa acagagacat ttactaccaaa gggccaattt gggccaagat cccacacgcg	2700
45	gacggacatt ttcatccttc accgctaatt ggcggttttg gactgaaaca tccgcctccc	2760
	cagatattta tcaaaaacac ccccgctacct gccaatcctg cgacaacctt cactgcagcc	2820
	agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg	2880
50	gaaatcgaaa aggaacgctc caaacgccgg aatcctgaag tgcagtttac ttcaaaactat	2940
	gggaaccagt cttctatgtt gtgggctccc gatacaactg ggaagtatac agagccgctg	3000
	gttattggct ctcttattt gactaatcat ttgtaactgc ctagttaatc aataaaccgt	3060
55	gtgattcgtt tcagttgaac tttggctctc gcgaaggcg aattc	3105

EP 1 310 571 B1

<211> 3105

<212> DNA

<213> new AAV serotype, clone C5

5 <400> 21

	gaattcgcgcc	ttcgcagaga	ccaaagttca	actgaaacga	atcacacggt	ttattgatta	60
10	actaggcagt	tacaaatgat	tagtcaaata	acgagagcca	ataaccgcg	gctctgtata	120
	cttcccagtt	gtatcgggag	cccacaacat	agaagactgg	ttcccacagt	ttgaagtaa	180
	ctgcacttca	ggattccagc	gttttgagcg	ttccttttcg	atttcccatt	caatctgaac	240
15	agcgacctgg	ccggtgctgt	atttgttgat	gaaagagtcc	actctggctg	cagtgaagg	300
	tgctgcagga	taggcaggta	cggggggtgt	tttgataaat	atctggggag	gcggatgttt	360
	cagtccaaaa	ccgccaatta	gcggtgaagg	atgaaaatgt	ccgtccgcgt	gtgggatctt	420
20	ggcccaaatt	ggcccttggt	agtaaagtgc	tctgttttgc	cacaccatgc	caggaagcac	480
	tcccatagca	gtcacgttgc	cggttatggg	agcagttgta	gcattctgat	tattgtcagc	540
	aatctgacca	aacatgtccg	tgtctcttgg	gttggtggca	gcaatttctt	cttctgatgt	600
25	aaacaacaga	ttgtttgctg	aggttgttgt	gtttccggtg	actgatggtc	caggggaagat	660
	gagctggggc	ttgctgaagt	ccccatctga	aggctccagc	gttgccattg	gaggtccagg	720
	cgctatgttg	ctccagcggg	tgtttaagg	atagtgggtg	tcatacttta	acagagcgtt	780
30	gcccccgctg	gcaggaatct	tgtaattttg	actggcagtt	tttgagaatc	tctgctgttt	840
	aacacaaggc	ccaggcagcc	agttctttct	gtaaaaggca	aagtctccac	tcctgatttt	900
	tccaaatgtg	gttctgcat	tgccttgatt	cagagtctct	ccagagggtg	tcgactgtaa	960
35	gtgccacagg	tactgggtcca	ggaggggatt	catcagtccg	tccaggctct	ggctgtgagc	1020
	atacattgag	tggaacggca	ccttctcaaa	gttgtaagcc	gtttcaaagt	tattgccagt	1080
	tctcagcatt	tgtgaaggaa	aatactccag	gcagtagaaa	gcatttctgt	ccgtctggtt	1140
40	ctgattttcg	ccagtcacaa	tgccacagta	gccatattga	ggcaccatga	agacgtcatt	1200
	ggggaaagga	ggcagacttc	cctcttggtc	agcgtccatc	acgtacggga	gctcatacga	1260
	cgagtccgca	aatatctgaa	ccgtgctggg	aaggttatta	gcgaccgtag	tctcgccgtt	1320
45	cgacgttggt	acctccttaa	cttggatatt	gaagatttta	acgcgcattg	cttttggtcg	1380
	tagtccccag	ttgttggtga	tgagtctttg	ccagtcacgt	ggtgagaagt	gacagtggaa	1440
	tctgttaaag	tcaaagtatc	cccagggggg	ggagaatccg	ttgtaggtgt	tgctgtttga	1500
50	tgttgttccg	agccgcaggt	acaagtgggt	gttgtaggtg	ggcaagaccc	aggttctggt	1560
	cgagggttgt	gtgaccttgc	cctcagacca	ggtggaatcg	caatgccaat	caccgcagggc	1620
	attaccact	ccatcggaac	cttgtcccg	atcgacagca	tttccgccc	gtgctgcacg	1680
55	catttcaatg	tctgaagaca	tggcgctggg	atctgatcct	tcaggggggc	cgtctccggc	1740

EP 1 310 571 B1

5 tccagtgtcc tcttcaaagt tgagtctctt ttgggtggt tgtttgcctt ttttgccgat 1800
 tcctgaggag gagtccgggt cttgtggtga ctctaaccgt ctcttcttcc caggagccgt 1860
 cttagcacct tcttcaacca ggcccagagg ttcgagtacc ctcttcttgg cctggaagac 1920
 tgctcgcccg aggttgcccc caaaagacgt atcttcttgc agacgtcct gaaactcggc 1980
 gtcggcgtag ttataccgca ggtacggatt gtcacccgct ttgagctgct ggtcgtaggc 2040
 10 cttgtcgtgc tcgagggcgc ctgcgtccgc cgcgttgacg ggctccccct tgcgagctcc 2100
 gttgaagggc ccgaggtact cgtagccagg aagcaccaga ccccgggcgt cgtcctgctt 2160
 ctgctggttg gccttgggct tgggggctcc aggtttcagg tcccaccact cgcgaatgcc 2220
 15 ctcagagagg ttgtcctcga gccaatctgg aagataaccg tcagcagcca tacctggttt 2280
 aagtcattta ttgctcagaa acacagtcac ccaagtccac gttgacgaga tcgcaggccg 2340
 aacacgcaat ctcggttgcc cgtcccagca gatgatgaat cgcgcacagt ttctgatacg 2400
 20 tcttttttct gacgacgggt tgagattctg acgcgcgggg gaagcactct gagcagtctc 2460
 tgaccccgct cgtgaagcag acgttgaaat tctgattcat tctctcgcat gtcttgacgg 2520
 gaaacagcat ctgaagcatg cccgcgtgac gagaacattt gttttggtac ctgtccgcaa 2580
 25 ggtccaccgg tgcttccgcg tctgacgtcg atggctccgc aactgagggg caggcccgtc 2640
 tgggctcgct tatatccgcg tcaactgggg cgggtctttt ggtggctccg ccttttctga 2700
 cgtagaactc atgcgccacc tcagtcacgt gatcctgagc ccagcggag aactctttga 2760
 30 cttcctgctt ggtcaccttg ccaaagtcgt gctccagacg gcgggtgagc tcgaacttga 2820
 acatgcggtc ctgcagcggc tgctgggtgt cgaaggtggt gctgttcccg tcgatcacgg 2880
 cgcacatggt ggtgtttggag gtgacgatca cgggcgtggg gtcgatctgg gccgatgact 2940
 35 tgcacttttg gtccacgcgc accttgcttc cgtccagaat ggccttggcg gactccacga 3000
 ccttggcggt catcttgccc tctcccacc agatcaccat cttgtcgacg caatcgttga 3060
 40 agggaaagt ctcattggtc cagttgacgc agcaagggcg aattc 3105

<210> 22

<211> 3094

<212> DNA

<213> new AAV serotype, clone F1

<400> 22

50 gaattcgccc ttgctgcgtc aactggacca agagaacttt ccttccaacg attgcgtcga 60
 caagatggtg atctggtggg aggagggcaa gatgacggcc aaggctcgtg agtccgcca 120
 agccattctg ggcggaagca aggtgcgcgt cgacccaaag tgcaagtcct cggcccagat 180
 55 cgatcccacc cccgtgatcg tcacctcaa caccaacatg tgcgccgtga tcgacgggaa 240
 cagcaccacc ttcgagcacc agcagccgtt gcaggaccgg atgttcaaat ttgaactcac 300

5 ccgccgtctg gaacacgact ttggcaaggt gaccaagcag gaagtcaaag agttcttccg 360
 ctgggctagt gatcacgtga ctgaggtgac gcatgagttc tacgtcagaa agggcgggagc 420
 cagcaaaaaga cccgcccccg atgacgcgga tataagcgag cccaagcggg cctgtccctc 480
 agtcacggac ccacgcagct cagacgcgga aggagctccg gtggactttg ccgacaggta 540
 10 ccaaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct gcaaaacgtg 600
 cgagagaatg aatcagaatt tcaacatttg cttcacgcac ggggtcagag actgtttaga 660
 atgtttcccc ggcggtgcag aatctcaacc ggtcgtcaga aaaaagacgt atcggaagct 720
 15 gtgtgcgatt catcatctgc tggggcgggc acccgagatt gcttgctcgg cctgcgacct 780
 ggtcaacgtg gacctggacg actgtgtttc tgagcaataa atgacttaaa ccgggtatgg 840
 ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt 900
 20 ggtgggacct gaaacctgga gccccgaaac ccaaagccaa ccagcaaaag caggacgacg 960
 gccggggtct ggtgcttccg ggctacaagt acctcggacc cttcaacgga ctcgacaagg 1020
 gggagcccggt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc 1080
 25 agctcaaaagc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg 1140
 agcgtctgca agaagatacg tcatttgggg gcaacctcgg gcgagcagtc ttccaggcca 1200
 agaagcgggt tctcgaacct ctcggtctgg ttgaggaaag cgctaagacg gtccttgaa 1260
 30 agaagagacc catagactct ccagactcct ccacgggcat cggcaaaaaa ggccagcagc 1320
 ccgctaaaaa gaagctcaat tttggtcaga ctggcgactc agagtcagtc cccgacctc 1380
 aacctcttgg agaacctcca gcagcgccct ctagtgtggg atctggtaca atggctgcag 1440
 35 gcggtggcgc accaatggca gacaataacg aaggtgccga cggagtgggt aatgcctcag 1500
 gaaattggca ttgcgattcc acatggctgg gcgacagagt catcaccacc agcaccagaa 1560
 cctgggacct cccacctac aacaaccacc tctacaagca aatctccagc agcagctcag 1620
 40 gagccaccaa tgacaaccac tacttcggct acagcaccct ctgggggtat tttgacttta 1680
 acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac aacaactggg 1740
 gattccggcc caagaagctg cggttcaagc tcttcaacat ccaggtcaag gaggtcacia 1800
 45 cgaatgacgg cgtcacgacc atcgctaata accttaccag cacgggtcag gtcttctcgg 1860
 actcggaaata ccagctgccg tacgtcctcg gctctgcgca ccagggtgc ctgcctccgt 1920
 tcccggcgga cgtcttcagt attcctcagt acggctacct gactctgaac aacggcagcc 1980
 50 aatcgggtggg ccgttctctc ttctactgcc tggaatatct cccctctcaa atgctgagaa 2040
 cgggcaacaa ctttgagttc agttacagct tcgaggacgt gcctttccac agcagctacg 2100
 cgcacagcca gagcctagac cggctgatga accctctcat cgaccagtac ctgtactacc 2160
 55 tggccccggac ccagagcacc acgggttcca ccagggaact gcaatttcat caagctgggc 2220

EP 1 310 571 B1

ccaatactat ggccgagcag tcaaagaact ggctgcctgg accctgctat aggcaacagg 2280
 5 gactgtcaaa gaacttggac tttacaaca acagcaattt tgcttggaact gctgccacta 2340
 aatatcatct gaatggcaga aactctttga ccaatcctgg cattcccatg gcaaccaaca 2400
 aggatgatga ggaccagttc tttcccatca acgggggtact ggtttttggc aagacgggag 2460
 10 ctgccaacaa aactacgctg gaaaacggtc tgatgaccag cgaggaggag atcaagacca 2520
 ctaaccctgt ggctacagaa gaatacgggtg tggctctccag caacctgcag ccgtctacag 2580
 ccgggcctca atcacagact atcaacagcc agggagcact gcctggcatg gtctggcaga 2640
 accgggacgt gtatctgcag ggtcccatct gggccaaaat tcctcacacg gatggcaact 2700
 15 ttcacccgtc tcctctgatg ggcgggtttg gactcaaaca ccgcctcca cagatcctga 2760
 tcaaaaacac acctgtacct gctaatcctc cggagggtgtt tactcctgcc aagtttgcct 2820
 ccttcacac gcagtacagc accggacaag tcagcgtgga aatcgagtgg gagctgcaga 2880
 20 aagaaaacag caagcgctgg aaccacagaa ttcagtatac ttccaattat gccaaagtcta 2940
 ataatgttga atttgctgtg aaccctgatg gtgtttatac tgagcctcgc ccatttggca 3000
 25 ctcggtacct cccccgtaat ctgtaattgc ttgttaatca ataaaccggt tgattcgttt 3060
 cagttgaact ttggctctctg cgaagggcga attc 3094

30 <210> 23
 <211> 3095
 <212> DNA
 <213> new AAV serotype, clone F3

35 <400> 23

40

45

50

55

EP 1 310 571 B1

	gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta	60
	acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg cttagtataa	120
5	acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac	180
	tgaatttctg ggttccagcg cttgctgttt tctttctgca gctccactc gatttccacg	240
	ctgacttgtc cgggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc	300
10	tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgtttg	360
	agtccaaaac cgcccatcag aggagacggg tgaaagttag catccgtgtg aggaattttg	420
	gccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgtc	480
15	ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag	540
	accacaccgt attcttctgt agccacaggg ttagtgggtc tgatctctc ctcgctggtc	600
	atcagaacgt tttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc	660
20	ccgttgatgg gaaagaactg gtcctcatca tccttggttg ttgccatggg aatgccagga	720
	ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtgca ggcaaaattg	780
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

ctgttgttgt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggccaggc 840
 agccagttct ttgactgctc ggccatagta ttgggccag cttgatgaaa ttgcagttcc 900
 5 ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtagtg gtcgatgaga 960
 gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtggaaggcacgtcc 1020
 10 tcgaagctgt aactgaactc aaagtgtgtt cccgttctca gcatttgaga ggggaaatat 1080
 tccaggcagt agaaggagga acggcccacc gattggctgc cgttgctcag agtcaggtag 1140
 ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca 1200
 15 gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta 1260
 aggttattag cgatggctgt gacgccgtca ttggttgtga cctccttgac ctggatgttg 1320
 aggagcttga accgcagctt cttgggccgg aatccccagt tgttgttgat gagtgcgtgc 1380
 20 cagtcacgtg gtgagaagtg gcagtggaa ctgttaaagt caaaataccc ccaggggggtg 1440
 ctgtagccga agtagtggtt gtcattggtg gtcctgagc tgctgctgga gatttgcttg 1500
 tagagtggtt tgtttaggtt ggggagggcc caggttcttg tgctggtggt gatgactctg 1560
 25 tcgcccagcc atgtggaatc gcaatgccaa ttctctgagg cattaccac tccgtcggca 1620
 ccttcgttat tgtctgccat tgggtcgcca ccgcctgcag ccattgtacc agatcccaca 1680
 ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg 1740
 30 ccagttctgac caaaattgag cttcttttta gcgggctgct ggcctttttt gccgatgcc 1800
 gtggaggagt ctggagagcc tatgggtctc ttctttccag gagccgtctt agcgccttcc 1860
 tcaaccagac cgagagggtc gagaaccgc ttcttggcct ggaagactgc tcgcccaggg 1920
 35 ttgccccaa atgacgtatc ttcttgaga cgctcctgaa actcggcgtc ggcgtggtta 1980
 taccgcaggt acggattgtc acccgcttg agctgctggt cgtaggcctt gtcgtgctcg 2040
 agggccgctg cgtccgcgc gttgacgggc tcccccttgt cgagtccgtt gaagggtccg 2100
 40 aggtacttgt agccaggaag caccagacc cgccgctcgt cctgcttttg ctggttggt 2160
 ttgggtttcg gggctccagg tttcaggctc caccactcgc gaatgccctc agagaggttg 2220
 tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag tcatttattg 2280
 45 ctcaaaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aagcaatctc 2340
 ggggtgcccgc ccagcagat gatgaatcgc acacagcttc cgatacgtct tttttctgac 2400
 gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgctcgt 2460
 50 gaagcaaatg ttgaaattct gattcattct ctgcacgtt ttgcaggga acagcacctg 2520
 aagcatgccc gcgtgacgag aacatttggt ttggtacctg tcggcaagt ccaccggagc 2580
 tccttccgcg tctgacgtcg atgggtccgt gactgagga cgggcccgct tgggtcgtc 2640
 55 tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc 2700

EP 1 310 571 B1

atgcgtcacc tcagtcacgt gatcactagc ccagcgggaag aactctttga ctccctgctt 2760
 tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc 2820
 ctgcaacggg tgctgggtgt cgaagggtgt gctgttcccg tcgatcacgg cgcacatggt 2880
 ggtgttggag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg 2940
 gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt 3000
 catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga agggaaagtt 3060
 ctcatgggtc cagttgacgc agcaagggcg aattc 3095

<210> 24
 <211> 3095
 <212> DNA
 <213> new AAV serotype, clone F5

<400> 24

EP 1 310 571 B1

	gaattcgccc ttgcgagaga ccaaagttca actgaaacga atcaaccggt ttattgatta	60
	acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctgagtataa	120
5	acaccatcag gggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac	180
	tgaatttctg gggtccagcg ctgctgttt tctttctgca gctccactc gatttccacg	240
	ctgacttgtc cgggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc	300
10	tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgttcg	360
	agtccaaaac cgcccatcag aggagacggg tgaaagtgc catccgtgtg aggaattttg	420
	gcccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgtc	480
15	ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag	540
	accacaccgt attcttctgt agccacaggg ttagtggctt tgatctcttc ctgctggtc	600
	atcagaacgt ttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc	660
20	ccgttgatgg gaaagaactg gtctcatca tcttgttggt ttgccatggg aatgccagga	720
	ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtcca ggcaaaattg	780
	ctgtgttgtt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggtccaggc	840
25	agccagtctt ttgactgtct ggccatagta ttggggccag cttgatgaaa ttgcagtacc	900
	ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtactg gtcgatgaga	960
	gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtggaa aggcacgtcc	1020
30	tcgaagctgt aactgaactc aaagtgttg cccgttctca gcatttgaga ggggaaatat	1080
	tccaggcagt agaaggagga acggcccacc gattggctgc cgttgttcag agtcaggtag	1140
	ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca	1200
35	gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta	1260
	aggttattag cgatggctgt gacgccgtca ttcgttgtga cctccttgac ctggatgttg	1320

40

45

50

55

EP 1 310 571 B1

	aagagcttga accgcagctt cttgggcccgg aatccccagt tgttggtgat gagtcgctgc	1380
	cagtcacgtg gtgagaagtg gcagtggaaat ctgttaaagt caaaaatcccc ccaggggggtg	1440
5	ctgtagccga agtagtgggt gtcattgggtg gctcctgagc tgctgctgga gatttgcttg	1500
	tagaggtggt tgttgtaggt ggggagggcc cagggtcttg tgctggtggt gatgactctg	1560
	tgcgccagcc atgtggaatc gcaatgccaa ttctctgagg cattacccac tccgtcggca	1620
10	ccttcgttat tgtctgccgt tgggtgcgcca ccgctgcag ccattgtacc agatcccaca	1680
	ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg	1740
	ccagtctgac caaaattgag cttcttttta gggggctgct ggcctttttt gccgatgcc	1800
15	gtggaggagt ctggagagtc tatgggtctc ttctttccag gagccgtctt agcgccttcc	1860
	tcaaccagac cgagagggtc gagaaccgcg ttcttggcct ggaagactgc tcgcccgagg	1920
	ttgccccaa atgacgtatc ttcttgccag cgctcctgaa actcggcgctc ggcgtggtta	1980
20	taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg	2040
	agggccgctg cgtccgcgcg gttgacgggc tcccccttgt cgagtcctgt gaagggtccg	2100
	aggtaactgt agccaggaag caccagaccc cgcccgctcg cctgcttttg ctggttggt	2160
25	ttgggtttcg gggctccagg ttctcaggtc caccactcgc gaatgccctc agagaggttg	2220
	tcctcgagcc aatctggaag ataaccatcg gcagccatac ctgggtttaag ccattttattg	2280
	ctcagaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aggcaatctc	2340
30	gggtgcccgc ccagcagat gatgaatcgc acacagcttc cgatacgtct tttttctgac	2400
	gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgctgct	2460
	gaagcaaatg ttgaaattct gattcattct ctcgcacgtt ttgcaggga acagcatctg	2520
35	aagcatgccc gcgtggcgag aacatttggt ttggtacctg tcggcaaagt ccaccggagc	2580
	tccttccgcg tctgacgtcg atgggtccgt gactgagga caggcccgt tgggctcgct	2640
	tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc	2700
40	atgcgtcacc tcagtcacgt gatcactagc ccagcggaag aactctttga cttcctgctt	2760
	tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc	2820
	ctgcaacggc tgctggtgct cgaagggtgt gctgttcccg tcgatcacgg cgcgcagtgt	2880
45	gggtgttgag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg	2940
	gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt	3000
	catcttgccc tcctccacc agatcaccat cttgtcgacg caatcggtga agggaaagt	3060
50	ctcattggtc cagttgacgc agcaaggcg aattc	3095

<210> 25

<211> 3142

<212> DNA

<213> new AAV serotype, clone H6

EP 1 310 571 B1

<400> 25

	aaaacgacgg gccagtgatt gtaatacgac tcactatagg gcgaaattga aattagcggc	60
5	cgcgaaattcg cctttcgcag agaccaaagt tcaactgaaa cgaattaaac ggtttattga	120
	ttaacaagca attacagatt acgagtcagg tatctggtgc caatggggcg aggctctgaa	180
	tacacaccat tagtggtccac agtaaagtcc acattaacag acttggtgta gttggaagtg	240
10	tactgaattt cgggattcca gcgtttgctg ttctccttct gcagctccca ctcgatctcc	300
	acgctgacct gtcccgtgga atactgtgtg atgaaagaag caaacttggc agaactgaag	360
	tttgtgggag gattggctgg aacgggagtg tttttgatca tgatctgagg aggcgggtgt	420
15	ttgagtccaa aacctcccat cagtggagaa ggatgaaagt gtccatcggg gtgaggaatc	480
	ttggcccaaa tgggtccctg caggtacacg tctcgatcct gccacaccat accaggtaac	540
	gctccttggg gattgacagt tccagtagtt ggaccagtgt ttgagttttg caaattatct	600
20	gacacagtcc cgtactgctc cgtagccacg ggattggtgg ccctgatttc ttcttcattc	660
	gtaatcatga ctttttccaa atccgcgtcg ttggcatttg ttccttgttt accaaatctc	720
	agggttccat gcatggggaa aaacttttct tcgtcatcct tgtgactggc catagctggg	780
25	cctggattaa ccaacgagtc ccggccattt agatgatact ttgtagctgc agtccaggga	840
	aagttgctgt tgttgtgtgc gtttgccctgt tttgacagac gctgctgtct gtagcaagg	900
	ccaggcagcc agtttttagc ttgaagagac atgttggttg gtccagcttg gctaaacagt	960
30	agccgagact gctgaagagt tccactattt gtttgtgtct tgttcagata atacaggtag	1020
	tggtcgatca gaggattcat cagccgatcc agactctggc tgtgagcgta gctgctgtgg	1080
	aaaggcacgt cttcaaaagt gtagctgaac tgaaagtgtt ttccagtacg cagcatctga	1140
35	gaaggaaagt actccaggca gtaaaaggaa gagcgtccca ccgcctgact cccgttgttc	1200
	agggtgaggt atccatactg tgggaccatg aagacgtccg ctggaaacgg cgggaggcat	1260
	ccttgatgag ccgagcccag gacgtacggg agctgggtact ccgagtcagt aaacacctga	1320
40	accgtgctgg taagggtatt ggcaatcgtc gtcgtaccgt cattctgcgt gacctctttg	1380
	acttgaatat taaagagctt gaagttgagt cttttggggc ggaatccccg gttgttgttg	1440
	acgagtcttt gccagtcacg tggtgaaaag tggcagtggg atctgttgaa gtcaaaaatac	1500
45	ccccaggggg tgctgtagcc aaagtagtgg ttgtcgttgc tggctcctga ttggctggag	1560
	atttgcttgt agaggtgggt gttgtatgtg ggcagggccc aggttcgggt gctggtgggtg	1620
	atgactctgt cggccagcca ttgggaatcg caatgccaat ttcttgagga attaccact	1680
50	ccatcgccac cctcgttatt gtctgccatt ggtgcgccac tgctgttagc cattgtagta	1740

55

EP 1 310 571 B1

gatcccagac cagagggggc tgctggtggc tgtccgagag gctggggggtc aggtacggag 1800
 tctgcgtctc cagtctgacc aaaatttaat ctttttcttg caggctgctg gcccgcctttt 1860
 5 ccggttcccc aggaggagtc tggctccaca ggagagtgtc ctaccggcct cttttttccc 1920
 ggagccgtct taacaggctc ctcaaccagg cccagagggt caagaaccct ctttttcgcc 1980
 tgggaagactg ctctccgag gttgccccca aaagacgtat cttctttaag gdgctcctga 2040
 10 aactctgcgt cggcgtggtt gtacttgagg tacgggttgt ctccgctgtc gagctgccgg 2100
 tcgtaggcct tgtcgtgtc gagggccgcg gcgtctgcct cgttgaccgg ctcccccttg 2160
 tcgagtcctg tgaaggggtc gaggtacttg taccaggaa gcacaagacc cctgctgtcg 2220
 15 tcttatgcc gctctgcggg ctttggtggt ggtgggccag gtttgagctt ccaccactgt 2280
 cttattcctt cagagagagt gtcctcgagc caatctggaa gataaccatc ggcagccata 2340
 cctgatttaa atcatttatt gttcagagat gcagtcattc aaatccacat tgaccagatc 2400
 20 gcaggcagtg caagcgtctg gcacctttcc catgatatga tgaatgtagc acagtttctg 2460
 atacgccttt ttgacgacag aaacgggttg agattctgac acgggaaagc actctaaaca 2520
 gtctttctgt ccgtgagtga agcagatatt tgaattctga ttcattctct cgcattgtct 2580
 25 gcagggaac agcatcagat tcatgccac gtgacgagaa ctttggtttt ggtacctgtc 2640
 cgcgtagtgt atcgaagctt ccgcgtctga cgtcgatggc tgcgcaactg actcgcgcgc 2700
 ccgtttgggc tcacttatat ctgcgtcact gggggcgggt cttttcttag ctccaccctt 2760
 30 tttgacgtag aattcatgct ccacctcaac cagtgatcc tttgccacc ggaaaaagtc 2820
 tttcacttcc tgcttggtga cttttccaaa gtcatgatcc agacggcggg taagttcaaa 2880
 tttgaacatc cggctcttga acggctgctg gtgctcgaag gtcgttgagt tcccgtcaat 2940
 35 cagggcgac atgttggtgt tggagggtgac gatcacggga gtcgggtcta tctgggccga 3000
 ggacttgcat ttctgggtcca cagcacctt gtttcctcca agaattggctt tggccgactc 3060
 cagcaccttg gcggtcatct tcccctctc ccaccagatc accatcttgt cgacgcaatg 3120
 40 gtaaaaggaa agttctcatt gg 3142

<210> 26

<211> 3075

<212> DNA

<213> new AAV serotype, clone H2

<400> 26

50 tgagaacttt cttttcaacg attgcgtcgg acaagatggt gatctggtgg gaggagggga 60
 agatgaccgc caaggctcgtg gagtccggcca aagccattct tggaggaagc aaggctcgtg 120
 tggaccagaa atgcaagtcc tcggcccaga tagaccgac tcccgtgatc gtcacctcca 180
 55 acaccaacat gtgcgcctg attgacggga actcaacgac cttcgagcac cagcagccgt 240
 tgcaagaccg gatgttcaaa tttgaactta cccgcgtct ggatcatgac tttggaaagg 300

EP 1 310 571 B1

	tcaccaagca ggaagtgaaa gactttttcc ggtgggcaaa ggatcacgtg gttgaggtgg	360
	agcatgaatt ctacgtcaaa aaggggtggag ctaagaaaag acccgcccc agtgacgcag	420
5	atataagtga gcccacacgg gcgcgcgagt cagttgcgca gccatcaacg tcagacgcgg	480
	aagcttcgat caactacgcg gacaggtacc aaaaacaaat gttctcgtca cgtgggcatg	540
	aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc aaatatctgc	600
10	ttcactcacg gacagaaaga ctgttttagag tgctttcccg tgtcagaatc tcaaccggtt	660
	tctgtcgtca aaaaggcgtg tcagaaactg tgctacattc atcatatcat gggaaaggtg	720
	ccagacgctt gcaactgcctg cgatctggtc aatgtggatt tggatgactg catctctgaa	780
15	caataaatga tttaaatcag gtatggctgc cgatggttat cctccagatt ggctcgagga	840
	cactctctct gaagggataa gacagtgggtg gaagctcaaa cctggccccc caccacccaaa	900
	gcccgcagag cggcataagg acgacagcag gggctctgtg ctctcctgggt acaagtacct	960
20	cggacccttc aacggactcg acaaggggga gccggtcaac gaggcagacg ccgcgccctt	1020
	cgagcacgac aaggcctacg accggcagct cgacagcggg gacaaccctg acctcaagta	1080
	caaccacgcc gacgcagagt ttcaggagcg ccttaaagaa gatacgtctt ttgggggcaa	1140
25	cctcgagcga gcagtcttcc aggcgaaaaa gaggggttctt gaacctctgg gcctggttga	1200
	ggaacctgtt aagacggctc cgggaaaaaa gagggccggtg gagcactctc ctgtggagcc	1260
	agactcctcc tcgggaaccg gaaaagcggg ccagcggcct gcaagaaaaa gattaaattt	1320
30	tggtcagact ggagacgcag actccgtacc tgacccccag cctctcggac agccaccagc	1380
	agccccctct ggtctgggat ctactacaat ggctacaggc agtggcgcac caatggcaga	1440
	caataacgag ggtgccgatg gagtgggtaa ttcctcagga aattggcatt gcgattccca	1500
35	atggctgggc gacagagtca tcaccaccag caccggaacc tgggacctgc ccacatacaa	1560
	caaccacctc tacaagcaaa tctccagcca atcaggagcc agcaacgaca accactactt	1620
	tggctacagc accccctggg ggtattttga cttcaacaga ttccactgcc acttttcacc	1680
40	acgtgactgg caaagactca tcaacaacaa ctggggattc cggcccaaaa gactcaactt	1740
	caagctcttt aatattcaag tcaaagaggt cacgcagaat gacggtacga cgacgattgc	1800
	caataacctt accagcacgg ttcagggtgt tactgactcg gagtaccagc tcccgtacgt	1860
45	cctgggctcg gcgcacaaag gatgcctccc gccgtttcca gcggacgtct tcatggctcc	1920
	acagtatgga tacctcacc tgaacaacgg gagtcaggcg gtaggacgct cttcctttta	1980
	ctgcctggag tactttcctt ctcatatgct gcgtactgga aacaactttc agttcagcta	2040
50	cacttttgaa gacgtgcctt tccacagcag ctacgctcac agccagagtc tggatcggct	2100
	gatgaatcct ctgatcgacc agtacctgta ttatctgaac aagacacaaa caaatagtgg	2160
55	aactcttcag cagtctcggc tactgttttag ccaagctgga ccaaccaaca tgtctcttca	2220

EP 1 310 571 B1

	agctaaaaac tggctgcctg gaccttgcta cagacagcag cgtctgtcaa aacaggcaaa	2280
	cgacaacaac aacagcaact ttccctggac tgcagctaca aagtatcatc taaatggccg	2340
5	ggactcgttg gttaatccag gaccagctat ggccagtcac aaggatgacg aagaaaagtt	2400
	tttccccatg catggaaccc tgatatattgg taaacaagga acaaatgcc aacgacgcgga	2460
	tttggaaaat gtcattgatta cagatgaaga agaaatcagg gccaccaatc ccgtggctac	2520
10	ggagcagtac gggactgtgt caaataattt gcaaaaactca aacactggtc caactactgg	2580
	aactgtcaat cgccaaggag cgttacctgg tatgggtgtgg caggatcgag acgtgtacct	2640
	gcagggaccc atttgggcca agattcctca caccgatgga cactttcatc cttctccact	2700
15	gatgggaggt tttggactca aacaccggcc tcctcagatc atgatcaaaa acactcccgt	2760
	tccagccaat cctcccacaa acttcagttc tgccaagttt gcttctttca tcacacagta	2820
	ttccacggga caggtcagcg tggagatcga gtgggagctg cagaaggaga acagcaaacg	2880
20	ctggaatccc gaaattcagt acacttccaa ctacaacaag tctgttaatg tggactttac	2940
	tgtggacact aatgggtgtgt attcagagcc tcgccccatt ggcaccagat acctgactcg	3000
	taatctgtaa ttgcttggtta atcaataaac cgtttaattc gtttcagttg aactttggtc	3060
25	tctgcgaagg gcgaa	3075

30 <210> 27
 <211> 3128
 <212> DNA
 <213> new AAV serotype, clone 42.8

35 <400> 27

40

45

50

55

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgac tggtagggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcttccg	180
	cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg	240
	acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
10	aactcaccgg ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcaaagagt	360
	tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg	420
	gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct	480
15	gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg	540
	acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
	agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact	660
20	gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctag ggcgggctcc cgagattgct tgctcggcct	780
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 ggtatggctg ccgatgggta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
 5 cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 gacaaggggg agcccgtcaa cgcgggcgac gcagcggccc tcgagcacga caaggcctac 1080
 10 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 15 cctggaaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320
 atcggcaaga caggccagca gccgcgaaa aagagactca actttgggca gactggcgac 1380
 tcagagtcag tgcccgcacc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
 20 ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
 gacggagtgg gtagttctc aggaatttg cattgcgatt ccacatggtt gggcgacaga 1560
 gtcacacca ccagcacccg aacctgggccc ctccccacct acaacaacca cctctacaag 1620
 25 caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
 30 aacatccagg tcaaggaggt cagcgagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtaegt cctcggctct 1920
 gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
 35 tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 40 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
 tggctacccg ggccctgcta ccggcagcaa cgctctcca cgacactgtc gcaaaataac 2340
 45 aacagcaact ttgcttgga cggtgccacc aagtatcctc tgaatggcag agactctctg 2400
 gtaaatcccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt tttccatcc 2460
 agcggagtct tgatgttttg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 50 gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
 ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 55

EP 1 310 571 B1

atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
 tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 5 cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca 2940
 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
 10 gagggtaactt attcagagcc tcgccccatt ggcaccggtt acctcaccg taacctgtaa 3060
 ttgcctgtta atcaataaac cggctaattc gtttcagttg aactttggtc tctgcgaagg 3120
 gcgaattc 3128

15

<210> 28

<211> 3128

<212> DNA

20 <213> new AAV serotype, clone 42.15

<400> 28

25

30

35

40

45

50

55

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg	180
	cccagatcga cccacacccc gtgatcgtca cctccaacac caacatgtgc gccgtgat tg	240
	acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatt tg	300
10	aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt	360
	tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtctac gtcagaaaagg	420
	gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct	480
15	gccccctagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc	540
	acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
	agacatgcga gagaatgaat cagaatttca acatttgctt cacgcgcggg accagagact	660
20	gttcagaatg tttcccgggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
	gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
25	ggtatggctg ccgatggta tcttccagat tggctcgagg acaacctctc tgagggcatt	900
	cgcgagtggg gggacttgaa acctggagcc ccgaaaccga aagccaacca gcaaaagcag	960
	gacgacggcc ggggtctggt gcttcttggc tacaagtacc tcggaccctt caacggactc	1020
30	gacaaggggg agctcgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac	1080
	gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag	1140
	tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc	1200
35	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260

40

45

50

55

EP 1 310 571 B1

	cctggaaaga agagaccggt agagccatca cccagcggtt ctccagactc ctctacgggc	1320
	atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac	1380
5	tcagagtcag tgcccagacc tcaaccaatc ggagaacccc ccgcaggccc ctctgggtctg	1440
	ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc	1500
	gacggagtgg gtagttcctc aggaatttgg cattgcgatt ccacatggct gggcgacaga	1560
10	gtcatcacca ccagcaccgc aacctggggc ctccccacct acaacaacca cctctacaag	1620
	caaattctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc	1680
	acccccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg	1740
15	cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc	1800
	aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcg caataacctt	1860
	accagcacga ttcaggctct tacggactcg gaataccagc tcccgtagct cctcggctct	1920
20	gcgcaccagg gctgcccgcc tccgttcccc gcggacgtct tcatgattcc tcagtacggg	1980
	tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag	2040
	tactttcctt ctcaaatgcg gagaacgggc aacaactttg agttcagcta ccagtttgag	2100
25	gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc	2160
	ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga	2220
	actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac	2280
30	tggctaccgc ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaaataac	2340
	aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg	2400
	gtaaateccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc	2460
35	agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc	2520
	gttatgctaa ccagttagga agaaatcaaa accaccaacc cagtggccac agaacagtac	2580
	ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac	2640
40	agtcaaggag ccttacctgg catggctctgg cagaaccggg acgtgtacct gcagggtcct	2700
	atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc	2760
	tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat	2820
45	cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga	2880
	caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca	2940
	gagattcagt atactttcaa ctactacaaa tctacaaatg tggactttgc tgtcaatact	3000
50	gagggtaactt attcagagcc tcgccccatt ggcaccggtt acctcaccgc taacctgtaa	3060
	ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg	3120
55	gcgaattc	3128

EP 1 310 571 B1

<211> 3197
<212> DNA
<213> new AAV serotype. clone 42.5b

5 <400> 29

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
10	gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
	ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg	180
	cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg	240
15	acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
	aactcaccgg ccgtctggag cactgacttg gcaagggtgac aaagcaggaa gtcaaagagt	360
	tcttccgctg ggcgcaggat cactgaccgg aggtggcgca tgagtcttac gtcagaaagg	420
20	gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct	480
	gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccgggtg gactttgccg	540
	acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
25	agacatgcga gagaatgaat cagaatttca acattttgctt cactcacggg accagagact	660
	gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggtccc cgagattgct tgctcggcct	780
30	gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
	ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt	900
	cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag	960
35	gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
	gacaagggag agccgggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac	1080
	gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgcagag	1140
40	tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcggggc agcagtcttc	1200
	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
	cctggaaaga agagaccggg agagccatca cccagcgtt ctccagactc ctctacgggc	1320
45	atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac	1380
	tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg	1440
	ggatctggtg caatggctgc aggcgggtgg gctccaatgg cagacaataa cgaaggcgcc	1500
50	gacggagtgg gtagttcctc aggaaattgg cattgctgatt ccacatggct gggcgacaga	1560
	gtcatcacca ccagcaccgg aacctggggc ctccccacct acaacaacca cctctacaag	1620
	caaatctcca acgggacatc gggagggaag accaacgaca acacctactt cggctacagc	1680
55	accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg	1740

EP 1 310 571 B1

5 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtagct cctcgggtctt 1920
 gcgaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
 10 tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 15 actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
 tggetacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaaataac 2340
 aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400
 20 gtaaattccc gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt tttccatcc 2460
 agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagttagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
 25 ggcgtggtgg ccgataacct gcaacagcaa aacgcgcgtc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 atctgggcca agattcctca cacggacggc aactttcatc cttcgccgt gatgggaggc 2760
 30 tttggactga aacaccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggt 2820
 cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaacca 2940
 35 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
 gagggtaact attcagagcc tcgccccatt ggcaccctt acctacccg taacctgtaa 3060
 ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg 3120
 40 gcgaattcgt ttaaacctgc aggactagtc cctttagtga gggttaattc tgagcttggc 3180
 gtaatcatgg gtcatag 3197

45 <210> 30
 <211> 2501
 <212> DNA
 <213> new AAV serotype, clone 42:1b

50 <400> 30

55 gaattcgccc ttggtgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
 gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggctcgt ggagtcggcc 120
 aaggccattc atcatctgct ggggcgggct cccgagattg cttgctcggc ctgcgatctg 180
 gtcaacgtgg acctggatga ctgtgtttct gagcaataaa tgacttaaac caggtatggc 240

EP 1 310 571 B1

	tgccgatggt tatcttccag attggctcga ggacaacctc tctgagggca ttcgcgagtg	300
	gtgggacttg agacctggag ccccgaaacc caaagccaac cagcaaaagc aggacgacgg	360
5	ccgggggtctg gtgcttcctg gctacaagta cctcggaccc ttcaacggac tgcacaaggg	420
	agagccggtc aacgaggcag acgccgcggc cctcagcac gacaaggcct acgacaagca	480
10	gctcagacag ggggacaacc cgtacctcaa gtacaaccac gccgacgccg agtttcagga	540
	gcgtcttcaa gaagatacgt cttttggggg caacctcggg cgagcagtct tccaggccaa	600
	gaagcgggtt ctggaacctc tcggtctggt tgaggaaggc gctaagacgg ctcttgga	660
15	gaagagaccc atagaatccc ccgactcctc cacgggcac gccaaagaaag gccagcagcc	720
	cgctaaaaag agactcaact ttgggcagac tggcgactca gagtcaagtgc ccgacctca	780
	accaatcgga gaaccccccg caggccctc tggcttgga tctggcaca tggctgcagg	840
20	cggtggcgct ccaatggcag acaataacga aggcgcgcag ggagtgggta gttcctcagg	900
	aaattggcat tgcgattcca catggctggg cgacagagtc atcaccacca gcacccgaac	960
	ctgggcccctc ccacacctaca acaaccacct ctacaagcaa atctccaacg ggacatcggg	1020
25	aggaagcacc aacgacaaca cctacttcgg ctacagcacc ccctgggggt attttgactt	1080
	taacagattc cactgccact tctcaccacg tgactggcag cgactcatca acaacaactg	1140
	gggattccgg cccaagagac tcaacttcaa gctcttcaac atccaggtca aggaggtcac	1200
30	gcagaatgaa ggcaccaaga ccacgcgcaa taaccttacc agcagattc aggtctttac	1260
	ggactcggaa taccagctcc cgtacgtcct cggtctgcg caccagggct gcctgcctcc	1320
	gttcccggcg gacgtcttca tgattcctca gtacgggtac ctgactctga acaacggcag	1380
35	tcaggccgtg ggccgttcct ccttctactg cctggagtac tttccttctc aaatgctgag	1440
	aacgggcaac aactttgagt tcagctacca gtttgaggac gtgccttttc acagcagcta	1500
	tgcgcacagc caaagcctgg accggctgat gaacccccctc atcgaccagt acctgtacta	1560
40	cctgtctcgg actcagtcca cgggagggtac cgcaggaact cagcagttgc tattttctca	1620
	ggccggggcct aataacatgt cggtcaggc caaaaactgg ctaccggggc cctgctaccg	1680
	gcagcaacgc gtctccacga cagtgtcgca aaataacaac agcaactttg cttggaccgg	1740
45	tgccaccaag tatcatctga atggcagaga ctctctggta aatcccgggtg tcgctatggc	1800
	aacgcacaag ggcgacgaag agcgattttt tccatccagc ggagtcttga tgtttgggaa	1860
	acagggagct ggaaaagaca acgtagacta tagcagcgtt atgctaacca gtgaggaaga	1920
50	aatcaaaacc accaaccacg tggccacaga acagtacggc gtgggtggccg ataacctgca	1980
	acagcaaaac gccgctccta ttgtaggggc cgtcaacagt caaggagcct tacctggcat	2040
	ggctctggcag aaccgggacg tgtacctgca gggctctatc tgggccaaga ttcctcacac	2100
55	ggacggcaac tttcatcctt cgccgctgat gggaggcttt ggactgaaac acccgctctc	2160

EP 1 310 571 B1

tcagatcctg attaagaata cacctgttcc cgcggatcct ccaactacct tcagtcaagc 2220
 5 caagctggcg tcgttcatca cgcagtacag caccggacag gtcagcgtgg aaattgaatg 2280
 ggagctgcag aaagagaaca gcaagcgctg gaaccagag attcagtata cttccaacta 2340
 ctacaaatct acaaattgtgg actttgctgt caatactgag ggtacttatt cagagcctcg 2400
 10 cccattggc acccgttacc tcacccgtaa cctgtaattg cctgttaatc aataaaccgg 2460
 ttgattcgtt tcagttgaac tttggtctca agggcgaatt c 2501

<210> 31
 15 <211> 3113
 <212> DNA
 <213> new AAV serotype, clone 42.13

<400> 31

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg	180
	cccagatcga tcccccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg	240
	acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
10	aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt	360
	tcttcgctg ggcgcaggat cagctgaccg aggtggcgca tgagttctac gtcagaaagg	420
	gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggccc	480
15	gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg	540
	acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
	agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact	660
20	gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
	gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
25	ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt	900
	cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag	960
	gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
30	gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac	1080
	gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag	1140
	tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
35	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
	cctggaaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc	1320
40	cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc	1380

EP 1 310 571 B1

5
10
15
20
25
30
35
40
45
50

gaccctcaac caatcggaga acccccccga ggcctctctg gtctgggata tggatcaatg 1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500
tccttcaggaa attggcattg cgattccaca tggttgggag acagagtcat caccaccagc 1560
accggaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620
acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcaccac ctgggggtat 1680
tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740
aacaactggg gattccggcc caagagactc aacttcaagc tcttcaacat ccagggtcaag 1800
gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag cagatttcag 1860
gtctttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca ccagggtcgc 1920
ctgcctccgt tccggcgga cgtcttcattg attcctcagt acgggtacct gactctgaac 1980
aacggcagtc agggcggtgg cgttctctcc ttctactgcc tggagtactt tccttctcaa 2040
atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100
agcagctatg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac 2160
ctgtactacc tgtctcggac tcagtcacag ggaggatccg caggaaactca gcagttgcta 2220
ttttctcagg ccgggcctaa taacatgtcg gctcaggcca aaaactgggt acccgggccc 2280
tgctaccggc agcaacgcgt ctccacgaca gtgtcgcaaa ataacaacag caactttgct 2340
tggaccggtg ccaccaagta tcattctgaat ggcagagact ctctggtaaa tcccggtgtc 2400
gctatggcaa cgcacaaggg cgacgaagag cgattttttc catccagcgg agtcttgatg 2460
tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520
gaggaagaaa tcaaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580
aacctgcaac agcaaaacgc cgctcctatt gtaggggccc tcaacagtca aggagcctta 2640
cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700
cctcacacgg acggcaactt tcattccttcg ccgctgatgg gaggttttg actgaaacac 2760
ccgcctcctc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc 2820
agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880
attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940
tccaactact acaaatctac aaatgtggac ttgtctgtca atactgaggg tacttattca 3000
gagcctcgcc ccattggcac ccgttacctc acccgtagcc tgtaattgcc tgtaaatcaa 3060
taaaccgggtt gattcgtttc agttgaactt tggctctcgc gaaggcgaa ttc 3113

<210> 32

<211> 3113

<212> DNA

<213> new AAV serotype, clone 42.3a

<400> 32

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtecgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 5 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 cccagatcga tcccccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
 acggggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
 10 aactcaccgg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
 tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtcttac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 15 gcccctcagt cgcggatcca tcgacgtcag acgcgggaagg agctccggtg gactttgccc 540
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg cttccctgca 600
 agacatgcga gagaatgaat cagaatttca gcatttgctt cagcacggg accagagact 660
 20 gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc 720
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 25 ggtatggctg ccgatggtca tcttcagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 30 gacaaggggg agcccgtaaa cgcggcgagc gcagcggccc tcgagcacga caaggcctac 1080
 gaccagcagc tcaaaagcgg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140
 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
 35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc 1320
 cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc 1380
 40 gacctcaac caatcgaga acccccgca ggccccctct gtctgggatc tggtaaatg 1440
 gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500
 tcctcaggaa attggcattg cgattccaca tagctgggag acagagtcac caccaccagc 1560
 45 acccgaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620
 acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcacccc ctgggggtat 1680
 tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740
 50 aacagctggg gattccggcc caagagactc aacttcaagc tcttcaacat ccaggtcaag 1800
 gaggtcacgc agaataagg caccaagacc atcgccaata acctaccag cagattcag 1860
 gtctttacgg actcggataa ccagctcccg tacgtcctcg gctctgcgca ccagggctgc 1920

55

EP 1 310 571 B1

ctgcctccgt tcccggcgga cgtcttcatg attcctcagt acgggtacct gactctgaac 1980
 aacggcagtc aggcctgagg cgttccctcc ttctactgcc tggagtactt tccttctcaa 2040
 5 atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100
 agcagctacg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac 2160
 ctgtactacc tgtctcggac tcagtccacg ggaggtagcg caggaactca gcagttgcta 2220
 10 ttttctcagg cggggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc 2280
 tgctaccggc agcaacgcgt ctccacgaca ctgtcgcaaa ataacaacag caactttgct 2340
 tggaccggtg ccaccaagta tcctctgaat ggcagagact ctctggtaaa tcccgggtgc 2400
 15 gctatggcaa cgcacaagga cgacgaagag cgattttttc catccagcgg agtcttgatg 2460
 tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520
 gaggaagaaa tcaaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580
 20 aacctgcaac agcaaaacgc cgctcctatt gtaggggccc tcaacagtca aggagcctta 2640
 cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700
 cctcacacgg acggcaactt tcctccttcg ccgctgatgg gaggccttgg actgaaacac 2760
 25 ccgcctcttc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc 2820
 agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880
 attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940
 30 tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000
 gagcctcgcc ccattggcac ccgttacctc acccgtaacc tgtaattgcc tgttaatcaa 3060
 35 taaaccggtt aattcgtttc agttgaactt tggctctctg gaaggcgaa ttc 3113

<210> 33

<211> 2504

<212> DNA

<213> new AAV serotype, clone 42.4

<400> 33

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattcatcat ctgctggggc gggtctccga gattgcttgc tcggcctgcg	180
	atctggtcaa cgtggacctg gatgactgtg tttctgagca ataatgact taaaccaggt	240
	atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc	300
10	gagtggggg acttgaaacc tggagccccg aaacccaag ccaaccagca aaagcaggac	360
	gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac	420
	aagggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac	480
15	aagcagctcg agcaggggga caaccgtac ctcaagtaca accacgccga cgccgagttt	540

20

25

30

35

40

45

50

55

EP 1 310 571 B1

	caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag	600
	gccaaagaagc gggttctcga acctctcggt ctgggtgagg aaggcgctaa gacggctcct	660
5	ggaaagaaga gacctataga atcccccgac tctccacgg gcacgggcaa gaaaggccag	720
	cagcccgtc aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgcac	780
	cctcaaccaa tcggagaacc ccccgaggg ccctctggtc tgggatctgg tacaatggct	840
10	gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc	900
	tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc	960
	cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc	1020
15	ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc	1080
	aacagattcc actgccactt ctcatcacgt gactggcagc gactcatcaa caacaactgg	1140
	ggattccggc ccaagagact caacttcaag ctcttcaaca tccagggtcaa ggaggtcacg	1200
20	cagaatgaag gcaccaagac catcgccaat aaccttacca gcacgattca ggtctttacg	1260
	gactcggaat accggctccc gtacgtcttc ggctctgcgc accagggctg cctgcctccg	1320
	ttcccggcgg acgtcttcat gattcctcag tacgggtacc tgactctgaa caacggcagt	1380
25	caggcgctgg gcgcttcttc cttctactgc ctggagtact ttcttctca aatgctgaga	1440
	acgggcaaca actttgagtt cagctaccag tttagggacg tgctttttca cagcagctac	1500
	gcgcacagcc aaagcctgga ccggctgatg aacccctca tcgaccagta cctgtactac	1560
30	ctgtctcgga ctcatctcac gggagggtacc gcaggaactc agcagttgct atttctcag	1620
	gccgggcta ataacatgtc ggctcaggcc aaaaactggc taccggggcc ctgctaccgg	1680
	cagcaacgcg tctccacgac actgtcgcaa aataacaaca gcaactttgc ttggaccggt	1740
35	gccaccaagt atcatctgaa tggcagagac tctctggtaa atcccggtgt cgctatggca	1800
	acgcacaagg acgacgaaga gcgatttttt ccattccagc gagtcttgat gtttgggaaa	1860
	caggagctg gaaaagacaa cgtggactat agcagcgtta tgctaaccag tgaggaagaa	1920
40	atcaaaacca ccaaccaggt ggccacagaa cagtacggcg tggtagccga taacctgcaa	1980
	cagcaaaacg ccgctcctat tgtaggggcc gtcaacagtc aaggagcctt acctggcatg	2040
	gtctggcaga accgggacgt gtacctgcag ggtcctatct gggccaagat tcttcacacg	2100
45	gacggcaact ttcatccttc gccgctgatg ggaggctttg gactgaaaca cccgcctcct	2160
	cagatcctga ttaagaatac acctgttccc gcggatcctc caactacctt cagtcaagcc	2220
	aagccggcgt cgttcatcac gcagtacagc accggacagg tcagcgtgga aattgaatgg	2280
50	gagctgcaga aagagaacag caagcgtggtg aaccagaga ttcagtatac ttccaactac	2340
	tacaaatcta caaatgtgga ctttgctgtc aatactgagg gtacttattc agagcctcgc	2400
55	cccattggca ccggttacct caccgtaac ctgtaattgc ctgttaatca ataaaccggt	2460

EP 1 310 571 B1

taattcggtt cagttgaact ttggtctctg cgaagggcga attc

2504

5

<210> 34

<211> 3106

<212> DNA

<213> new AAV serotype, clone 42.5a

10

<400> 34

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

gaattcgccc ttctacggct gcgtaactg gaccaatgag aactttccct tcaacgattg 60
 cgctcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc 120
 5 cgccaaggcc attctcggcg gcagcaagggt gcgcgtggac caaaagtgca agtcgtccgc 180
 ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 240
 cgggaacagc accaccttcg agcaccagca gccgttgag gaccggatgt tcaaatttga 300
 10 actcaccgc cgtctggagc atgacttttg caaggcgaca aagcaggaag tcaaagagtt 360
 ctcccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagtcttacg tcagaaaggg 420
 tggagccaac aagagacccg ccccgatga cgcgataaa agcgagccca agcgggcccc 480
 15 cccctcagtc gcggatccat cgacgtcaga cgcggaagga gtcgggtgg actttgccga 540
 caggtaccaa aacaaatgtt ctctcagc gcgcatgctt cagatgctgt ttccctgcaa 600
 aacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga ccagagactg 660
 20 ttcagaatgt ttccccggcg tgctcagaatc tcaaccggtc gtcagaaaga ggacgtatcg 720
 gaaactctgt gccattcacc atctgctggg gcgggctccc gagattgctt gctcggcctg 780
 cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag 840
 25 gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc 900
 gcgagtgtg ggacttgaac cctggagccc cgaaacccaa agccaaccag caaaagcagg 960
 acgacggccg gggctctggtg cttccctggct acaagtacct cggacccttc aacggactcg 1020
 30 acaagggaga gccggtcaac gaggcagacg ccgcggccct cgagcacgac aaggcctacg 1080
 acaagcagct cgagcagggg gacaacccgt acctcaagta caaccacgcc gacgccgagt 1140
 ttcaggagcg tcttcaagaa gatacgtctt ttgggggcaa cctcgggoga gcagtcttcc 1200
 35 gggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 1260
 ctggaaagaa gagaccata gaatcccccg actcctccac gggcatcggc aagaaaggcc 1320
 agcagcccgc taaaagaag ctcaactttg ggcagactgg cgactcagag tcagtgeccg 1380
 40 acccccaacc tctcggagaa cctcccgcg cgccctcagg tctgggatct ggtacaatgg 1440
 ctgcaggcgg tggcgacca atggcagaca ataacgaagg cgccgacgga gtgggtaatg 1500
 cctccggaaa ttggcattgc gattccacat ggctgggcca cagagtcac accaccagca 1560
 45 ccgcacctg ggccctgcc acctacaaca accacctcta caagcagata tcaagtcaga 1620
 gcggggctac caacgacaac cacttcttcg gctacagcac cccctggggc tattttgact 1680

50

55

EP 1 310 571 B1

5
10
15
20
25
30
35
40

tcaacagatt ccactgccac ttctcaccac gtgactggca gcgactcatc aacaacaacc 1740
 ggggattccg gccacgaaag ctgcggttca agttgttcaa catccaggtc aaggagggtca 1800
 cgacgaacga cggcgttacg accatcgcta ataaccttac cagcacgatt cagggtcttct 1860
 cggactcgga gtaccaactg ccgtacgtcc tcggctctgc gcaccagggc tgcctccctc 1920
 cgttccctgc ggacgtgttc atgattcctc agtacggata tctgactcta aacaacggca 1980
 gtcagtctgt gggacgttcc tccttctact gcctggagta ctttccctct cagatgctga 2040
 gaacgggcaa taactttgaa ttcagctacc agtttgagga cgtgcccttt cacagcagct 2100
 acgcgcacag ccaaagcctg gaccggctga tgaacccct catcgaccag tacctgtact 2160
 acctgtctcg gactcagtc acgggaggta ccgcaggaac tcagcagttg ctattttctc 2220
 aggcggggcc taataacatg tcggctcagg ccaaaaactg gctaccggg ccctgctacc 2280
 ggcagcaacg cgtctccacg acaactgtcg aaaataacaa cagcaacttt gcttggaaccg 2340
 gtgccaccaa gtatcatctg aatggcagag actctctggt aaatcccggt gtcgctatgg 2400
 caacgcacaa ggacgacgaa gagcgatttt ttccatccag cggagtcttg atgtttggga 2460
 aacagggagc tggaaaagac aacgtggact atagcagcgt tatgctaacc agtgaggaag 2520
 aaatcaaaac caccaaccca gtggccacag aacagtacgg cgtggtggcc gataacctgc 2580
 aacagcaaaa cgcgcctcct attgtagggg ccgtcaacag tcaaggagcc ttacctggca 2640
 tggcctggca gaaccgggac gtgtacctgc agggctcctat ctgggccaag attcctcaca 2700
 cggacggcaa ctttcatcct tcgccgtga tgggaggctt tggactgaaa caccgcctc 2760
 ctcagatcct gattaagaat acacctgttc ccgcggatcc tccaactacc ttcagtcaag 2820
 ccaagctggc gtcgttcac acgcagtaca gcaccggaca ggtcagcgtg gaaattgaat 2880
 gggagctgca gaaagagaac agcaagcgtt ggaaccaga gattcagtat acttccaact 2940
 actacaaatc tacaaatgtg gactttgctg tcaatactga gggtaattat tcagagcctc 3000
 gccccattgg caccggttac ctcaccgta acctgtaatt gcctgttaat caataaaccg 3060
 gttaattcgt ttcagttgaa ctttggtctc tgcgaagggc gaattc 3106

<210> 35

<211> 2489

<212> DNA

<213> new AAV serotype, clone 42.10

<400> 35

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtgaagt	120
5	ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg	180
	atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt	240
	atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc	300
10		
15		
20		
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360
 gacggccggg gtctggtgct tccttggtac aagtacctcg gacccttcaa cggactcgac 420
 5 aagggagagc cggtaacga ggcagacgcc gcggccctcg agcacgacaa ggccctacgac 480
 aagcagctcg agcaggggga caaccctgac ctcaagtaca accacgccga cgccgagttt 540
 caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 600
 10 gccaaagaagc gggttctcga acctctcggg ctgggtgagg aaggcgctaa gacggctcct 660
 ggaaagaaga gacccataga atccccgac tcctccacgg gcatcggcag gaaaggccag 720
 cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac 780
 15 cctcaaccaa tcggagaacc ccccgagggc ccctctggtc tgggatctgg tacaatggct 840
 gcaggcgggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900
 tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc 960
 20 cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc 1020
 ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc 1080
 aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg 1140
 25 ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggtaaa ggaggtcacg 1200
 acgaacgacg gcgttacgac catcgccaat aaccttacca gcacgattca ggtcttctcg 1260
 gactcggagt accaactgcc gtacgtcctc ggctctgcgc accagggtcg cctccctccg 1320
 30 ttccctgcgg acgtgttcat gattcctcag tacggatata tgactctaaa caacggcagt 1380
 cagtctgtgg gacgttcctc cttctactgc ctggagtact ttcttctca gatgctgaga 1440
 acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
 35 gcgcacagcc agagcctgga ccggctgatg aatccctca tcgaccagta cctgtactac 1560
 ctggcccggg cccagagcac tacggggtcc acaagggagc tgcaagtcca tcaggctggg 1620
 cccaacacca tggccgagca atcaaaagaa tggctgcccg gaccctgtta tcggcagcag 1680
 40 agactgtcaa aaaacataga cagcaacaac aacagtaact ttgcctggac cggggccact 1740
 aaataccatc tgaatggtag aaattcatta accaaccggg gcgtagccat ggccaccaac 1800
 aaggacgacg aggaccagt ctttcccatc aacggagtg cgggttttgg caaaacgggg 1860
 45 gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
 accaatcccg tggctacaga agaatacggg gtggctctca gcaacctgca atcgtctacg 1980
 gccggacccc agacacagac tgtcaacagc cagggggctc tgcccggcat ggtctggcag 2040
 50 aaccgggacg tgtacctgca gggccccatc tgggccaaaa ttcttcacac ggacggcaac 2100
 ttccaccctg ctccctgat gggcggtttt ggactcaaac acccgctcc tcaaattctc 2160
 atcaaaaaca ccccggtacc tgctaatact ccagaggtgt ttactcctgc caagtttgcc 2220
 55

EP 1 310 571 B1

tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccatggc 2400
accggttacc tcaccgtaa cctgtaattg cctgttaatc aataaacgg ttaattcggt 2460
tcagttgaac ttgggtcaag ggcgaattc 2489

<210> 36

<211> 2495

<212> DNA

<213> new AAV serotype, clone 42.3b

<400> 36

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact agaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgac tggtgggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattcatcat ctgctggggc gggctcccg gattgcttgc tcggcctgcg	180
	atctggtcaa cgtggacctg gatgactgtg tttctgagca ataatgact taaaccaggt	240
	atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc	300
10	gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac	360
	gacggccggg gtctgggtgt tcttggttac aagtacctcg gaccttcaa cggactcgac	420
	aagggagagc cggcacaaga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac	480
15	aagcagctcg agcaggggga caaccctgac ctcaagtaca accacgccga cgccgagttt	540
	caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag	600
	gccagaagc gggttctcga acctctcgtt ctggttgagg aaggcgctaa gacggctcct	660
20	ggaaagaaga gacctataga atccccgac tctccacgg gcacggcaa gaaaggccag	720
	cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac	780
	cctcaaccaa tcggagaacc ccccgaggc cctctggtc tgggatctgg tacaatggct	840
25	gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc	900
	tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc	960
	cgcacctggg cctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc	1020
30	ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc	1080
	aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg	1140
	ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggctcaa ggaggtcacg	1200
35	acgaacgacg gcgttacgac catcgctaata aaccttacca gcacgattca ggtcttctcg	1260
	gactcggagt accaactgcc gtacgtcttc ggctctgcgc accagggctg cctccctccg	1320
	ttccctgagg acgtgttcat gattcctcag tacggatata tgactctaaa caacggcagt	1380
40	cagtctgtgg gacgttcttc cttctactgc ctggagtact ttcttctca gatgctgaga	1440

45

50

55

EP 1 310 571 B1

acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
 gcgcacagcc agagcctgga ccggctgatg aatccctca tcgaccagta cctgtactac 1560
 5 ctggcccggga ccagagcac tacggggtcc acaagggagc tgcagttcca tcaggctggg 1620
 cccaacacca tggccgagca atcaaagaac tggctgcccg gacctgtta tcggcagcag 1680
 agactgtcaa aaaacataga cagcaacaac accagtaact ttgcctggac cggggccact 1740
 10 aaataccatc tgaatggtag aaattcatta accaaccggg gcgtagccat ggccaccaac 1800
 aaggacgacg aggaccagt ctttcccatc aacggagtgc tggtttttgg caaaacgggg 1860
 gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
 15 accaatcccg tggctacaga acagtacggg gtggtctcca gcaacctgca atcgtctacg 1980
 gccggacccc agacacagac tgtcaacagc cagggggctc tgcccggcat ggtctggcag 2040
 aaccgggacg tgtacctgca ggggtcccatc tgggccaaaa ttctctcacac ggacggcaac 2100
 20 tttcaccctg ctccccctgat gggcggtatt ggactcaaac acccgctctc tcaaattctc 2160
 atcaaaaaca ccccggtacc tgctaactct ccagaggtgt ttactcctgc caagtttgcc 2220
 tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
 25 aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
 aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccatgtgc 2400
 acccgttacc tcaccgtaa cctgtaatg cctgttaatc aataaaccgg ttaattcggt 2460
 30 tcagttgaac tttggtctct gcgaaggcg aattc 2495

<210> 37
 <211> 3098
 35 <212> DNA
 <213> new AAV serotype, clone 42.11

<400> 37

40 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcttccg 180
 45 ccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatattg 300
 aactcacccg ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
 50 tcttccgctg ggcgaggat cacgtgaccg aggtggcgca tgagtctctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 gccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc 540
 55 acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accggagact 660

	gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
5	gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
	ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt	900
	cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
10	gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
	gacaagggag agccggtcaa cgcgggcgac gcagcggccc tcgagcacga caaggcctac	1080
	gaccagcagc tcaaagcggg tgacaatccg tacctgctgg ataaccacgc cgacgccgag	1140
15	tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
	caggccaaga agcgggttct cgaacctctc ggtctgggtg aggaaggcgc taagacggct	1260
	cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc	1320
20	cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcct	1380
	gacctcaac caatcgga accccccgca ggccctctg gtctgggatc tggtaaatg	1440
	gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtaat	1500
25	gcctccggaa attggcattg cgattccaca tggctgggag acagagtcac caccaccagc	1560
	acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag	1620
	agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac	1680
30	ttcaacagat tccactgcc a tttctacca cgtgactggc agcgactcat caacaacaac	1740
	tggggattcc ggccagaaa gctgcgggtc aagttgttca acatccaggt caaggaggtc	1800
	acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcaggtcttc	1860
35	tcggactcgg agtaccacact gccgtacgtc ctccggtctg cgcaccaggg ctgcctccct	1920
	ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc	1980
	agtcagtctg tgggacgttc ctctttctac tgctggagt actttctctc tcagatgctg	2040
40	agaacgggca ataaactttga attcagctac acctttgagg aagtgccttt ccacagcagc	2100
	tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac	2160
	tacctggccc ggaccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct	2220
45	gggccaaca ccatggccga gcaatcaaag aactggctgc ccggaccctg ttatcggcgg	2280
	cagagactgt caaaagacat agacagcaac aacaacagta actttgcctg gaccggggcc	2340
	actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc	2400
50	aacaaggacg acgaggacca gttctttccc atcaacggag tgctgggttt tggcaaaacg	2460
	ggggctgcca acaagacaac gctggaaaac gtgctaata ccagcgagga ggagatcaaa	2520
55	accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct	2580

EP 1 310 571 B1

	acggccggac	cccagacaca	gactgtcaac	agccaggggg	ctctgcccg	catggtctgg	2640
	cagaaccggg	acgtgtacct	gcaggggtccc	atctggggcca	aaattcctca	cacggacggc	2700
5	aactttcacc	cgtctccct	gatgggcgga	tttggactca	aacacccgcc	tcctcaaatt	2760
	ctcatcaaaa	acaccccggt	acctgctaata	cctccagagg	tgtttactcc	tgccaagttt	2820
	gcctcattta	tcacgcagta	cagcaccggc	caggtcagcg	tggagatcga	gtgggaactg	2880
10	cagaaagaga	acagcaaacg	ctggaatcca	gagattcagt	acacctcaaa	ttatgccaag	2940
	tctaataatg	tgggaatttgc	tgtcaacaac	gaaggggttt	atactgagcc	tcgccccatt	3000
	ggcacccggt	acctcaccgg	taacctgtaa	ttacttggtta	atcaataaac	cggttgattc	3060
15	gtttcagttg	aacttttggtc	tctgcgaagg	gcgaattc			3098

	<210> 38
20	<211> 3276
	<212> DNA
	<213> new AAV serotype, clone 42.6a

25	<400> 38
----	----------

30

35

40

45

50

55

EP 1 310 571 B1

	gaattcgccc ttcgcagaga ccaaagtcca actgaaacga attaacccgt ttattgatta	60
	acaggcaatt acagggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa	120
5	accccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgaggtgtac	180
	tgaatctctg gattccagcg ttgctgttt tctttctgca gttccactc gatctccacg	240
	ctgacctggc cgggtgtgta ctgcgtgata aatgaggcaa acttggcagg agtaaacacc	300
10	tctggaggat tagcaggtag cggggtgttt ttgatgagaa tttagaggagg cgggtgtttg	360
	agtccaaatc cgtccatcag gggagacggg tgaagttgc cgtccgtgtg aggaattttg	420
	gccagatgg gacctgcag gtacacgtcc cgttctgcc agaccatgcc gggcagagcc	480
15	ccctggctgt tgacagtctg tgtctggggc ccggccgtag acgattgcag gttgctggag	540
	accacaccgt attcttctgt agccacggga ttggtggttt tgatctctc ctgctggtc	600
	attagcacgt ttccagcgt tgtctgttt gcagccccg ttttgccaaa aaccagcact	660
20	ccgttgatgg gaaagaactg gtcctcgtcg tccttggtg tggccatggc tacgccggg	720
	ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta	780
	ctgttggtgt tgctgtctat gttttctgac agtctctgct gccgataaca ggggtccggc	840
25	agccagttct ttgattgctc ggccatggtg ttgggccag cctgatggaa ctgcagctcc	900
	cttgtggacc ccgtagtgt ctgggtccgg gccaggtagt acaggtagt gtcgatgagg	960
	ggattcatca gccgggtccag gctctggcta tgcgcatagc tgctgtggaa aggcacttcc	1020
30	tcaaagggtg agctgaattc aaagttattg cccgttctca gcatctgaga aggaaagtac	1080
	tccaggcagt agaaggagga acgtcccaca gactgactgc cgttgtttag agtcagatat	1140
35	ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca	1200

EP 1 310 571 B1

gagccgagga cgtacggcag ttggtactcc gaggccgaga agacctgaat cgtgctggta 1260
 aggttatttag cgatggctcg aacgcgcgcg tccgctcgta cctccttgac ctggatgttg 1320
 5 aacaacttga accgcagctt tctgggcccg aatccccagt tgttggtgat gaggctctgc 1380
 cagtcacgtg gtgagaagtg gcagtggaaat ctgttaaagt caaaataccc ccaggggggtg 1440
 ctgtagccga agtaggtgtt gtcgttgggt cttcctcccg atgtcccgtt ggagatttgc 1500
 10 ttgtagaggt ggttgttgta ggtggggagg gccaggttc ggggtgctggg ggtgatgact 1560
 ctgtcgccca gccatgtgga atcgcaatgc caatttcctg aggaactacc cactccgtcg 1620
 gcgccttcgt tattgtctgc cattggagcg ccaccgcctg cagccattgt accagatccc 1680
 15 agaccagagg ggcctgcggg gggttctccg attggttag ggtcgggcac tgactctgag 1740
 tcgccagtct gcccaaagt gagtctcttt ttcgcgggct gctggcctgt cttgccgatg 1800
 cccgtagagg agtctggaga acgctggggg gatggctcta ccggtctctt ctttccagga 1860
 20 gccgtcttag cgccttcctc aaccagaccg agaggttcca gaaccgcctt cttggcctgg 1920
 aagactgctc gcccgagggt gccccaaaa gacgtatctt cttgaagacg ctctgaaac 1980
 tcggcgtcgg cgtggttgta cttgaggtac ggggtgtccc cctgctcgag ctgcttgtcg 2040
 25 taggccttgt cgtgctcgag ggccgcggcg tctgcctcgt tgaccggctc tcccttgtcg 2100
 agtccgttga aggttccgag gtactttag ccaggaagca ccagaccccg gccgtcgtcc 2160
 tgcttttgcg ggttggtttt gggtttcggg gctccagggt tcaagtccca ccactcgcga 2220
 30 atgccctcag agaggttgtc ctcgagccaa tctggaagat aaccatcggc agccatacct 2280
 ggtttaagtc atttattgct cagaaacaca gtcattcagg tccacgttga ccagatcgca 2340
 ggccgagcaa gcaatctcgg gagcccgccc cagcagatga tgaatggcac agagtttccg 2400
 35 atacgtctc tttctgacga ccggttgaga ttctgacacg ccggggaaac attctgaaca 2460
 gtctctgggc ccgtgctgta agcaaatgtt gaaattctga ttcattctct cgcattgtctt 2520
 gcagggaaac agcatctgaa gcatgcccgc gtgacgagaa cacttgtttt ggtacctgtc 2580
 40 ggcaaagtcc accggagctc cttccgcgtc tgacgtcgat ggatgcaaaa tgtcgcaaaa 2640
 gcactcacgt gacagctaata acaggaccac tcccctatga cgtgatttac gtcagcgcta 2700
 tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc ggagctcctt 2760
 45 ccgcgtctga cgtcgatgga tccgcgactg aggggcaggc ccgcttgggc tcgcttttat 2820
 ccgcgtcatc gggggcgggt ctcttgttgg ctccaccctt tctgacgtag aactcatgcg 2880
 ccacctcggg cactgatcc tgcgcccagc ggaagaactc tttgacttcc tgctttgtca 2940
 50 ccttgccaaa gtcattgtcc agacggcggg tgagttcaaa tttgaacatc cggtcctgca 3000
 acggctgctg gtgctcgaag gtggtgctgt tccgctcaat cacggcgcac atgttggtgt 3060
 55 tggaagtgac gatcacgggg gtgggacga tctgggcgga agacttgac ttttgggtcca 3120

EP 1 310 571 B1

cgcgacacctt gctgccgccg agaatggcct tggcggactc cacgaccttg gccgtcatct 3180
tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga aagttctcat 3240
5 tgggccagtt gacgcagccg tagaaagggc gaattc 3276

<210> 39
10 <211> 3084
<212> DNA
<213> new AAV serotype, clone 43.1

<400> 39
15
20
25
30
35
40
45
50
55

EP 1 310 571 B1

gaattcgccc tttctacggc tgcatacaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
5 cgcgcaaggt cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
cccagatcga cccacacccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtctg 300
10 aactcacccg ccgtctggag cagcactttg gcaagggtgac caagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagtcttac gtcagaaagg 420
gcgagagccag caaaagaccc gcccccgatg acgcggatat aagcgagccc aagcgggcct 480
15 gccccttagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
aaacgtgcga gaaaatgaat cagaatttca acatttgctt cagcacggg gtcagagact 660
20 gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc 720
agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct 780
gcatctcgtt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca 840
25 ggtatggctg ccgatgggta tcttcagat tggcttgagg acaacctctc tgagggcatt 900
cgcgagtggg gggacctgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggg gcttctctggc tacaagtacc tcggaccctt caacggactc 1020
30 gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
35 caggccaaga agcgggttct cgaacctctc ggtctggtt aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc 1320
atcggcaaga aaggccacca gccgcgaga aagagactga actttgggca gactggcgac 1380
40 tcggagttag tccccgacct tcaaccaatc ggagaaccac cagcaggccc ctctgggtctg 1440
ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560

gtcatcacca ccagcaccgc aacctggggc ctgccacct acaacaacca tctctacaag 1620
 caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc 1680
 5 accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg 1740
 cagcgactca tcaacaataa ctggggatcc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggagggt cagcgagaat gaaggcacca agaccatcgc caataaccctt 1860
 10 accagcacga ttcagggtgtt tacggactcg gaataccagc tcccgtacgt ccccggtctt 1920
 gcgcaccagg gctgcctccc tccgttcccc gcggactgct tcatgattcc tcagtacggg 1980
 tatctgacct taaacaatgg cagtcagggt gtggggcgtt cctccttcta ctgcctggaa 2040
 15 tacttccctt ctcaaagtct gaggacgggc aacaactttg aattcagcta caccttcgag 2100
 gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaaccct 2160
 ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaagggt 2220
 20 actcagcaat tgtrattttc tcaagccggg cccgcaaaca tgtcggctca ggccaagaac 2280
 tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac 2340
 aacagcaatt ttgcttggac cggtgccacc aagtatcacc tgaatggcag agactccctg 2400
 25 gttaatcccc gcgttgccat ggctaccac aaggacgacg aggagcgctt cttcccgta 2460
 agcggagtcc taatgtttgg caagcagggg gctggaaaag acaatgtgga ctacagcagc 2520
 gtgatgctca ccagcgaaga agaaattaaa actactaacc cagtggctac agagcagtat 2580
 30 ggtgtggtgg cagacaacct gcagcagacc aacggagctc ccattgtggg aactgtcaac 2640
 agccaggggg ccttacctgg tatggtctgg caaaaccggg acgtgtacct gcagggcccc 2700
 atctggggcca aaattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
 35 tttggactga aacaccgccc tctcagatc ctggtgaaaa acactcctgt tctgcggat 2820
 cctccgacca ccttcagcca ggccaagctg gcttctttta tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaatcga atgggagctg cagaaagaaa acagcaagcg ctggaaccca 2940
 40 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
 gagggactct attcagagcc tcgcccatt ggcactcgtt atctcaccgc taatctgtaa 3060
 45 ttgcttggtta atcaataaac cggt 3084

<210> 40

<211> 2370

<212> DNA

<213> new AAV serotype, clone 43.5

<400> 40

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgac tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
5 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180

10

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg 300
 aactcaccgg cgtcttgagg cactgactttg gcaaggtgac caagcaggaa gtcaaagagt 360
 tcttccgctg ggcgaggat cactgacccg aggtggcgca tgagtcttac gtcagaaagg 420
 gcgaggccag caaaagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct 480
 gccccctagt cgcgatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagacgctg tttccctgca 600
 aaacgtgcga gagaatgaat cagaatttca acatttgctt cactcacggg gtcagagact 660
 gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc 720
 agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcgccct 780
 gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca 840
 ggtatggctg ccgatgggta tcttcagat tggtctgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacctgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 gacaaggggg agcccgtcaa cgcgggcgac gcagcgcccc tcgagcacga caaggcctac 1080
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc 1320
 atcggaaga aaggccacca gcccgcgaga aagagactga actttgggca gactggcgac 1380
 tcggagttag tccccgacct tcaaccaatc ggagaaccac cagcaggccc ctctggtctg 1440
 ggatctggtg caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
 gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
 gtcattacca ccagcaccgg aacctggggc ctgcccacct acaacaacca tctctacaag 1620
 caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc 1680
 accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg 1740
 cagcgactca tcaacaataa ctggggatcc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggaggt cactcagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcagggtgt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
 gcgcaccagg gctgcctccc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
 tatctgacct taaacaatgg cagtacggct gtgggcccgt cctccttcta ctgcctggaa 2040
 tacttccctt ctcaaatgct gaggacgggc aacaactttg aattcagcta caccttcgag 2100

EP 1 310 571 B1

5	ctcatcgacc	agtacctgta	ttactttatcc	agaactcaggt	ccacaggagg	aactcaagggt	2220
	actcagcaat	tgttatttttc	tcaagccggg	cccgcaaaca	tgttyggctca	ggccaagAAC	2280
	tgggtacctg	gaccgtgtta	ccgtcagcaa	cgagtttcca	cgacactgtc	gcaaaacaac	2340
10	aacagcaatt	ttgctggacc	ggtgccacca				2370

<210> 41

<211> 3123

<212> DNA

<213> new AAV serotype, clone 43.12

<400> 41

EP 1 310 571 B1

gaattcgccc ttggctgcgt caactggacc aatgagaact tccccttcaa cgattgcgtc 60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc 120
5 aaggccattc tcggcggcag caagggtgcg gtggacaaa agtgcaagtc gtccgccag 180
atcgacccca ccccgatgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
aaCagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa gttcgaactc 300
10 accgcccgtc tggagcacga ctttggcaag gtgaccaagc aggaagtcaa agagttcttc 360
cgctggggcg aggatcacgt gaccgaggtg gcgcataagt tctacgtcag aaagggcgga 420
gccagcaaaa gaccgcgcc c gatgacgcg gatataagcg agcccaagcg ggcctgcccc 480
15 tcagtccgcy atccatcgac gtcagacgcg gaaggagctc cgggtggactt tgccgacagg 540
taccaaaaca aatgttctcg tcacgcgggc atgtctcaga tctgttttc ctgcaaaacg 600
tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggggtcag agactgctca 660
20 gaatgttttc ccggtgcatc agaattctcaa ccggtcgtca gaaaaaaaaac gtatcagaaa 720
ctgtgtgcca ttcacatct gctggggcgg gcacccgaga ttgcttgctc ggcctgcat 780
ctggtcaacg tggacctgga cgactgtgtt tctgagcaat aaatgactta aaccaggat 840
25 ggctgccgat ggttatcttc cagattggct tgaggacaac ctctctgagg gcattccgga 900
gtggtgggac ctgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960
cggccgggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020
30 gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cagacaagg cctacgacca 1080
gcagctcaaa gcgggtgaca atccgtacct gcggtataac cagcgcgacg ccgagtttca 1140
ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc 1200
35 caagaagcgg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcttg 1260
aaagaagaga ccggtagagc catcacctca gcgttcccc gactcctcca cgggcatcgg 1320
caagaaaggc caccagcccg cgagaaagag actgaacttt gggcagactg gcgactcgga 1380
40 gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc 1440

45

50

55

EP 1 310 571 B1

	tggtacaatg gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg	1500
5	agtgggtagt tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac	1560
	caccaccagc acccgaacct gggccctgcc cacctacaac aaccatctct acaagcaaat	1620
	ctccaacggg acatcgggag gaagcactaa cgacaacacc tactttggct acagcacccc	1680
10	ctggggggtat ttgacttca acagattcca ctgccacttc tcaccacgtg actggcagcg	1740
	actcatcaac aataactggg gattccggcc caagagactc aacttcaagc tcttcaacat	1800
	ccagggtcaag gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag	1860
15	cacgattcag gtgtttacgg actcgggaata ccagctcccg tacgtcctcg gctctgcgca	1920
	ccagggtcgc ctccctccgt tccggcgga cgtcttcacg attcctcagt acgggtatct	1980
	gaccctaaac aatggcagtc aggtgtggg cgttccctcc ttctactgcc tggaaatactt	2040
20	cccttctcaa atgctgagga cgggcaacaa ctttgaattc agctacacct tcgaggacgt	2100
	gcctttccac agcagctacg cgcacagcca gagcctggac cggctgatga accctctcat	2160
	cgaccagtac ctgtattact tatccagaac tcagtccaca ggaggaactc aaggtaactca	2220
25	gcaattgtta ttttctcaag cggggcccg c aaacatgtcg gctcaggcca agaactggct	2280
	acctggaccg tgttaccgtc agcaacgagt ttccacgaca ctgtcgcaaa acaacaacag	2340
	caattttgct tggaccgggtg ccaccaagta tcacctgaat ggcagagact ccctggttaa	2400
30	tcccgcgctt gccatggcta cccacaagga cgacgaggag cgcttcttcc cgtcaagcgg	2460
	agtttcaatg ttgggcaagc agggggctgg aaaagacaat gtggactaca gcagcgtgat	2520
	gctcaccagc gaagaagaaa ttaaaactac taaccctagt gctacagagc agtatggtgt	2580
35	ggtggcagac aacctgcagc agaccaacgg agctcccat gtgggaactg tcaacagcca	2640
	gggggcctta cctggtatgg tctggcaaaa cggggacgtg tacctgcagg gccccatctg	2700
	ggcaaaaatt cctcacacgg acggcaactt tcctccttcg ccgctgatgg gaggetttgg	2760
40	actgaaacac ccgcctctc agatcctggg gaaaaaact cctgttcctg cggatcctcc	2820
	gaccaccttc agccaggcca agctggcttc ttttatcacg cagtacagca ccggacaggt	2880
	cagcgtggaa atcgaatggg agctgcagaa agaaaacagc aagcgtgga acccagagat	2940
45	tcagtatact tccaactact acaaatctac aaatgtggac ttgctgtca atactgaggg	3000
	tacttattea gagcctcgcc ccattggcac tcgttatctc acccgtaac tgtaattgct	3060
	tgtaaatcaa taaaccgggt aattcgtttc agttgaactt tggctctgc gaagggcgaa	3120
50	ttc	3123

<210> 42

<211> 3122

<212> DNA

55 <213> new AAV serotype, clone 43.20

<400> 42

EP 1 310 571 B1

gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gctgcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
5 cgcgaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180
cccagatcga tccccacccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag cgccaccttc gagcaccagc agcgtgtgca ggaccggatg ttcaaatttg 300
10 aactcaccgg ccgtctggag catgactttg gcaagggtgac gaagcaggaa gtcaaagagt 360
tcttcgcgtg ggcgcaggat cacgtgaccg aggtggcgca tgagtccac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct 480
15 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccgggtg gactttgccg 540
acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg ttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgett cagcacggg accagagact 660
20 gttcagaatg ttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc 720
ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
25 ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
30 gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaagcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctcggtg ataatcacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagactggt agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320
ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380
40 gagtcagtcc ccgaccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440
cctaatacaa tggttcagg cgggtggcgt ccaatggcag acaataacga aggcgccgac 1500
ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc 1560
45 atcaccacca gcaccgaac ctgggccttg ccacacctaca acaaccacct ctacaagcaa 1620
atctccaacg gcacctcggg aggaagcacc aacgacaaca cctatttttg ctacagcacc 1680
ccctgggggt attttgactt caacagattc cactgtcact ttccaccag tgactggcaa 1740
50 cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac 1800
atccaggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgcaa taatctcacc 1860
agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct 1920

55

EP 1 310 571 B1

5 caccagggat gtctgcctcc gttcccggcg gacgttttca cggttctctca gtacggctat 1980
 ttaacttttaa acaatggaag ccaagccctg ggacgttctt ccttctactg tctggagtat 2040
 10 tteccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcgaggac 2100
 gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatccctc 2160
 atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag 2220
 15 actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg 2280
 cccggacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc 2340
 aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat 2400
 20 ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg 2460
 gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgcgtg 2520
 attacagatg aggaagaaat caaggctacc aaccccgtag ccacagaaga atatggagca 2580
 25 gtggccatca acaaccaggc cgccaatacg caggcgcaga ccggactcgt gcacaaccag 2640
 ggggtgatcc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg 2700
 gccaaaattc ctacacagga cggcaacttt caccgcgtct ccctgatggg cggcttttggg 2760
 30 ctgaagcacc cgcctcttca aattctctatc aagaacacac cggttccagc ggaccgcgcg 2820
 cttaccttca accaggccaa gctgaactct ttcacacgc agtacagcac cggacaggctc 2880
 agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt 2940
 caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggaagga 3000
 35 gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat 3060
 gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaaat 3120
 tc 3122

<210> 43

<211> 3117

<212> DNA

<213> new AAV serotype, clone 43.21

<400> 43

45 gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
 gacaagatgg tgatctgggt ggaggagggc aagatgacgg ccaaggctgt ggagtccgcc 120
 50 aaggccattc tcggcggcag caaggctgct gtggaccaa agtgcaagtc ttccgcccag 180
 atcgatccca ccccgctgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
 aacagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa atttgaaactc 300
 55 accgcgcgtc tggagcatga ctttggcaag gtgacgaagc aggaagtcaa agagtcttctc 360
 cgctgggcgc aggatcacgt gaccgaggtg gcgcatgagt tccacgtcag aaagggtgga 420

5 gccaacaaga gacccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc 480
 tcagtcgchg atccatcgac gtcagacgcg gaaggagctc cggaggactt tgccgacagg 540
 10 taccaaaaca aatgttctcg tcacgchggc atgcttcaga tgctgtttcc ctgcaagaca 600
 tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggaccag agactgttca 660
 gaatgtttcc ccggcggtgc agaattctca ccggctcgta gaaagaggac gtatcggaaa 720
 15 ctctgtgcga ttcattctct gctggggcgg gctcccgaga ttgcttgctc ggcctgcat 780
 ctgggtcaacg tggacctgga tgactgtgtt tctgagcaat aaatgactta aaccagggtat 840
 ggctgccgat ggttatcttc cagattggct cgaggacaac ctctctgagg gcattcgca 900
 20 gtgggtgggac ttgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960
 cggccggggt ctgggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020
 gggggagccc gtcaacgchg cggacgcagc ggccctcgag cagacaaaag cctacgacca 1080
 25 gcagctcaaa gcgggtgaca atccgtacct gcggtataat cagccgacg ccgagtttca 1140
 ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttcaggc 1200
 caagaagchg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcctgg 1260
 aaagaagaga ccggtagagc agtcgccaca agagccagac tcctcctcgg gcacgggcaa 1320
 30 gacaggccag cagcccgcta aaaagagact caattttggt cagactggcg actcagagtc 1380
 agtccccgac ccacaacctc tcggagaacc tccagcagcc ccctcaggtc tgggacctaa 1440
 tacaatggct tcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt 1500
 gggtaattcc tcgggaaatt ggcattgcga ttccacatgg ctgggggaca gagtcatcac 1560
 35 caccagcacc cgaacctggg ccctgcccac ctacaacaac cacctctaca agcaaatctc 1620
 caacggcacc tcgggaggaa gcaccaacga caaacctat tttgggtaca gcacccctg 1680
 ggggtatatt gacttcaaca gattccactg tcacttttca ccacgtgact ggcaacgact 1740
 40 catcaacaac aattggggat tccggcccaa aagactcaac ttcaagctgt tcaacatcca 1800
 ggtcaaggaa gtcacgacga acgaaggcac caagaccatc gccataatc tcaccagcac 1860
 cgtgcgggtc tttacggact cggagtacca gttaccgtac gtgctaggat ccgctcacca 1920
 45 gggatgtctg cctccgttcc cggcgagcgt ctcatggtt cctcagtacg gctatttaac 1980
 tttaaacaat ggaagccaag ccctgggacg ttcctccttc tactgtctgg agtatttccc 2040
 atcgagatg ctgagaaccg gcaacaactt tcagttcagc tacaccttcg aggacgtgcc 2100
 50 tttccacagc agctacgch acagccagag cctggacagg ctgatgaatc ccctcatcga 2160
 ccagtacctg tactacctgg tcagaacgca aacgactgga actggaggga cgcagactct 2220
 ggcattcagc caagcgggtc ctagctcaat ggccaaccag gctagaaatt ggggtgcccg 2280
 55 accttgetac cggcagcagc gcgtctccac gacaaccaac cagagcaaca acagcaactt 2340

EP 1 310 571 B1

	tgcttggaag ggagctgcca agtttaagct gaacggccga gactctctaa tgaatccggg	2400
	cgtggcaatg gcttcccaca aggatgacga cgaccgcttc ttcccttcga gcgggggtcct	2460
5	gattttttggc aagcaaggag ccgggaacga tggagtggat tacagccaag tgctgattac	2520
	agatgaggaa gaaatcaagg ctaccaaccc cgtggccaca gaagaatatg gagcagtggc	2580
10	catcaacaac caggccgcca atacgcaggc gcagaccgga ctctgtcaca accaggggggt	2640
	gattcccggc atggtgtggc agaatagaga cgtgtacctg caggggtccca tctgggccaa	2700
	aattcctcac acggacggca actttcaccc gtctcccttg atgggcgggt ttggactgaa	2760
15	gcacccgcct cctcaaattc tcatcaagaa cacaccggtt ccagcggacc cgccgcttac	2820
	cttcaaccag gccaaagtga actctttcat cagcagttac agcaccggac aggtcagcgt	2880
	ggaaatcgag tgggagctgc agaaagaaaa cagcaaacgc tggaatccag agattcaata	2940
20	cacttccaac tactacaaat ctacaaatgt ggactttgct gtcaacacgg aaggagttaa	3000
	tagcgagcct cgccccattg gcaccggtta cctcaccgc aacctgtaat tacatgttaa	3060
	tcaataaacc ggtaattcg tttcagttga actttgggtct ctgcgaaggg cgaattc	3117

<210> 44
 <211> 3121
 <212> DNA
 <213> new AAV serotype, clone 43.23
 <400> 44

EP 1 310 571 B1

	gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg	60
	cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc	120
5	cgccaaggcc attctcggcg gcagcaaggt gcgtgtggac caaaagtga agtcttccgc	180
	ccagatcgat cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga	240
	cgggaaacagc accaccttcg agcaccagca gccgttgag, gaccggatgt tcaaatttga	300
10	actcaccgc cgctctggagc atgacttttg caaggtgacg aagcaggaag tcaaagagtt	360
	cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttccacg tcagaaaggg	420
	tggcgccaac aagagacccg ccccgatga cgcggatata agtcgagcca agcgggcctg	480
15	cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga	540
	caggtagcaa aacaaatgtt ctcgtcacgc gggcatgctt cagatgctgt ttccctgcaa	600
	gacatgcgag agaatgaatc agaatttcaa catttgcttc acgcacggga ccagagactg	660
20	ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg	720
	gaaactctgt gcgattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg	780
	cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag	840
25	gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc	900
	gcgagtgggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg	960

30

35

40

45

50

55

EP 1 310 571 B1

acgacggccg gggctctggtg cttcctgggt acaagtacct cggacccttc aacggactcg 1020
acaaggggga gcccgtaac gcggcggacg cagcggccct cgagcacgac aaagcctacg 1080
5 accagcagct caaagcgggt gacaatccgt acctgcggta taatcacgcc gacgccgagt 1140
ttcaggagcg tctgcaagaa gatacgtcct ttgggggcaa cctcgggcca gcagtcttcc 1200
aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 1260
10 ctggaaagaa gagaccggta gagcagtcgc cacaagagcc agactcctcc tcgggcatcg 1320
gcaagcacag ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 1380
agtcagtccc cgaccacaa cctctcggag aacctccagc agccccctca ggtctgggac 1440
15 ctaatacaat ggcttcaggc ggtggcgctc caatggcaga caataacgaa ggcgccgacg 1500
gagtgggtaa ttcctcggga aattggcatt gcgattccac atggctgggg gacagagtca 1560
tcaccaccag caccgaacc tgggccctgc ccacctacaa caaccacctc tacaagcaaa 1620
20 tctccaacgg cacctcggga ggaagcacca acgacaacac ctattttggc tacagcacco 1680
cctgggggta ttttgacttc aacagattcc actgtcaactt ttcaccacgt gactggcaac 1740
gactcatcaa caacaattgg ggattccggc ccaaagact caacttcaag ctgttcaaca 1800
25 tccagggtcaa ggaagtcacg acgaacgaag gcaccaagac catcgccaat aatctcacca 1860
gcaccgtgca ggtctttacg gacttggagt accagttacc gtacgtgcta ggatccgctc 1920
accagggatg tctgcctccg ttcccgccgg acgtcttcat ggttcctcag tacggctatt 1980
30 taactttaaa caatggaagc caagccctgg gacgttcctc cttctactgt ctggagtatt 2040
tcccatcgca gatgcgaga accggcaaca actttcagtt cagctacacc ttcgaggacg 2100
tgccctttcca cagcagctac gcgcacagcc agagcctgga caggctgatg aatccccctca 2160
35 tcgaccagta cctgtactac ctggtcagaa cgcaaacgac tggaactgga gggacgcaga 2220
ctctggcatt cagccaagcg ggtcctagct caatggccaa ccaggctaga aattgggtgc 2280
ccggaccttg ctaccggcag cagcgcgtct ccacgacaac caaccagaac aacaacagca 2340
40 actttgcctg gacgggagct gccaaagtta agctgaacgg ccgagactct ctaatgaatc 2400
cgggcgtggc aatggcttcc cacaaggatg acgacgaccg cttcttccct tcgagcgggg 2460
tcctgatttt tggcaagcaa ggagccggga acgatggagt ggattacagc caagtgcctga 2520
45 ttacagatga ggaagaaatc aaggctacca acccgtggc cacagaagaa tatggagcag 2580
tggccatcaa caaccaggcc gccaatacgc aggcgcagac cggactcgtg cacaaccagg 2640
gggtgattcc cggcatggtg tggcagaata gagacgtgta cctgcagggc cccatctggg 2700
50 ccaaaattcc tcacacggac ggcaactttc acccgtctcc cctgatgggc ggctttggac 2760
tgaagcaccg gcctcctcaa attctcatca agaacacacc ggttccagcg gacccgccgc 2820
55 ttaccttcaa ccaggccaag ctgaactctt tcatcacgca gtacagcacc ggacagggtca 2880

EP 1 310 571 B1

gcgtggaaat cgagtgggag ctgcagaaag aaaacagcaa acgctggaat ccagagattc 2940
aatacacttc caactactac aaatctacaa atgtggactt tgctgtcaac acggaaggag 3000
5 tttatagcga gcctcgcccc attggcaccg gttacctcac ccgcaacctg taattacatg 3060
ttaatcaata aaccgggttaa ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120
c 3121

10
<210> 45
<211> 3122
<212> DNA
<213> new AAV serotype, clone 43.25

15
<400> 45

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
20 gcgtcgacaa gatggtgata tgggtgggag agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180
cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
25 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg 300
aactcaccgc ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagggt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtccac gtgcgagccc 420
30 aagcgggcct gccctcagt cgcggatcca tcgacgtcag accagaaagg gtggagccaa 480
caagagaccg gcccccgatg acgcggatat aagcgaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
35 agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcgccct 780
40 gcgatctggt caactgggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
45 gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcgagc gcagcggccc tcgagcacga caaagcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgagggt ataatcacgc cgacgccgag 1140
50 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcctc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggg agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320
55 ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380
gagtcagtc ccgaccacaa acctctcgga gaacctccag cagccccctc aggtctggga 1440

EP 1 310 571 B1

	cctaatacaa tggcttcagg cgggtggcgct ccaatggcag acaataacga aggcgcccag	1500
	ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc	1560
5	atcaccacca gcacccgaac ctggggccctg cccacctaca acaaccacct ctacaagcaa	1620
	atctccaacg gcacctcggg aggaagcacc aacgacaaca cctatttttg ctacagcacc	1680
10	ccctgggggt attttgactt caacagattc cactgtcact tttcaccacg tgactggcaa	1740
	cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac	1800
	atccagggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc	1860
15	agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct	1920
	caccagggat gtctgcctcc gttcccgggc gacgtcttca tggttcctca gtacggctat	1980
	ttaactttaa acaatggaag ccaagccctg ggacgttct ccttctactg tctggagtat	2040
20	ttcccatcgc agatgttgag aaccggcaac aactttcagt tcagctacac cttcgaggac	2100
	gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggtgat gaatccccctc	2160
	atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag	2220
25	actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg	2280
	cccggaacctt gctaccggca gcagcgctc tccacgacaa ccaaccagaa caacaacagc	2340
	aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat	2400
30	ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg	2460
	gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgtg	2520
	attacagatg aggaagaaat caaggctacc aaccccggtg ccacagaaga atatggagca	2580
35	gtggccatca acaaccagge cgccaatacg caggcgaga ccggactcgt gcacaaccag	2640
	ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg	2700
	gccaaaattc ctcacacgga cggcaacttt caccgctctc ccctgatggg cggttttggg	2760
40	ctgaagcacc cgcctctca aattctcatc aagaacacac cggttccagc ggacccgccg	2820
	cttaccttca accaggccaa gctgaactct ttcatcacgc agtacagcac cggacaggtc	2880
	agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt	2940
45	caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggagggg	3000
	gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat	3060
	gttaatcaat aaaccggtta attcgttca gttgaacttt ggtctctgcg aagggcgaat	3120
50	tc	3122

<210> 46

<211> 3128

<212> DNA

<213> new AAV serotype, clone 44.1

<400> 46

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgctcgacaa gatgttgatc tgggtgggagg agggcaagat gatggccaag gtcgtggagt 120
5 ccgccaaggc cattctcggc ggcagcaaag tgcgctgga ccaaaagtgc aagccgtccg 180
cccagatcga cccacacccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgcg ggaccggatg ttcaagtctg 300
10 aactcaccgc ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt 360
tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
15 gcccctcagt cgcggtacca tcgacgtcag acgcgggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg. cgggcatgct tcagatgctg tttccctgca 600
aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
20 gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaaa aagacgtatc 720
ggaaactctg tgcgattcat catctgctgg ggccggcacc cgagattgct tgctcggcct 780
gcgatctggg caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca 840
25 ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggg gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
30 gacaaggggg agcccgtaaa cgcgccggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggg agagccatca cccagcgtt ctccagactc ctctacgggc 1320
atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
40 tcagagttag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcgtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
45 gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag 1620
caaattctca acgggacttc gggaggaagc accaacgaca acacctactt cggtacagc 1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
50 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggc cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtagct cctcggctct 1920
55

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35

gcgcaccagg gctgcctgcc tccgttcccc ggggacgtct tcatgattcc tcagtacggg 1980
 tacctgactc tgaacaatgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040
 tacttttcett ctcaaagtct gagaacgggc aacaactttg agttcagcta ccagttctgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 ctcacgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 actcagcagt tgctattttc tcaggccggg cctaataaca tgcgggtca ggccaaaaac 2280
 tggctaccgg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaaatac 2340
 aacagcaact gtaaatcccc gtgtcgctat ggcaaccac aaggacgac aagagcgatt 2400
 ttgcctggac cggtgccacc aagtatcatc tgaatggcag agactctctg tttccgtcc 2460
 agcggagctct taatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagttagga agaaattaaa accaccaacc cagtggccac ggaacagtac 2580
 ggcgtaggtg ccgataacct gcaacagcaa aacgccgtc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 atctgggcca agattcctca caccgacgga aactttcatc cctcgccgt gatgggaggc 2760
 tttggactga aacaccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 cctccaacta ccttcagtca agctaagctg gcgtcggtca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccca 2940
 gagattcaat acacttccaa ctactacaaa tctacaaatg tggacttcgc tgttaacaca 3000
 gatggcactt attctgagcc tcgccccatt ggcaccggtt acctcaccg taatctgtaa 3060
 ttgctcgta atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg 3120
 gcgaattc 3128

<210> 47

<211> 3128

<212> DNA

<213> new AAV serotype, clone 44.5

<400> 47

45
 50
 55

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgac tggtagggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaaa tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 cccagatcga ccccaacccc gtgacgtc cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300
 aactcaccgg ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcagagagt 360
 tcttcgctg ggcgaggat cagtgaccg aggtggcgca cgagttctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcagagcc aagcgggcct 480

EP 1 310 571 B1

	gccccctcagt cgcggtacca tcgacgtcag acgcggaagg agctccggtg gactttgccg	540
	acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
5	aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact	660
	gttcagaatg tttccccggc gtgtcagaat ctcaaccggg tgtcagaaaa aagacgtatc	720
10	ggaaactctg tgcgattcat catctgctgg ggccggcacc cgagattgct tgctcggcct	780
	gcgatctggg caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca	840
	ggatatggctg ccgatgggta tttccagat tggtctgagg acaacctctc tgagggcatt	900
15	cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
	gacgacggcc ggggtctggg gcttccctggc tacaagtacc tcggaccctt caacggactc	1020
	gacaaggggg agcccgtaaa cgcgcgggac gcagcggccc tcgagcacga caaggcctac	1080
20	gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag	1140
	tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
25	cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc	1320
	atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac	1380
	tcagagtcag tgcccgaacc tcaaccaatc ggagaacccc ccgcaggccc ctctgggtctg	1440
30	ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc	1500
	gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga	1560
	gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag	1620
35	caaattctcca acgggacttc gggaggaagc accaacgaca acacctactt cggctacagc	1680
	acccctctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg	1740
	cagcgactca tcaacaacaa ctggggattc cggcccaaga gacccaactt caagctcttc	1800
40	aacatccagg tcaaggaggc cagcgagaat gaaggcacca agaccatcgc caataacctt	1860
	accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtagct cctcggctct	1920
	gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg	1980
45	tacctgactc tgaacaatgg cagtcaggcc gtggggcgtt cctccttcta ctgcctggag	2040
	tactttcctt ctcaaagtct gagaacgggc aacaactttg agttcagcta ccagtgtgag	2100
	gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc	2160
50	ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga	2220
	actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac	2280
	tggtaccgg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac	2340
55	aacagcaact ttgcctggac cgggtgccacc aagtatcatc tgaatggcag agactctctg	2400

EP 1 310 571 B1

gtaaatcccg gtgtcgctat ggcaaccac aaggacgacg aagagcgatt tttccgtcc 2460
 agcggagtct taatgtttgg gaaacagggg gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagtgaagg agaaattaaa accaccaacc cagtggccac agaacagtac 2580
 ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggcgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggctct 2700
 atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggg 2760
 tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 cctccaacta ccttcagtca agctaagctg gcgtcggtca tcacgcagta cagcacccga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccga 2940
 gagattcaat acacttccaa ctactacaaa tctacaaatg tggactttgc tgttaacaca 3000
 gatggcactt attctgagcc tcgccccatt ggcaccggtt acctcaccgg taatctgtaa 3060
 ttgcttggtta atcaataaac cggttgattc gtttcagttg aactttgggc tctgcgaagg 3120
 gcgaattc 3128

<210> 48
 <211> 1933
 <212> DNA
 <213> new AAV serotype, clone 223.10
 <220>
 <221> misc_feature
 <222> (1302)..(1302)
 <223> can be a, c, g or t
 <400> 48

EP 1 310 571 B1

	caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc	60
	cgacgccgag ttccaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg	120
5	agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc	180
	taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcacatcg	240
	caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga	300
10	gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc	360
	tggtaaatg gctgcaggcg gtggcgccacc aatggctgac aataacgagg gcgccgacgg	420
	agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac	480
15	caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat	540
	ctccagtcat tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg	600
	ggggtatctt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact	660
20	tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca	720
	ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac	780
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

5 gggttcagggtc ttttcggact cggaatatca actgccgtac gtccctcggt cccgcgcacca 840
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gataacctgac 900
 tctgaacaat ggcagccaat cggtaggccg ttccctccttc tactgcctgg agtactttcc 960
 ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020
 10 tttccacagc agctacggc acagccagag tctggaccgg ctgatgaatc cctccatcga 1080
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
 ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
 gcccggacct tgcttcggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 15 caactttgcc tggactggg ccacaaaata ccatttaaatt gnaagaaatt cattgggttaa 1320
 tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
 agtcttaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 20 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
 aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
 25 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
 agtgtttact cctgccaaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 30 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
 ttactctgag cct 1933
 35

<210> 49

<211> 1933

<212> DNA

40 <213> new AAV serotype, clone 223.2

<400> 49

45

50

55

EP 1 310 571 B1

	caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc	60
	cgacgccgag tttcaggagt gtcttcaaga agatacgtct tttgggggca acctcgggcg	120
5	agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc	180
	taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg	240
	caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga	300
10	gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggac	360
	tgggtacaatg gttgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg	420
	agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac	480
15	caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat	540

20

25

30

35

40

45

50

55

EP 1 310 571 B1

ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg 600
 5 ggggtatatt gacttcaaca gattccattg ccactttctca ccacgtgact ggcagcgact 660
 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
 ggtcaaggag gtcacgacga atgacgggtg cacaaccatc gctaataacc ttaccagcac 780
 10 ggttcagggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
 tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
 15 ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020
 tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagtg ctggcaatcg 1140
 20 ggaactgcag ttttatcagg gcgacccac caccatggcc gaacaagcaa agaactggct 1200
 gcccggaact tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 caactttgcc tggactgggtg ccacaaaata ccatttaaatt ggaagaaatt cattggttaa 1320
 25 tccccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttctccc cttcgagcgg 1380
 agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
 30 aagcagcaac ttgcaggcgg ctgacccgc agcccagaca caagtgttta acaaccaggg 1560
 agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaagggtc ccatttgggc 1620
 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 35 gaaacacccg cctccccaga tcctgatcaa aaacacgccg gtacctgcta atcctccaga 1740
 agtggttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 40 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccaggggtg 1920
 ttactctgag cct 1933

<210> 50

<211> 1933

<212> DNA

<213> new AAV serotype, clone 223.4

<400> 50

EP 1 310 571 B1

	caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc	60
	cgacgccgag ttccaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg	120
5	agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc	180
	taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg	240
	caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga	300
10		
	gccagtcccc gacctcaac caatcggaga accaccagca ggccccctctg gtctgggatac	360
	tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg	420
15	agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac	480
	caccaccagc acccgaacct .gggccccggc cacctacaac aaccacctct acaagcaa	540
	ctccagtacg tcagcaggga gcaccaacga taacgtctat ttcgggtaca gcacccccctg	600
20	gggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact	660
	tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca	720
	ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac	780
25	ggttcaggte ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca	840
	gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtagc gatacctgac	900
	tctgaacaat ggcagccaat cggtagggcg ttcctccttc tactgcctgg agtactttcc	960
30	ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc	1020
	ttccacagc agctacgagc acagccagag tctggggccgg ctgatgaatc ccctcatcga	1080
	ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagct ctggcaatcg	1140
35	ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct	1200
	gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag	1260
	caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattgggttaa	1320
40	tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg	1380
	agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat	1440
	gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt	1500
45	aagcagcaac ttgcaggcg ctagcaccgc agcccagaca caagttgtta acaaccaggg	1560
	agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaaggte ccatttgggc	1620
	caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact	1680
50	gaaacacccg cctccccaga tctgatcaa aaacacaccg gtacctgcta atcctccaga	1740
	agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag	1800
	cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca	1860
55	gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccaggggtg	1920
	ttactctgag cct	1933

EP 1 310 571 B1

<210> 51
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.5

<400> 51

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc` 60

EP 1 310 571 B1

cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctegggcg 120
 agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
 5 taagacggca cctggaaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
 caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
 gccagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc 360
 10 tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg 420
 agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac 480
 caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540
 15 ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg 600
 ggggtatttt gacttcaaca gattccattg ccactttctc ccacgtgact ggcagcgact 660
 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
 20 ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
 ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
 25 tctgaacaat ggcagccaat cggtaggccg ttctctcttc tactgcctgg agtactttcc 960
 ttctcagatg ctgagaacgg gcaacaactt cacccttagc tacaccttcg aggacgtgcc 1020
 tttccacagc agctacgcgc acagccagag tctgggcccgg ctgatgaatc cctcatcga 1080
 30 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagtg ctggcaatcg 1140
 ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
 gcccgacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 35 caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt catttggttaa 1320
 tcccggtgtc gccatggcaa ccacaaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
 agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 40 gacaaatgaa gaagaaattc gtctaccaa cccggtagct accgaggaat acgggattgt 1500
 aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
 45 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 gaaaaccccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
 agtgtttact cctgccaaat ttgcttctt catcacgcag tacagcaccg ggcaagtcag 1800
 50 cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
 55 ttactctgag cct 1933

EP 1 310 571 B1

<211> 1933

<212> DNA

<213> new AAV serotype, clone 223.6

<400> 52

5	caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc	60
	cgacgccgag ttccaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg	120
10	agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgc-cagc	180
	taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg	240
15	caagaaaggc cagcagcccc cgaaaaagag actcaacttt gggcagactg gcgactcaga	300
	gtcagtcccc gacctcaac caatcggaga accaccagca gggccctctg gtctgggac	360
	tggtacaatg gctgcaggcg gtggcgaccc aatggctgac aatagcgagg gcgccgacgg	420
20	agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac	480
	caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat	540
	ctccagttag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg	600
25	ggggatattt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact	660
	tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca	720
	ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac	780
30	ggttcaggtc ttttcggact cggaatatca actgccgtac gtccctcggct ccgcgcacca	840
	gggtgccttg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac	900
	tctgaacaat ggcagccaat cggtaggcgg ttcctccttc tactgcctgg agtactttcc	960
35	ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc	1020
	tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga	1080
	ccagtacctg tactacttgg ccagaacaca gagcaacgca ggagggtactg ctggcaatcg	1140
40	ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct	1200
	gcccggacct tgcttcggc aacagagagt atccaagacg ctggatcaaa ataacaacag	1260
	caactttgcc tggactggtg ccacaaaata ccatttaaatt ggaagaaatt cattgggttaa	1320
45	tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg	1380
	agtctctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat	1440
	gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt	1500
50	aagcagcaac ttgcaggcgg ctagcaccgc agccagaca caagttgtta acaaccaggg	1560
	agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggct ccatttgggc	1620
	caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact	1680
55	gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga	1740

EP 1 310 571 B1

5 agtgtttact cctgccaagc ttgcttcctt catcacgcag tacagcaccc ggcaagtcag 1800
 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtaçacctcc aactttgaca aacagactgg agtggaacttt gctgttgaca gccaggggtgt 1920
 ttactctgag cct 1933

10 <210> 53
 <211> 1933
 <212> DNA
 <213> new AAV serotype, clone 223.7

15 <400> 53

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc 60
 cgacgccgag tttcaggagc gtcttcaaga agatacgtct ttggggggca acctcgggcg 120
 20 agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
 taagacggca cctggaaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
 caagaaaggc cagcagcccc cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
 25 gtcagtcccc gacctcaac caatcgga accaccagca ggccccctct gtctggggtc 360
 tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg 420
 agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac 480
 30 caccaccagc acccgaacct gggccccgcc cactctacaac aaccacctct acaagcaaat 540
 ctccagtcag tcagcagggg gcaccaacga taacgtctat ttgggtaca gcacccccctg 600
 ggggtatttt gacttcaaca gattccattg ccactttctca ccacgtgact ggcagcgact 660
 35 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
 ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
 ggttcaggtc ttttcggacc cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
 40 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
 tctgaacaat ggcagccaat cggtaggcg ttctccttc tactgcctgg agtactttcc 960
 ttctcagatg ctgagaacgg gcaacaactt cacttttagc tacaccttcg aggacgtgcc 1020
 45 tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc cctcatcga 1080
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagtg ctggcaatcg 1140
 ggaactgcag ttttatcagg gcggaacctac caccatggcc gaacaagcaa agaactggct 1200
 50 gcccggaact tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattgggttaa 1320
 tcccgggtgc gccatggcaa ccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
 55 agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500

EP 1 310 571 B1

aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcattggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
 5 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
 agtgtttact cctgccaaaga ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 10 cgttgagatc gagggtggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
 ttactctgag cct 1933

<210> 54

<211> 3123

<212> DNA

<213> new AAV serotype, clone A3.4

<400> 54

gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60
 25 gcgtcgacaa gatggtgac tgggtgggagg agggaaagat gaccgccaag gtcgtggaat 120
 ctgccaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180
 cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240
 30 acggaaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatctg 300
 aacttacccg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaaagact 360
 ttttccgggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420
 35 gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggagc 480
 gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcgggca 540
 ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac 600
 40 aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660
 tggaatgctt tcccggtgca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga 720
 aactttgtta cattcatcat atcatgggaa aagaaccaga cgctgcact gcctgcgacc 780
 45 tggtaaatgt ggacttggat gactgtatct ctgagcaata aatgacttaa atcaggtatg 840
 gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900
 tgggtggaag tcaaacctgg cccaccaccg ccgaaacctc accaacaaca ccgggacgac 960
 50 agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa 1020
 ggagagccgg tcaacgaggc agacgccgag gccctcgagc acgacaaagc ctacgaccac 1080
 cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggagc tgaatttcag 1140
 55 gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200
 aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcgaa 1320
 tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380
 gtccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaata 1440
 acaatggctt caggcggttg ggcaccaatg gcagacgata acgaaggcgc cgacggagtg 1500
 ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc 1560
 accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc 1620
 agcgaatcgg gagccaccaaa cgacaaccac tacttcgggt acagcaccac ctgggggtat 1680
 tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac 1740
 aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
 gaggtcacgc agaattgatg aaccacgacc atcgccaata accttaccag cagggtgcag 1860
 gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggtca ccagggtgc 1920
 cttccgcgt tcccagcaga cgtcttcagt attcctcagt acggctactt gactctgaac 1980
 aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
 atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
 agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
 ctgtattacc tgagcaaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag 2220
 ttcagccaag ctgggcctag ctccatgggt cagcaggcca aaaactggct accgggaccc 2280
 agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
 tggactgcag ccaccaaata ttacctgaat ggaagaaatt ctctggtcaa tcccgggccc 2400
 ccaatggcca gtcacaagga cgatgaggaa aagtattttc ccatgcacgg aaatctcatc 2460
 tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtc tattacagac 2520
 gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
 aaccatcaga gtcaggacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
 cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
 cctcacacgg acggacactt tcatccttct ccgctcatgg gaggttttg actgaaacac 2760
 cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc 2820
 actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
 atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc 2940
 tccaactaca acaagtcggt gaatgtggag ttaccgtgg acgcaaacgg tgtttattct 3000
 gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgtaaatgaa 3060
 taaaccgatt tatgcgttcc agttgaactt tggctctctc gaaggcgaa ttcgcggccg 3120
 cta 3123

<210> 55

<211> 3113

EP 1 310 571 B1

<212> DNA

<213> new AAV serotype, clone A3.5

<400> 55

5	gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgata tgggtgggagg agggaaagat gaccgccaag gtcgtggaat	120
10	ctgccaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg	180
	cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg	240
	acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatctg	300
15	aaattacccg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaaagact	360
	ttttccgggtg ggctcaagat cacgtgactg aggtggagca tgagtcttac gtcaaaaagg	420
	gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggcgc	480
20	gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca	540
	ggtacaaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac	600
	aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt	660
25	tggaatgctt tcccgtgtca gaatctcaac ccgttcctgt cgtcagaaaa acgtatcaga	720
	aactttgtta cattcatcat atcatgggaa aagtaccaga cgctgcact gcctgcgacc	780
	tggtaaatgt ggacttggat gactgtatct ctgagcaata aatgacttaa atcaggtatg	840
30	gctgtcgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag	900
	tggtggaagc taaaacctgg cccaccaccg ccgaaacctt accaacaaca ccgggacgac	960
	agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa	1020
35	ggagagccgg tcaacgaggc agacgccgag gccctcgagc acgacaaagc ctacgaccac	1080
	cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgaggacgc tgaatttcag	1140
	gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc	1200
40	aaaaagaggg tactcgagcc tcttgggtctg gttgaggaag ctgttaagac ggctcctgga	1260
	aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcgacaaa	1320
	tcaggccagc agcccgttaa gaaaagactc aatttttggtc agactggcga cacagagtca	1380
45	gtcccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaata	1440
	acaatggctt caggcgggtg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg	1500
	ggtaattcct cgggaaattg gcattgcatg tccacatgga tgggagacag agttatcacc	1560
50	accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc	1620
	agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcaccac ctgggggtat	1680
55	tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaat	1740

EP 1 310 571 B1

5 aacaactggg gatthagacc caagaaactc aatttcaagc ttttcaacat ccaagtcaag 1800
 gaggtcacgc agaattgatgg aaccacgacc atcgccaata accttaccag cacggtgcag 1860
 gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggetca ccagggctgc 1920
 cttccgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
 10 aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
 atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
 agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
 ctgtattacc tgagcaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag 2220
 15 ttcaaccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
 agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
 tggactgcag ccaccaaata ttaccggaat ggaagaaatt ctctggtcaa tcccgggccc 2400
 20 ccaatggcca gtcacaagga cgtatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
 tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtt tattacagac 2520
 gaagaagaaa tcagaacgac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
 25 aaccgtcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
 cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
 cctcacacgg acggacactt tcatccttct ccgctcatgg gaggttttg actgaaacac 2760
 30 cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc 2820
 actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
 atagagtggg agctgcagaa agaaaacagc aaacgctgga acccggaat tcagtacacc 2940
 35 tccaaactaca acaagtcggt gaatgtggag tttaccgtg acgcaaacgg tgtttattct 3000
 gaacccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgттаatgaa 3060
 40 taaaccgatt tatgcgttcc agttgaactt tggctctgc gaaggcgaa ttc 3113

<210> 56

<211> 3122

<212> DNA

<213> new AAV serotype, clone A3.7

<400> 56

EP 1 310 571 B1

	agcggccgcg aattcgccct ttctacggct gcgtcaactg gaccaatgaa aactttccct	60
	tcaacgattg cgtcgacaag atggtgatct ggtgggagga gggaaagatg accgccaaagg	120
5	tcgtggaatc tgccaaagcc attctgggtg gaagcaaggt tcgtgtggac cagaaatgca	180
	ggtcttcggc ccagatcgac ccgactccgg tgattgtcac ctctaaccacc aacatgtgcg	240
	ccgtgattga cggaaaactcg accaccttcg agcaccagca gccgttgcaa gaccggatgt	300
10	tcaaatttga acttaccgcg cgtttggatc atgactttgg gaaggtcacc aagcaggaag	360
15		
20		
25		
30		
35		
40		
45		
50		
55		

EP 1 310 571 B1

	tcaaagactt tttccggtgg gctcaagatc acgtgactga ggtggagcat gagttctacg	420
	tcaaaaaggg tggagccaag aaaaggcccc ccccgatga tgtatatata aatgagccca	480
5	agcgggcgcg cgagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgataaact	540
	acgcggacag gtacccaaaac aaatgttctc gtcacgtggg catgaatctg atgctgtttc	600
10	cctgtcgaca atgcgaaaga atgaatcaga attcacaatat ctgcttcaca cacgggcaaa	660
	aagactgttt ggaatgcttt cccgtgtcag aatctcaacc cgtttctgtc gtcagaaaaa	720
	cgtatcagaa accttgttac attcatcata tcatgggaaa agtaccagac gcctgcaactg	780
15	cctgcgacct ggtaaatgtg gacttggatg actgtatttc tgagcaataa atgacttaaa	840
	tcaggatagg ctgctgacgg ttatcttcca gattggctcg aggacactct ctctgaagga	900
	atcagacagt ggtggaagct caaacctggc ccaccaccgc cgaaacctaa ccaacaacac	960
20	cgggacgaca gtaggggtct tgtgcttcct gggtaacaagt acctcggacc cttcaacgga	1020
	ctcgacaaag gagagccggt caacgaggca gacgcgcgcg ccctcgagca cgacaaagcc	1080
	tacgaccacc agctcaagca aggggacaac ccgtacctca aatacaacca cgcggaacgt	1140
25	gaatttcagg agcgtcttca agaagatacg tctttcgggg gcaacctcgg gcgagcagtc	1200
	ttccaggcca aaaagagggg actcgagcct cttggtctgg ttgaggaagc tgttaagacg	1260
	gctcctggaa aaaagagacc tatagagcag tctcctgcag aaccggactc ttctcgggc	1320
30	atcggcaaat caggccagca gcccgctaag aaaagactca attttggta gactggcgac	1380
	acagagtcag tccagaccc tcaaccaatc ggagaacccc ccgcagcccc ctctggtgtg	1440
	ggatctaata caatggcttc aggcgggtgg gcaccaatgg cagacaataa cgaaggcgcc	1500
35	gacggagtgg gtaattctc gggaaattgg cattgcgatt ccacatggat gggcgacaga	1560
	gttatcacca ccagcacaa gacctggggc ctccccacct acaataatcg cctctacaag	1620
	caaattctcca gcgaatcggg agccaccaac gacaaccact acttcggcta cagcaccccc	1680
40	tgggggtatt ttgactttaa cagattccac tgtcacttct caccacgtga ctggcagcga	1740
	ctcatcaaca acaactgggg atttagaccc aagaaactca atttcaagct cttcaacatc	1800
	caagtcaagg aggtcacgca gaatgatgga accacgacca tcgccaataa ccttaccagc	1860
45	acgggtgcagg tcttcacaga ctctgagtac cagctgccct acgtcctcgg ttcggctcac	1920
	cagggctgcc ttccgccgtt ccagcagac gtcttcatga ttctctagta cggctacttg	1980
	actctgaaca atggcagcca agcggtagga cgttcttcat tctactgtct agagtatttt	2040
50	ccctctcaga tgctgaggac gggaaacaac ttacacctca gctacacttt tgaagacgtg	2100
	cctttccaca gcagctacgc gcacagccag agtctggatc ggctgatgaa tcctctcatt	2160
	gaccagtacc tgtattacct gagcaaaact caggggtacaa gtggaacaac gcagcaatcg	2220
55	agactgcagt tcagccaagc tgggcctagc tccatggctc agcaggccaa aaactggcta	2280

EP 1 310 571 B1

5 cccgggaccca gctaccgaca gcagcgaatg tctaagacgg ctaatgacaa caacaacagt 2340
 gaatttgctt ggactgcagc caccaaatat tacctgaatg gaagaaattc tctggtcaat 2400
 cccggggcccc caatggccag tcacaaggac gatgaggaaa agtatttccc catgcacgga 2460
 aatctcatct ttggaaaaca aggcacagga actaccaatg tggacattga atcagtgcctt 2520
 attacagacg aagaagaaat cagaacaact aatcctgtgg ctacagaaca atacggacag 2580
 10 gttgccacca accatcagag tcagaacacc acagcttcct atggaagtgt ggacagccag 2640
 ggaatcttac ctggaatggg gtggcaggac cgcgatgtct atcttcaagg tcccatttgg 2700
 gccaaaactc ctcacacgga cggacacttt catccttctc cgctcatggg aggcttttgg 2760
 15 ctgaaacacc ctctcccca gatcctgac aaaaacacac ctgtgccagc gaatcccgcg 2820
 accactttca ctcttggaat gtttgcttcg ttcattacc agtattccac cggacaggtc 2880
 agcgtggaaa tagagtggga gctgcagaaa gaaaacagca aacgctggaa cccagaaatt 2940
 20 cagtacacct ccaactacaa caagtcggtg aatgtggagt ttaccgtgga cgcaaacggt 3000
 gtttattctg aaccccgccc tattggcact cgttacctta cccggaactt gtaatttcct 3060
 25 gttaatgaat aaaccgattt atgcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
 tc 3122

<210> 57

<211> 3123

<212> DNA

<213> new AAV serotype, clone A3.3

<400> 57

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgatc tgggtgggagg agggaaagat gaccgccaag gtcgtggaat	120
5	ctgccaaagc cattctgggt ggaggcaagg ttcgtgtgga ccagaaatgc aagtcttcgg	180
	cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg	240
	acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg	300
10	aacttaccgg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaagact	360
	ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg	420
	gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggagc	480
15	gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca	540
	ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac	600
	aatgcgaaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactggt	660
20	tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga	720
	aactttgtta cattcatcat atcatgggaa aagtaccaga cgctgcact gcctgcgacc	780
	tggtaaatgt ggacttggat gactgtattt ctgagcaata aatgacttaa atcaggtatg	840

25

30

35

40

45

50

55

gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagaCag 900
 tgggtggaagc tcaaacctgg cccaccaccg ccgaaacctc accaacaaca ccgggacgac 960
 5 agtaggggtc ttgtgcttcc tgggtacaag tacctcgac ccttcaacgg actcgacaaa 1020
 ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080
 cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgCGgacgc tgaatttcag 1140
 10 gagcgtcttc aagaagatac gtcttctggg ggcaacctcg ggCGagcagt cttccaggcc 1200
 aaaaagaggg tactcgagcc tcttggctcg gttgaggaag ctgttaagac ggctcctgga 1260
 aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa 1320
 15 tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380
 gtcccaggcc ctcaaccaat cggagaaccc ccccgagccc cctctggtgt gggatctaata 1440
 acaatggctt caggcgggtg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg 1500
 20 ggtaattcct cgggaaattg gcattgcgat tccacatgga tggcgacag agttatcac 1560
 accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaattctc 1620
 agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagaccccc ctgggggtat 1680
 25 tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac 1740
 aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
 gaggtcacgc agaattgatg aaccacgacc atcgccaata accttaccag cgcggtgcag 1860
 30 gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggtca ccagggtgc 1920
 cttccgccgt tcccagcaga cgtcttcagt attcctcagt acggctactt gactctgaac 1980
 aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
 35 atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
 agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
 ctgtattacc tgagcaaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag 2220
 40 ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
 agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
 tggactgcag ccaccaata ttacctgaat ggaagaaatt ctctgggtcaa tcccgggccc 2400
 45 ccagtggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
 tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgct tattacagac 2520
 gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
 50 aaccatcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaaattta 2640
 cctggaatgg tgtggcagga ccgcatgtc tatcttcaag gtcccatttg ggccaaaact 2700
 55 cctcacacgg acggacactt tcataccttct ccgctcatgg gaggttttg actgaaacac 2760

EP 1 310 571 B1

```

cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatcccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca cctgacaggt cagcgtggaa 2880
5 atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccggc ctattggcac tcgttacctt acccggaact tgtaatttcc tgттаатgaa 3060
10 taagccgatt tatgcgtttc agttgaactt tggctctctg gaagggcgaa ttcgtttaaa 3120
cct 3123

```

```

15 <210> 58
    <211> 2969
    <212> DNA
    <213> new AAV serotype, clone 42.12

```

```

20 <400> 58

```

EP 1 310 571 B1

	gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
	gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
5	ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg	180
	cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg	240
	acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
10	aactcacccg ccgtctggag cagcactttg gcaaggtgac aaagcaggaa gtcaaagagt	360
	tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagtcttac gtcagaaagg	420
	gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct	480
15	gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg	540
	acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
	agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact	660
20	gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
	ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
	gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
25	ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatc	900
	cgcgagtggc gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
	gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc	1020
30	gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac	1080
	gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag	1140
	tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
35	caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
	cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc	1320

40

45

50

55

EP 1 310 571 B1

	atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac	1380
	tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc cgcaggccc ctctggctctg	1440
5	ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc	1500
	gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga	1560
10	gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag	1620
	caaattctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc	1680
	acccctctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg	1740
15	cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc	1800
	aacatccagg tcaaggaggt cagcgagaat gaaggcacca agaccatcgc caataacctt	1860
	accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggtctt	1920
20	gcgcaccagg gctgcctgcc tccgttcccc gcggaagctt tcatgattcc tcagtacggg	1980
	tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag	2040
	tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag	2100
25	gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gacgaacccc	2160
	ctcatcgacc agtacctgta ctacctggcc cggaccacga gcactacggg gtccacaagg	2220
	gggctgcagt tccatcaggc tgggcccac accatggccg agcaatcaaa gaactggctg	2280
30	cccgacccct gttatcgga gcagagactg tcaaaaaaca tagacagcaa caacaacagt	2340
	aactttgcct ggaccggggc cactaaatac catctgaatg gtagaaattc attaaccaac	2400
	ccgggcgtag ccatggccac caacaaggac gacgaggacc agttctttcc catcaacgga	2460
35	gtgctggttt ttggcaaaac gggggctgcc aacaagacaa cgctggaaaa cgtgctaattg	2520
	accagcgagg aggagatcaa aaccaccaat cccgtggcta cagaagaata cgggtgtggtc	2580
	tccagcaacc tgcaatcgtc tacggccgga cccagacac agactgtcaa cagccagggg	2640
40	gctctgcccg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc catctgggcc	2700
	aaaattcctc acacggacgg caactttcac ccgtctcccc tgatggggcg atttgactc	2760
	aaacacccgc ctctcaaat tctcatcaag tatacttcca actactacaa atctacaaat	2820
45	gtggactttg ctgtcaatac tgagggtact tattcagagc ctgccccat tggcaccctg	2880
	tacctacccc gtaacctgta attgcctgtt aatcaataaa ccggttaatt cgtttcagtt	2940
	gaactttggt ctctgcgaag ggcgaattc	2969
50	<210> 59	
	<211> 3129	
	<212> DNA	
	<213> new AAV serotype, clone 44.2	
55	<400> 59	

EP 1 310 571 B1

gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60

5

10

15

20

25

30

35

40

45

50

55

gcgtcgacaa gatggtgatac tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 5 cccagatcga cccaccccc gtgacgtca cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300
 aactcaccgg ccgtctggag cacgaactttg gcaagggtgac aaagcaggaa gtcagagagt 360
 10 tcttcgcgtg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc 540
 15 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 aaacatgcga gagaatgaat cagaatttca acatttgctt caccgacggg accagagact 660
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaaa aagacgtatc 720
 20 ggaaactctg tgcgattcat catctgctgg gggcgggcac ccgagattgc ttgctcggcc 780
 tgcgatctgg tcaacgtgga cctagatgac tgtgtttctg agcaataaat gacttaaac 840
 aggtatggct gccgatgggt atcttccaga ttggctcgag gacaacctct ctgagggcat 900
 25 tcgcgagtgg tgggacttga aacctggagc cccgaaacct aaagccaacc agcaaaagca 960
 ggacgacggc cggggtctgg tgcttcttgg ctacaagtac ctcggacctt tcaacggact 1020
 cgacaagggg gagcccgta acgcggcgga cgcagcggcc ctcgagcacg acaaggccta 1080
 30 cgaccagcag ctcaaagcgg gtgacaatcc gtacctcgg tataaccacg ccgacgccga 1140
 gtttcaggag cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt 1200
 ccaggccaag aagcgggttc tcgaacctct cggctctggtt gaggaaggcg ctaagacggc 1260
 35 tcctggaaaag aagagaccgg tagagccatc acccagcgt tctccagact cctctacggg 1320
 catcggcaag aaaggccagc agcccgcgaa aaagagactc aactttgggc agactggcga 1380
 ctcagagtca gtgcccgaac ctcaaccaat cggagaacct cccgcaggcc cctctggtct 1440
 40 gggatctggt acaatggctg caggcgggtg cgctccaatg gcagacaata acgaaggcgc 1500
 cgacggagtg ggtagttcct caggaaattg gcattgcgat tccacatggc tgggcgacag 1560
 agtcatcacc accagcacc gaacctgggc cctccccacc tacaacaacc acctctaaa 1620
 45 gcaaatctcc aacgggactt cgggaggaag caccaacgac aacacctact tcggctacag 1680
 caccctctgg gggatatttg actttaacag attccactgc cactttctac cacgtgactg 1740
 gcagcgactc atcaacaaca actggggatt ccggcccaag agactcaact tcaagctctt 1800
 50 caacatccag gtcaaggagg tcacgcagaa tgaaggcacc aagaccatcg ccaataacct 1860
 taccagcacg attcaggtct ttacggactc ggaataccag ctcccgtacg tctcggctc 1920
 55 tgcgcaccag ggctgcctgc ctccgttccc ggcggacgtc ttcattgattc cttagtacgg 1980

EP 1 310 571 B1

gtacctgact ctgaacaatg gcagtcaggc cgtggggcgt tcctccttct actgcctgga 2040
gtactttcct tctcaaatgc tgagaacggg caacaacttt gagttcagct accagtttga 2100
5 ggacgtgcct tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaaccc 2160
cctcatcgac cagtacctgt actacctgtc tcggactcag tccacgggag gtaccgcagg 2220
aactcagcag ttgctatttt ctcaggccgg gcctaataac atgtcggctc aggccaaaaa 2280
10 ctggctaccc gggccctgct accggcagca acgcgtctcc acgacactgt cgcaaaataa 2340
caacagcaac tttgcctgga ccggtgccac caagtatcat ctgaatggca gagactctct 2400
ggtaaatccc ggtgtcgcta tggcaaccca caaggacgac gaagagcgat tttttccgtc 2460
15 cagcggagtc ttaatgtttg ggaaacaggg agctggaaaa gacaacgtgg actatagcag 2520
cgttatgcta accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta 2580
cggcgtggtg gccgataacc tgcaacagca aaacgccgt cctattgtag gggccgtcaa 2640
20 cagtcaagga gccttacctg gcatgggtctg gcagaaccgg gacgtgtacc tgcagggtcc 2700
tatctgggcc aagattcctc acacggacgg aaactttcat ccctcgccgc tgatgggagg 2760
ctttggactg aaacacccgc ctcctcagat cctgattaag aatacacctg tccccgcgga 2820
25 tcctccaact accttcagtc aagctaagct ggcgtcgttc atcacgcagt acagcaccgg 2880
acaggtcagc gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaaccc 2940
agagattcaa tacacttcca actactacaa atctacaaat gtggactttg ctgttaacac 3000
30 agatggcact tattctgagc ctgcgcccat cggcaccggt tacctcaccg gtaatctgta 3060
attgcttggt aatcaataaa ccggttgatt cgtttcagtt gaactttggt ctctgcgaag 3120
35 ggcgaattc 3129

<210> 60

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C1VP1

<400> 60

EP 1310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

10 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

15 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

20 Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
165 170 175

25 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
180 185 190

30 Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

35 Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

40 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

45 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

50 Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

55

EP 1 310 571 B1

5 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

10 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

15 Leu Ser Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

20 Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
370 375 380

25 Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

30 Asn Phe Glu Met Ala Tyr Asn Phe Gly Lys Val Pro Phe His Ser Met
405 410 415

35 Tyr Ala Tyr Ser Gln Ser Pro Asp Arg Leu Met Asn Pro Leu Leu Asp
420 425 430

40 Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

45 Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

50 Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

55 Arg Leu Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

60 Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

65 Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

70 Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

75 Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

80 Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
565 570 575

EP 1 310 571 B1

5

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

10

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

15

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

20

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

25

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

30

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

35

<210> 61

<211> 733

<212> PRT

40

<213> capsid protein of AAV serotype, clone C2VP1

<400> 61

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Leu
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe His Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20

25

30

35

40

45

50

55

5

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

10

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

15

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

20

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
165 170 175

25

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
195 200 205

30

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

35

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
245 250 255

40

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

45

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
290 295 300

50

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

55

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

EP 1 310 571 B1

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 5
 Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365
 10
 Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380
 Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
 385 390 395 400
 15
 Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
 405 410 415
 20
 Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp
 420 425 430
 Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
 435 440 445
 25
 Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
 450 455 460
 30
 Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
 465 470 475 480
 Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
 485 490 495
 35
 Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
 500 505 510
 40
 Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
 515 520 525
 Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
 530 535 540
 45
 Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
 545 550 555 560
 50
 Gly Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
 565 570 575
 Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
 580 585 590

55

EP 1 310 571 B1

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Arg Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

<210> 62

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C5VP1@2

<400> 62

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Glu Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

25

30

35

40

45

50

55

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
 145 150 155 160
 15
 Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
 165 170 175
 20
 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
 180 185 190
 Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
 195 200 205
 25
 Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220
 30
 Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240
 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
 245 250 255
 35
 Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270
 40
 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285
 Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
 290 295 300
 45
 Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320
 50
 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335
 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 55

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
 385 390 395 400

Asn Phe Glu Thr Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
 405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Gly Leu Met Asn Pro Leu Leu Asp
 420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
 435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
 450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
 465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
 485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
 500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
 515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
 530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
 545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
 565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
 580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605

EP 1 310 571 B1

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
 610 615 620
 5 His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Tyr Pro Ala
 645 650 655
 10 Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
 675 680 685
 15 Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Cys Gly Asn
 690 695 700
 20 Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
 705 710 715 720
 25 Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
 725 730

<210> 63

<211> 734

<212> PRT

<213> capsid protein of AAV serotype, clone AAV4VP1

<400> 63

EP 1 310 571 B1

Met Thr Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser Glu
1 5 10 15

Gly Val Arg Glu Trp Trp Ala Leu Gln Pro Gly Ala Pro Lys Pro Lys
20 25 30

Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro Val
50 55 60

Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp Gln
65 70 75 80

Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

Ala Glu Phe Gln Gln Arg Leu Gln Gly Asp Thr Ser Phe Gly Gly Asn
100 105 110

EP 1 310 571 B1

5 Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Leu
 115 120 125
 Gly Leu Val Glu Gln Ala Gly Glu Thr Ala Pro Gly Lys Lys Arg Pro
 130 135 140
 10 Leu Ile Glu Ser Pro Gln Gln Pro Asp Ser Ser Thr Gly Ile Gly Lys
 145 150 155 160
 Lys Gly Lys Gln Pro Ala Lys Lys Lys Leu Val Phe Glu Asp Glu Thr
 165 170 175
 15 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Thr Ser Gly Ala Met Ser
 180 185 190
 20 Asp Asp Ser Glu Met Arg Ala Ala Ala Gly Gly Ala Ala Val Glu Gly
 195 200 205
 Gly Gln Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220
 25 Asp Ser Thr Trp Ser Glu Gly His Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240
 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Arg Leu Gly Glu
 245 250 255
 30 Ser Leu Gln Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270
 35 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285
 Arg Leu Ile Asn Asn Asn Trp Gly Met Arg Pro Lys Ala Met Arg Val
 290 295 300
 40 Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320
 45 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335
 50 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365

55

EP 1 310 571 B1

Cys Gly Leu Val Thr Gly Asn Thr Ser Gln Gln Gln Thr Asp Arg Asn
 370 375 380
 5
 Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly
 385 390 395 400
 10
 Asn Asn Phe Glu Ile Thr Tyr Ser Phe Glu Lys Val Pro Phe His Ser
 405 410 415
 Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile
 420 425 430
 15
 Asp Gln Tyr Leu Trp Gly Leu Gln Ser Thr Thr Thr Gly Thr Thr Leu
 435 440 445
 20
 Asn Ala Gly Thr Ala Thr Thr Asn Phe Thr Lys Leu Arg Pro Thr Asn
 450 455 460
 Phe Ser Asn Phe Lys Lys Asn Trp Leu Pro Gly Pro Ser Ile Lys Gln
 465 470 475 480
 25
 Gln Gly Phe Ser Lys Thr Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr
 485 490 495
 30
 Gly Ser Asp Ser Leu Ile Lys Tyr Glu Thr His Ser Thr Leu Asp Gly
 500 505 510
 Arg Trp Ser Ala Leu Thr Pro Gly Pro Pro Met Ala Thr Ala Gly Pro
 515 520 525
 35
 Ala Asp Ser Lys Phe Ser Asn Ser Gln Leu Ile Phe Ala Gly Pro Lys
 530 535 540
 40
 Gln Asn Gly Asn Thr Ala Thr Val Pro Gly Thr Leu Ile Phe Thr Ser
 545 550 555 560
 Glu Glu Glu Leu Ala Ala Thr Asn Ala Thr Asp Thr Asp Met Trp Gly
 565 570 575
 45
 Asn Leu Pro Gly Gly Asp Gln Ser Asn Ser Asn Leu Pro Thr Val Asp
 580 585 590
 50
 Arg Leu Thr Ala Leu Gly Ala Val Pro Gly Met Val Trp Gln Asn Arg
 595 600 605
 55
 Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp
 610 615 620

Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His
625 630 635 640

Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro
645 650 655

Ala Thr Thr Phe Ser Ser Thr Pro Val Asn Ser Phe Ile Thr Gln Tyr
660 665 670

Ser Thr Gly Gln Val Ser Val Gln Ile Asp Trp Glu Ile Gln Lys Glu
675 680 685

Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly
690 695 700

Gln Gln Asn Ser Leu Leu Trp Ala Pro Asp Ala Ala Gly Lys Tyr Thr
705 710 715 720

Glu Pro Arg Ala Ile Gly Thr Arg Tyr Leu Thr His His Leu
725 730

<210> 64

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV1

<400> 64

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

EP 1 310 571 B1

5 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 10 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 15 Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
 195 200 205
 20 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 210 215 220
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 25 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 30 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
 260 265 270
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 275 280 285
 35 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 290 295 300
 40 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
 305 310 315 320
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 325 330 335
 45 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 340 345 350
 50 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 355 360 365
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 370 375 380
 55

EP 1 310 571 B1

5 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 385 390 395 400
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 405 410 415
 10 Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 420 425 430
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
 435 440 445
 15 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
 450 455 460
 20 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
 465 470 475 480
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
 485 490 495
 25 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
 500 505 510
 30 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
 515 520 525
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
 530 535 540
 35 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
 545 550 555 560
 40 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
 565 570 575
 Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala
 580 585 590
 45 Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605
 50 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

EP 1 310 571 B1

5 Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
 660 665 670
 10 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
 690 695 700
 15 Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
 705 710 715 720
 20 Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
 725 730 735

<210> 65

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV6VP1

<400> 65

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30 Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

35

40

45

50

55

EP 1 310 571 B1

5 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

10 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

15 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

20 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

25 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

30 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

35 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

40 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
340 345 350

45 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
355 360 365

50 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
370 375 380

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
385 390 395 400

55

EP 1 310 571 B1

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 405 410 415
 5
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 420 425 430
 10
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
 435 440 445
 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
 450 455 460
 15
 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
 465 470 475 480
 20
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
 485 490 495
 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
 500 505 510
 25
 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
 515 520 525
 30
 Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
 530 535 540
 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
 545 550 555 560
 35
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
 565 570 575
 40
 Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala
 580 585 590
 Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605
 45
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 50
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 55
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

EP 1 310 571 B1

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 66

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.3

<400> 66

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5
Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

10
Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15
Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20
His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30
Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

35

40

45

50

55

EP 1 310 571 B1

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

5 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

10 Gly Asp Thr Glu Ser Val Pro Gly Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

15 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

20 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

25 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

30 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

35 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

40 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

45 Thr Ser Ala Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

50 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

55

5 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415
 Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
 420 425 430
 10 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
 435 440 445
 Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460
 15 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480
 20 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495
 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
 500 505 510
 25 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Val Ala Ser His Lys Asp
 515 520 525
 30 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540
 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560
 35 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575
 40 Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
 580 585 590
 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605
 45 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620
 50 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640
 55 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

EP 1 310 571 B1

5 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

10 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

15 Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

20 <210> 67
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone A3.7

25 <400> 67

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

35

40

45

50

55

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
 225 230 235 240
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn Arg Leu
 245 250 255
 Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
 260 265 270
 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
 275 280 285
 Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
 290 295 300
 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
 305 310 315 320
 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
 325 330 335
 Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
 340 345 350
 Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
 355 360 365
 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
 370 375 380
 Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
 385 390 395 400
 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415

EP 1 310 571 B1

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

5 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

10 Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
465 470 475 480

15 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
485 490 495

20 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
515 520 525

25 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
530 535 540

30 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

35 Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
580 585 590

40 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
610 615 620

45 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

50 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

55

EP 1 310 571 B1

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685
 5
 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700
 10
 Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
 705 710 715 720
 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735
 15
 <210> 68
 <211> 735
 <212> PRT
 <213> capsid protein of AAV serotype, clone A3.4
 20
 <400> 68
 25
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
 20 25 30
 30
 Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 35
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 40
 His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 45
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 50
 Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 55
 Glu Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 180 185 190

5
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205

10
 Ala Pro Met Ala Asp Asp Asn Glu Gly Ala Asp Gly Val Gly Asn Ser.
 210 215 220

15
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255

20
 Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
 260 265 270

25
 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
 275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
 290 295 300

30
 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
 305 310 315 320

35
 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
 325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
 340 345 350

40
 Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
 355 360 365

45
 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
 370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
 385 390 395 400

50
 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415

55
 Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
 420 425 430

5 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460

10 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495

15 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
 500 505 510

20 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
 515 520 525

25 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560

30 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asp Thr Thr Ala Ser Tyr
 580 585 590

35 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605

40 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620

45 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

50 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670

55 Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685

EP 1 310 571 B1

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

5

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

10

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 69

<211> 735

15

<212> PRT

<213> capsid protein of AAV serotype, clone A3.5

<400> 69

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

35 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

40

45

50

55

5

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

10

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

15

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

20

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

25

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

30

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

35

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

40

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

45

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

50

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

55

EP 1 310 571 B1

5 Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Asn Gln
 450 455 460
 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480
 10 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495
 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Pro Asn Gly
 500 505 510
 15 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
 515 520 525
 20 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540
 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560
 25 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575
 30 Gly Gln Val Ala Thr Asn Arg Gln Ser Gln Asn Thr Thr Ala Ser Tyr
 580 585 590
 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605
 35 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620
 40 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640
 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655
 45 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670
 50 Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685
 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700

55

EP 1 310 571 B1

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
 705 710 715 720
 5
 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735
 10 <210> 70
 <211> 735
 <212> PRT
 <213> capsid protein of AAV serotype, clone AAV2
 15 <400> 70
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
 1 5 10 15
 20 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
 20 25 30
 25 Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 30 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 35 Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 40 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 45 Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly
 145 150 155 160
 50 Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 55 Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro
 180 185 190

EP 1 310 571 B1

Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr
435 440 445

Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460

5

Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly
 465 470 475 480

10

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn
 485 490 495

15

Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly
 500 505 510

20

Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp
 515 520 525

25

Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys
 530 535 540

30

Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr
 545 550 555 560

35

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575

40

Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr
 580 585 590

45

Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp
 595 600 605

50

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
 610 615 620

55

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700

EP 1 310 571 B1

Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr
705 710 715 720

5 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 71

10 <211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV3

<400> 71

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro
20 25 30

10 Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro
115 120 125

30 Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Gly
130 135 140

Ala Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly
145 150 155 160

35 Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

40 Ala Ala Pro Thr Ser Leu Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

45

50

55

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Ser Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Arg Gly Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg Thr
435 440 445

Gln Gly Thr Thr Ser Gly Thr Thr Asn Gln Ser Arg Leu Leu Phe Ser
450 455 460

5 Gln Ala Gly Pro Gln Ser Met Ser Leu Gln Ala Arg Asn Trp Leu Pro
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Thr Ala Asn Asp Asn
 485 490 495

10 Asn Asn Ser Asn Phe Pro Trp Thr Ala Ala Ser Lys Tyr His Leu Asn
 500 505 510

Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys
 515 520 525

15 Asp Asp Glu Glu Lys Phe Phe Pro Met His Gly Asn Leu Ile Phe Gly
 530 535 540

20 Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile
 545 550 555 560

25 Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln
 565 570 575

Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr
 580 585 590

30 Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605

35 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

40 Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

45 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

50 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

55 Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val
 705 710 715 720

EP 1 310 571 B1

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 72

<211> 737

<212> PRT

<213> capsid protein of AAV, serotype, clone 3.3bVP1

<400> 72

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Asn Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
 210 215 220
 5
 Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Glu Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
 260 265 270
 15
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 20
 Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
 305 310 315 320
 25
 Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
 340 345 350
 30
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 35
 Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 40
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
 405 410 415
 45
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
 435 440 445
 50
 Arg Thr Gln Ser Asp Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
 450 455 460
 55

EP 1 310 571 B1

5 Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
 485 490 495
 10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
 530 535 540
 20 Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
 545 550 555 560
 Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
 565 570 575
 25 Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
 580 585 590
 30 Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
 595 600 605
 Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
 610 615 620
 35 His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
 625 630 635 640
 40 Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
 645 650 655
 Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
 660 665 670
 45 Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
 675 680 685
 50 Gln Lys Glu Asn Ser Lys Arg Trp Asp Pro Glu Ile Gln Tyr Thr Ser
 690 695 700
 55 Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
 705 710 715 720

EP 1 310 571 B1

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
725 730 735

Leu

<210> 73
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223-4

<400> 73

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

EP 1 310 571 B1

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

5

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

10

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

15

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

20

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

25

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

30

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

35

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

40

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

45

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

50

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

55

EP 1 310 571 B1

5
 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

10
 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

15
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

20
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575

25
 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590

30
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620

35
 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640

40
 Tyr Ser Glu Pro

<210> 74

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.5

<400> 74

EP 1 310 571 B1

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15

5 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30

10 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

5 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

10 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

15 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

20 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
145 150 155 160

25 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

30 Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

35 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

40 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

45 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

50 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

55

EP 1 310 571 B1

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

EP 1 310 571 B1

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575
 5 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590
 10 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620
 15 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640
 Tyr Ser Glu Pro
 20
 <210> 75
 <211> 644
 <212> PRT
 25 <213> capsid protein of AAV serotype, clone 223.10
 <220>
 <221> MISC_FEATURE
 <222> (434)..(434)
 30 <223> can be any amino acid
 <400> 75
 35 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15
 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30
 40 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 45 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 50 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 55 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110

EP 1 310 571 B1

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

5 Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

10 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

15 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

Asn Xaa Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

20 Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

25 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

30 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

35 Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

40 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560

45 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590

50 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605

55 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640

Tyr Ser Glu Pro

<210> 76

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.2

<400> 76

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Cys Leu Gln Glu Asp Thr
 20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Val Ala Gly Gly Gly
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 195 200 205

EP 1 310 571 B1

5 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

10 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

15 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

20 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

25 Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

30 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

35 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

40 Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

45 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

50 Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

55 Lys Asp Asp Glu Glu Arg Phe Ser Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

EP 1 310 571 B1

5 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

10 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

15 Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

20 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

25 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

30 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

35 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

40 Tyr Ser Glu Pro

<210> 77
<211> 644
45 <212> PRT
<213> capsid protein of AAV serotype, clone 223.7

<400> 77

50 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

55 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

5 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 10 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 15 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110
 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
 115 120 125
 20 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 130 135 140
 25 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 145 150 155 160
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 165 170 175
 Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
 180 185 190
 35 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 195 200 205
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 210 215 220
 40 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
 225 230 235 240
 45 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 245 250 255
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Pro Glu Tyr Gln Leu Pro
 260 265 270
 50 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 275 280 285
 55

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

EP 1 310 571 B1

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560
 5 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575
 10 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Ile Ala Ser Phe Ile Thr
 580 585 590
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605
 15 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620
 20 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640
 Tyr Ser Glu Pro
 25 <210> 78
 <211> 644
 <212> PRT
 <213> capsid protein of AAV serotype, clone 223.6
 30 <400> 78
 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15
 35 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30
 40 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 45 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 50 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110
 55 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
 115 120 125

EP 1 310 571 B1

Ala Pro Met Ala Asp Asn Ser Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

5 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

10 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

15 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

20 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

25 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

30 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

35 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

40 Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

45 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

50 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

EP 1 310 571 B1

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400
 5
 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415
 10
 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430
 Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445
 15
 Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460
 20
 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480
 Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495
 25
 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510
 30
 Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540
 35
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560
 40
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575
 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Leu Ala Ser Phe Ile Thr
 580 585 590
 45
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605
 50
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620
 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640
 55

Tyr Ser Glu Pro

5

<210> 79

<211> 738

<212> PRT

10

<213> capsid protein of AAV serotype, clone 44.1

<400> 79

15

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

20

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

25

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

30

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

35

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

40

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

45

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

50

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

55

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220

5 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240

10 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

15 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

20 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

25 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

30 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

35 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

40 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

45 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

50 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

55

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

5

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

10

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

15

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

20

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

25

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

30

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

35

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

40

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

45

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

50

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

55

EP 1 310 571 B1

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

5

Asn Leu

10

<210> 80

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 44.5

15

<400> 80

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 5
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 15
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Pro Asn Phe Lys Leu Phe Asn
 305 310 315 320
 25
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365
 35
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 45
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 55

EP 1 310 571 B1

5 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 25 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 30 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 35 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 40 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 45 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 50 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

55

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

5

Asn Leu

10

<210> 81

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 44.2

15

<400> 81

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

5 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

10 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

15 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

20 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

25 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

30 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

35 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

40 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

45 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

50 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

EP 1 310 571 B1

5 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 25 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 30 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 35 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 40 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 45 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 50 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720
 55

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735

5

Asn Leu

10

<210> 82
 <211> 738
 <212> PRT
 <213> capsid protein of AAV serotype, clone 29.3VP1

15

<400> 82

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Thr Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45

50

55

5 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 15 260 265 270
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 25 305 310 315 320
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 Leu Pro Tyr Val Leu Gly Ser Ala Arg Gln Gly Cys Leu Pro Pro Phe
 35 355 360 365
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 45 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 55

5 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

20 Phe Gly Lys Gln Gly Ala Gly Lys Gly Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

30 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

35 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

40 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

45 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

50 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

55 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

EP 1 310 571 B1

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 83
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 29.5VP1

<400> 83

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Gly Val
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Ser Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asp Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

EP 1 310 571 B1

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

5

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

10

Asn Leu

<210> 84

<211> 738

<212> PRT

15

<213> capsid protein of AAV serotype, clone 42.15

<400> 84

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205
 5
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 10
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 15
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 25
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 35
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Pro Pro Pro Phe
 355 360 365
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 45
 Phe Pro Ser Gln Met Arg Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 55

EP 1 310 571 B1

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 5
 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 10
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 15
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 25
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 30
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 35
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 40
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 45
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 50
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

55

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 85

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 42.8

<400> 85

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
 180 185 190
 5
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205
 10
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 15
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 20
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 25
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 30
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 35
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 40
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 45
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 50
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 55

5 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 10 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 15 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 20 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 25 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 30 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 35 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 40 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 45 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 50 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 55 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

EP 1 310 571 B1

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

5

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

10

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

15

<210> 86

<211> 733

<212> PRT

20

<213> amino acid of AAV serotype, clone 42.13

<400> 86

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

35 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

40

45

50

55

EP 1 310 571 B1

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
 180 185 190
 5
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
 210 215 220
 10
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 15
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 20
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 25
 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
 290 295 300
 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 30
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 35
 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 40
 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 45
 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 50
 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 55

EP 1 310 571 B1

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
435 440 445

5 Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
450 455 460

10 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
485 490 495

15 Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
500 505 510

20 Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
530 535 540

25 Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
565 570 575

30 Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
580 585 590

35 Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

40 Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

45 Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
660 665 670

50 Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
675 680 685

55

EP 1 310 571 B1

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Ser Leu
725 730

<210> 87

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.3A

<400> 87

EP 1 310 571 B1

Met Ala Ala Asp Gly His Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 5
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
 210 215 220
 10
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 15
 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 20
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Ser Trp Gly Phe
 290 295 300
 25
 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 30
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 35
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 40
 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 45
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 50
 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
 435 440 445
 55

EP 1 310 571 B1

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
 450 455 460
 5
 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
 465 470 475 480
 10
 Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser
 485 490 495
 Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
 500 505 510
 15
 Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu
 515 520 525
 Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
 530 535 540
 20
 Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
 545 550 555 560
 25
 Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
 565 570 575
 Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
 580 585 590
 30
 Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605
 35
 Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
 610 615 620
 Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 40
 Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
 645 650 655
 45
 Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
 675 680 685
 50
 Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
 690 695 700
 55

EP 1 310 571 B1

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

5

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

10

<210> 88
<211> 731
<212> PRT
<213> capsid protein of AAV serotype, clone 42.4

15

<400> 88

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

20

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

25

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

30

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

35

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

40

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

45

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

50

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

55

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

EP 1 310 571 B1

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Ser Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Thr Asp Ser Glu Tyr Arg Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
435 440 445

EP 1 310 571 B1

5 Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
465 470 475 480

10 Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
500 505 510

15 Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
515 520 525

20 Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
530 535 540

25 Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
565 570 575

30 Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
580 585 590

35 Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr
595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
610 615 620

40 His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
625 630 635 640

45 Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
645 650 655

Phe Ser Gln Ala Lys Pro Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
660 665 670

50 Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
675 680 685

55 Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
690 695 700

EP 1 310 571 B1

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
705 710 715 720

5

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

10

<210> 89
<211> 731
<212> PRT
<213> capsid protein of AAV serotype, clone 42.5A

15

<400> 89

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Arg Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

EP 1 310 571 B1

5 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

10 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

15 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

20 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Arg Gly Phe Arg Pro
290 295 300

25 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

30 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

35 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

40 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

45 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

50 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
435 440 445

Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
450 455 460

55

EP 1 310 571 B1

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
 465 470 475 480
 5
 Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
 485 490 495
 10
 Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
 500 505 510
 Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
 515 520 525
 15
 Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
 530 535 540
 20
 Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
 545 550 555 560
 Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
 565 570 575
 25
 Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
 580 585 590
 30
 Ser Gln Gly Ala Leu Pro Gly Met Ala Trp Gln Asn Arg Asp Val Tyr
 595 600 605
 Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
 610 615 620
 35
 His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
 625 630 635 640
 40
 Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
 645 650 655
 Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
 660 665 670
 45
 Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
 675 680 685
 50
 Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
 690 695 700
 Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
 705 710 715 720
 55

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 90

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.1B

<400> 90

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Arg Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
210 215 220

EP 1 310 571 B1

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 5
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 10
 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 15
 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
 290 295 300
 20
 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 25
 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 30
 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 35
 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 40
 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 45
 Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
 435 440 445
 Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
 450 455 460
 50
 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
 465 470 475 480
 55

EP 1 310 571 B1

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
 485 490 495
 5
 Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
 500 505 510
 10
 Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
 515 520 525
 Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
 530 535 540
 15
 Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
 545 550 555 560
 20
 Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
 565 570 575
 Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
 580 585 590
 25
 Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605
 30
 Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
 610 615 620
 Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 35
 Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
 645 650 655
 40
 Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
 675 680 685
 45
 Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
 690 695 700
 50
 Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
 705 710 715 720
 Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730

<210> 91

EP 1 310 571 B1

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 42.5B

5 <400> 91

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1      5      10      15
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
10      20      25      30
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
      35      40      45
Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
15      50      55      60
Val Asn Glu Ala Asp Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
20      65      70      75      80
Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
      85      90      95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
25      100      105      110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
      115      120      125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
30      130      135      140
Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
35      145      150      155      160
Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
      165      170      175
Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
40      180      185      190
Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
45      195      200      205
Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
      210      215      220
Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
50      225      230      235      240
Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
55      245      250      255

```

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

5 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

5 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

10 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

15 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

20 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

25 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

30 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

35 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

40 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720

45 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735

Asn Leu

50 <210> 92
 <211> 738
 <212> PRT
 <213> capsid protein of AAV serotype, clone 43.1

55 <400> 92

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

50 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

55

5 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Pro Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

55 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

EP 1 310 571 B1

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 93

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 43.12

<400> 93

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

50 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

55

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

5 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

55

EP 1 310 571 B1

5 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 10 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 15 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
 580 585 590
 Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 20 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 25 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 30 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
 645 650 655
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 35 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 40 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720
 45 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735
 50 Asn Leu

<210> 94

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 43.5

<400> 94

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

EP 1 310 571 B1

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

5 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

35 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
450 455 460

45 Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

55

EP 1 310 571 B1

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 95

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone AAV8

<400> 95

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Gln Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

40 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

50 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

55

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

5
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp
 260 265 270

10
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

15
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn
 305 310 315 320

20
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

25
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

30
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

35
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr
 405 410 415

40
 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

45
 Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly
 450 455 460

50
 Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp
 465 470 475 480

55
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly
 485 490 495

EP 1 310 571 B1

5 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His
 500 505 510
 10 Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile
 530 535 540
 20 Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val
 545 550 555 560
 25 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 30 Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Asn Thr Ala
 580 585 590
 35 Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 40 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 45 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 50 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 55 Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe
 660 665 670
 60 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 65 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 70 Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720
 75 Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735
 80 Asn Leu

<210> 96
 <211> 736

EP 1 310 571 B1

<212> PRT

<213> capsid protein of AAV serotype, clone 43.21

<400> 96

5
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

10
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

15
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

20
Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

25
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

30
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

35
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

40
Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

45
Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

50
Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

55

EP 1 310 571 B1

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 5
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 10
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 15
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 20
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 25
 Asn Leu Thr Ser Thr Val Arg Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 30
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 35
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 40
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 45
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 50
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 55
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Ser
 485 490 495

5 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510

10 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540

15 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560

20 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590

25 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605

30 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

35 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

40 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

45 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

50 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

55

<210> 97

<211> 736

EP 1 310 571 B1

<212> PRT

<213> capsid protein of AAV serotype, clone 43.25

<400> 97

5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

10

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

15

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

20

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

25

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

30

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

35

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

40

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

45

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

50

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

55

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 5
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 10
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 15
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 20
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 25
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 30
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 35
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 40
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 45
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 50
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
 485 490 495
 55

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510
 5
 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525
 10
 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540
 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560
 15
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575
 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590
 20
 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605
 25
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 30
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 35
 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 40
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700
 45
 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720
 50
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 98

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone 43.23

<400> 98

5 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 35 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 40 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 50 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 55

5 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

10 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

15 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

20 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Leu Glu Tyr Gln Leu
340 345 350

25 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

30 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

35 Pro Ser Gln Met Pro Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

40 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

45 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

50 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

55

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510
 5
 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525
 10
 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540
 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560
 15
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575
 20
 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590
 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605
 25
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 30
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 35
 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670
 40
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700
 45
 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720
 50
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 99

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone 43.20

<400> 99

5 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Leu Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 35 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 40 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 50 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 55

EP 1 310 571 B1

5 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

10 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

15 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

20 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

25 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

30 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

35 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

40 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

45 Ala Asp Val Phe Thr Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

50 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

55 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

EP 1 310 571 B1

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

5 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

10 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

15 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

20 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

25 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

30 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

35 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

40 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

45 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

50 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 100

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV9

400> 100

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

35 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

40 Glu Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

50 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

55

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 5
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 10
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 15
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 20
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 25
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 30
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 35
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 40
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 45
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480
 50
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
 485 490 495
 55
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525

Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 101

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 24.1

<400> 101

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5

10

15

20

25

30

35

40

45

50

55

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Arg Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Val Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Ser Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 5
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300
 10
 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 15
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 20
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 25
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 30
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415
 His Ser Ser Tyr Val His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 35
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445
 40
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480
 45
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
 485 490 495
 50
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525
 55

EP 1 310 571 B1

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

5 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

10 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

15 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Cys Leu Gln Gly
595 600 605

20 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

25 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

30 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

35 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

40 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

45 <210> 102
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 42.2REAL

50 <400> 102

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

55

EP 1 310 571 B1

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 5
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 10
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 15
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 20
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 25
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 30
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 35
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 40
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 45
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 50
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 55

EP 1 310 571 B1

5 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

10 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

15 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

20 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

25 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

30 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

35 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

40 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

45 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

50 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

55

EP 1 310 571 B1

5
 Pro Ile Asn Gly Val Leu Val Phe Gly Glu Thr Gly Ala Ala Asn Lys
 530 535 540

10
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560

15
 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575

20
 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590

25
 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605

30
 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620

35
 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640

40
 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655

45
 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670

50
 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685

55
 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700

60
 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720

65
 Thr Arg Tyr Leu Thr Arg Asn Leu
 725

<210> 103

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 7.2VP1

<400> 103

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Gly Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

5

10

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 5
 Gly Tyr Arg Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 10
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 15
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 20
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 25
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Asn Gly Gln
 145 150 155 160
 30
 Pro Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 35
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 40
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 45
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 50
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 55
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asp Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

EP 1 310 571 B1

5 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560
 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575
 10 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590
 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605
 15 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620
 20 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640
 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655
 25 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670
 30 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685
 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700
 35 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720
 40 Thr Arg Tyr Leu Thr Arg Asn Leu
 725
 45 <210> 104
 <211> 728
 <212> PRT
 <213> capsid protein of AAV serotype, clone 27.3VP1
 50 <400> 104
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 55 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Ser Gly Lys Lys Arg
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285

EP 1 310 571 B1

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Cys Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Val
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Leu
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

EP 1 310 571 B1

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Arg Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Glu Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 105

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 16.3VP1

<400> 105

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

10 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

15 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

20 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

25 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

30 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

35 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

40 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

45 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

50 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

EP 1 310 571 B1

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

5 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

10 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

15 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Met Gly
370 375 380

20 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

25 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

30 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

35 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

40 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

45 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Gly Gln Phe Phe
515 520 525

50 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

55

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Gly Val Phe Thr Pro
645 650 655

Ala Leu Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 106

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 42.10

<400> 106

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

EP 1 310 571 B1

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 5
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 10
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 15
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 20
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Arg Lys Gly Gln
 145 150 155 160
 25
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 30
 Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
 180 185 190
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 35
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 40
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 45
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 50
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300

55

EP 1 310 571 B1

5 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 10 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 15 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 20 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415
 25 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 30 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460
 35 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480
 40 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
 485 490 495
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510
 45 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525
 50 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
 530 535 540
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560
 55

EP 1 310 571 B1

5 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575
 10 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590
 15 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605
 20 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620
 25 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640
 30 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655
 35 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670
 40 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685
 45 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700
 50 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720
 55 Thr Arg Tyr Leu Thr Arg Asn Leu
 725
 60 <210> 107
 <211> 728
 <212> PRT
 <213> capsid protein of AAV serotype, clone 42.3B
 65 <400> 107
 70
 75

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65. 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

10 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

15 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

20 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

25 Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

30 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

35 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

40 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

45 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

50 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 5
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 10
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 15
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 20
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 25
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445
 30
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460
 35
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Thr Ser Asn Phe Ala Trp
 485 490 495
 40
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525
 45
 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
 530 535 540
 50
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560
 55
 Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575

EP 1 310 571 B1

5 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

10 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

15 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

20 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

25 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

30 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

35

<210> 108
<211> 728
<212> PRT
40 <213> capsid protein of AAV serotype, clone 42.11

<400> 108

45 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

50 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

55 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

EP 1 310 571 B1

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

EP 1 310 571 B1

5 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

10 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

15 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

20 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

25 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

30 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

35 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

40 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

45 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

50 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Arg Gln
465 470 475 480

55 Arg Leu Ser Lys Asp Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

5 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605

10 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640

15 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655

20 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685

25 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700

30 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
 725

35

<210> 109
 <211> 729
 <212> PRT
 40 <213> capsid protein of AAV serotype, clone F1VP1

<400> 109

45 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

50 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

55 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

EP 1 310 571 B1

5 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 10 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 15 Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 20 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 25 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 30 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 35 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 40 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 45 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 50 Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 55 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335

EP 1 310 571 B1

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
340 345 350

5 Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

10 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

15 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

20 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

25 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

30 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

Gln Gly Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

35 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

40 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

45 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

50 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

Leu Gln Pro Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

55

EP 1 310 571 B1

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Pro Arg Asn Leu
725

<210> 110

<211> 729

<212> PRT

<213> capsid protein of AAV serotype, clone F5VP1@3

<400> 110

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

25

30

35

40

45

50

55

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 15
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 20
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Thr Ala
 195 200 205
 25
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 30
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 35
 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 40
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 45
 Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 50
 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335
 Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
 340 345 350
 55

EP 1 310 571 B1

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
 355 360 365
 5
 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
 370 375 380
 10
 Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
 385 390 395 400
 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
 405 410 415
 15
 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
 420 425 430
 20
 Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
 435 440 445
 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
 450 455 460
 25
 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
 465 470 475 480
 30
 Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
 485 490 495
 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
 500 505 510
 35
 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
 515 520 525
 40
 Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
 530 535 540
 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
 545 550 555 560
 45
 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
 565 570 575
 50
 Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
 580 585 590
 Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
 595 600 605
 55

EP 1.310.571 B1

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Glu His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 111
<211> 729
<212> PRT
<213> capsid protein of AAV serotype, clone F3VP1

<400> 111

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Gly Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 15
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 20
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 25
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 30
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 35
 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 40
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 45
 Pro Lys Lys Leu Arg Phe Lys Leu Leu Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 50
 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335
 Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
 340 345 350
 55

EP 1 310 571 B1

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
 355 360 365
 5
 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asp Asn Gly Ser Gln Ser Val
 370 375 380
 10
 Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
 385 390 395 400
 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
 405 410 415
 15
 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
 420 425 430
 20
 Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
 435 440 445
 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
 450 455 460
 25
 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
 465 470 475 480
 30
 Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
 485 490 495
 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
 500 505 510
 35
 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
 515 520 525
 40
 Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
 530 535 540
 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
 545 550 555 560
 45
 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
 565 570 575
 50
 Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
 580 585 590
 Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
 595 600 605
 55

EP 1 310 571 B1

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 112
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone 42.6B

<400> 112

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

EP 1 310 571 B1

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 5
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 10
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
 145 150 155 160
 Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
 165 170 175
 15
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
 180 185 190
 20
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 25
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 30
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 35
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 40
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Arg Lys Leu Arg Phe Lys Leu Phe Asn
 305 310 315 320
 45
 Ile Gln Val Lys Glu Val Thr Thr Asp Asp Gly Val Thr Thr Ile Ala
 325 330 335
 50
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln
 340 345 350
 55
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

EP 1 310 571 B1

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

5 Asn Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

10 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

15 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

20 Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Glu Leu Gln Phe His
450 455 460

Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
465 470 475 480

25 Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
485 490 495

30 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
500 505 510

Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
515 520 525

35 Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
530 535 540

40 Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
545 550 555 560

Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
565 570 575

45 Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
580 585 590

50 Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
610 615 620

55

EP 1 310 571 B1

Asp Gly Asn Phe His Pro Ser Pro Leu Met Asp Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Ala Lys Ser Asn Asn Val Glu Phe Ala Val Asn Asn Glu Gly Val Tyr
705 710 715 720

Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 113

<211> 685

<212> PRT

<213> capsid protein of AAV serotype, clone 42.12

<400> 113

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

EP 1 310 571 B1

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

5 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

10 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

15 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

20 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

25 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

30 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

35 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

40 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

45 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

50 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

55

EP 1 310 571 B1

5 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 10 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 15 Leu Asp Arg Leu Thr Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Gly Leu Gln Phe His
 450 455 460
 20 Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
 465 470 475 480
 25 Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
 485 490 495
 30 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
 500 505 510
 Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
 515 520 525
 35 Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
 530 535 540
 40 Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
 545 550 555 560
 Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
 565 570 575
 45 Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
 580 585 590
 50 Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
 595 600 605
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
 610 615 620
 55

EP 1 310 571 B1

Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Tyr Thr Ser Asn Tyr Tyr Lys
645 650 655

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
660 665 670

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
675 680 685

<210> 114

<211> 724

<212> PRT

<213> capsid protein of AAV serotype, clone AAV5CAP

<400> 114

EP 1 310 571 B1

Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Glu Val Gly Glu
1 5 10 15

5 Gly Leu Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys
20 25 30

Pro Asn Gln Gln His Gln Asp Gln Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

10 Tyr Asn Tyr Leu Gly Pro Gly Asn Gly Leu Asp Arg Gly Glu Pro Val
50 55 60

15 Asn Arg Ala Asp Glu Val Ala Arg Glu His Asp Ile Ser Tyr Asn Glu
65 70 75 80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

20 Ala Glu Phe Gln Glu Lys Leu Ala Asp Asp Thr Ser Phe Gly Gly Asn
100 105 110

25 Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Phe
115 120 125

Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Thr Gly Lys Arg Ile
130 135 140

30 Asp Asp His Phe Pro Lys Arg Lys Lys Ala Arg Thr Glu Glu Asp Ser
145 150 155 160

35 Lys Pro Ser Thr Ser Ser Asp Ala Glu Ala Gly Pro Ser Gly Ser Gln
165 170 175

40

45

50

55

EP 1 310 571 B1

Gln Leu Gln Ile Pro Ala Gln Pro Ala Ser Ser Leu Gly Ala Asp Thr
180 185 190

Met Ser Ala Gly Gly Gly Gly Pro Leu Gly Asp Asn Asn Gln Gly Ala
195 200 205

Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp
210 215 220

Met Gly Asp Arg Val Val Thr Lys Ser Thr Arg Thr Trp Val Leu Pro
225 230 235 240

Ser Tyr Asn Asn His Gln Tyr Arg Glu Ile Lys Ser Gly Ser Val Asp
245 250 255

Gly Ser Asn Ala Asn Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Ser His Trp Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Tyr Trp Gly Phe Arg Pro Arg Ser Leu Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Ser Thr
305 310 315 320

Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp
325 330 335

Asp Asp Tyr Gln Leu Pro Tyr Val Val Gly Asn Gly Thr Glu Gly Cys
340 345 350

Leu Pro Ala Phe Pro Pro Gln Val Phe Thr Leu Pro Gln Tyr Gly Tyr
355 360 365

Ala Thr Leu Asn Arg Asp Asn Thr Glu Asn Pro Thr Glu Arg Ser Ser
370 375 380

Phe Phe Cys Leu Glu Tyr Phe Pro Ser Lys Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Phe Thr Tyr Asn Phe Glu Glu Val Pro Phe His Ser Ser
405 410 415

Phe Ala Pro Ser Gln Asn Leu Phe Lys Leu Ala Asn Pro Leu Val Asp
420 425 430

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

Gln Tyr Leu Tyr Arg Phe Val Ser Thr Asn Asn Thr Gly Gly Val Gln
 435 440 445

Phe Asn Lys Asn Leu Ala Gly Arg Tyr Ala Asn Thr Tyr Lys Asn Trp
 450 455 460

Phe Pro Gly Pro Met Gly Arg Thr Gln Gly Trp Asn Leu Gly Ser Gly
 465 470 475 480

Val Asn Arg Ala Ser Val Ser Ala Phe Ala Thr Thr Asn Arg Met Glu
 485 490 495

Leu Glu Gly Ala Ser Tyr Gln Val Pro Pro Gln Pro Asn Gly Met Thr
 500 505 510

Asn Asn Leu Gln Gly Ser Asn Thr Tyr Ala Leu Glu Asn Thr Met Ile
 515 520 525

Phe Asn Ser Gln Pro Ala Asn Pro Gly Thr Thr Ala Thr Tyr Leu Glu
 530 535 540

Gly Asn Met Leu Ile Thr Ser Glu Ser Glu Thr Gln Pro Val Asn Arg
 545 550 555 560

Val Ala Tyr Asn Val Gly Gly Gln Met Ala Thr Asn Asn Gln Ser Ser
 565 570 575

Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn Leu Gln Glu Ile Val Pro
 580 585 590

Gly Ser Val Trp Met Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp
 595 600 605

Ala Lys Ile Pro Glu Thr Gly Ala His Phe His Pro Ser Pro Ala Met
 610 615 620

Gly Gly Phe Gly Leu Lys His Pro Pro Pro Met Met Leu Ile Lys Asn
 625 630 635 640

Thr Pro Val Pro Gly Asn Ile Thr Ser Phe Ser Asp Val Pro Val Ser
 645 650 655

Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Thr Val Glu Met Glu
 660 665 670

Trp Glu Leu Lys Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln
 675 680 685

EP 1 310 571 B1

Tyr Thr Asn Asn Tyr Asn Asp Pro Gln Phe Val Asp Phe Ala Pro Asp
690 695 700

Ser Thr Gly Glu Tyr Arg Thr Thr Arg Pro Ile Gly Thr Arg Tyr Leu
705 710 715 720

Thr Arg Pro Leu

<210> 115

<211> 9

<212> DNA

<213> DraIII restriction enzyme site

<400> 115

caccacgtc

9

<210> 116

<211> 28

<212> DNA

<213> AV2cas

<400> 116

cgcagagacc aaagttcaac tgaaacga

28

<210> 117

<211> 255

<212> DNA

<213> adeno-associated virus serotype 10

<400> 117

ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgacag agtcattcacc 60

accagcaccc gaacctgggt cctgcccacc tacaacaacc acatctacaa gcaaatctcc 120

agcgagacag gagccaccaa cgacaaccac tacttgggt acagcaccac ctgggggtat 180

tttgacttta acagattcca ctgccacttt tcaccacgtg actggcagcg actcatcaac 240

aacaactggg gattc 255

<210> 118

<211> 258

<212> DNA

<213> adeno-associated virus serotype 11

EP 1 310 571 B1

<400> 118

5 ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgacag agtcattacc 60
accagcacc cgaacctgggc cctgcccaacc tacaacaacc acctctacaa acaaattctc 120
agcgcttcaa cggggggccag caacgacaac cactactttg gctacagcac cccctggggg 180
10 tattttgact ttaacagatt ccactgccac ttctcaccac gtgactggca gcgactcacc 240
aacaacaact ggggattc 258

15 <210> 119
<211> 255
<212> DNA
<213> adeno-associated virus serotype 12

20 <400> 119

ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgaccg agtcattacc 60
25 accagcacc cgaactgggc cctgcccacc tacaacaacc acctctacaa gcaaattctc 120
agccaatcgg gtgccaccaa cgacaaccac tacttcgggt acagcacc cttgggggtat 180
tttgatttca acagattcca ctgccatttc tcaccacgtg actggcagcg actcatcaac 240
30 aacaactggg gattc 255

<210> 120
<211> 2205
<212> DNA
35 <213> adeno-associated virus serotype, clone A3.1vp1

<400> 120

40

45

50

55

EP 1 310 571 B1

	atggctgccg atgggttatct tccagattgg ctcgaggaca ctctctctga aggaatcaga	60
	cagtgggtgga agctcaaacc tggcccacca ccgccgaaac ctaaccaaca acaccgggac	120
5	gacagtaggg gtcttggtgct tcctgggtac aagtacctcg gacccttcaa cggactcgac	180
	aaaggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa agcctacgac	240
	caccagctca agcaagggga caaccctgac ctcaaataca accacgcgga cgctgaattt	300
10	caggagcgtc ttcaagaaga tacgtctttc gggggcaacc tcgggcgagc agtcttccag	360
	gccaaaaaga gggtaactga gcctcttggt ctggttgagg aagctgttaa gacggctcct	420
	ggaaaaaaga gacctataga gcagtctcct gcagaaccgg actcttctctc gggcatcggc	480
15	aaatcaggcc agcagcccg c taagaaaaga ctcaattttg gtcagactgg cgacacagag	540
	tcagtcccag accctcaacc aatcggagaa cccccgcag cccctcttg tgtgggatct	600
	aatacaatgg cttcaggcgg tggggcacca atggcagaca ataacgaagg cgccgacgga	660
20	gtgggtaatt cctcgggaaa ttggcattgc gattccacat ggatgggcga cagagttatc	720
	accaccagca caagaacctg ggccctcccc acctacaata atcacctcta caagcaaata	780
	tccagcgaat cgggagccac caacgacaac cactacttcg gctacagcac cccctggggg	840
25	tattttgact ttaacagatt ccaactgtcac ttctcaccac gtgactggca gcgactcatc	900
	aacaacaact ggggatttag acccaagaaa ctcaatttca agctcttcaa catccaagtc	960
30	aaggaggtca cgcagaatga tggaaccacg accatcgcca ataaccttac cagcacggtg	1020
35		
40		
45		
50		
55		

cagggtcttca cagaactctga gtaccagctg ccctacgtcc tcggttcggc tcaccagggc 1080
 5 tgccttccgc cggtcccagc agacgtcttc atgattcttc agtacggcta cttgactctg 1140
 aacaatggca gccaaagcggg aggacgttct tcattctact gtctagagta ttttccctct 1200
 cagatgctga ggacgggaaa caacttcacc ttcagctaca cttttgaaga cgtgcctttc 1260
 10 cacagcagct acgcgcacag ccagagtctg gatcggctga tgaatcctct cattgaccag 1320
 tacctgtatt acctgagcaa aactcagggt acaagtggaa caacgcagca atcgagactg 1380
 cagttcagcc aagctggggc tagctccatg gctcagcagg ccaaaaactg gctaccggga 1440
 15 cccagctacc gacagcagcg aatgtctaag acggctaata acaacaacaa cagtgaattt 1500
 gcttggactg cagccaccaa atattacctg aatggaagaa attctctggg caatcccggg 1560
 cccccaatgg ccagtcacaa ggacgatgag gaaaagtatt tccccatgca cggaaatctc 1620
 20 atctttggaa aacaaggcac aggaactacc aatgtggaca ttgaatcagt gcttattaca 1680
 gacgaagaag aaatcagaac aactaatcct gtggctacag aacaatacgg acaggttgcc 1740
 accaaccatc agagtcagaa caccacagct tcctatggaa gtgtggacag ccagggaatc 1800
 25 ttacctggaa tgggtgtggca ggaccgcgat gtctatcttc aagggtccat ttggggccaaa 1860
 actcctcaca cggacggaca ctttcatcct tctccgctca tgggaggctt tggactgaaa 1920
 caccctctc cccagatcct gatcaaaaac acacctgtgc cagcgaatcc cgcgaccact 1980
 30 ttcactcctg gaaagtttgc ttcgttcatt acccagtatt ccaccggaca ggtcagcgtg 2040
 gaaatagagt gggagctgca gaaagaaaac agcaaacgct ggaaccaga aattcagtc 2100
 acctccaact acaacaagtc ggtgaatgtg gagtttaccg tggacgcaaa cgggtgtttat 2160
 35 tctgaacccc gccctattgg cactcgttac cttaccggga acttg 2205

40 Claims

1. A method of identifying unknown adeno-associated virus (AAV) sequences in a sample suspected of containing AAV from a latent infection, said method comprising the steps of:

- 45 (a) subjecting the sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers which specifically amplify a first AAV region comprising at least 250 bp of AAV capsid nucleic acid sequences, said first region having a variable sequence flanked by at least 18 base pairs of highly conserved sequence at its 5' end and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;
- 50 (b) optionally subjecting the DNA to further amplification using a second set of primers which specifically amplify a second region which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;
- 55 (c) optionally subjecting the DNA to further amplification using a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained,

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6; and each of the sets of primers consisting of a 5' primer and a 3' primer; the presence of amplified sequences indicating the presence of an AAV in the sample, and a comparison of differences between the amplified sequences and the sequences of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6 indicating the presence of an unknown AAV.

2. A method according to claim 1, wherein the comparison comprises the step of comparing restriction enzyme patterns for the amplified sequences to restriction enzyme patterns of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6.
3. A method according to claim 1 or claim 2, wherein step (a) amplifies the full-length capsid gene.
4. A method according to any of claims 1 to 3, wherein the amplified sequences comprise the AAV capsid gene and the AAV rep gene.
5. A method according to any of claims 1 to 4, wherein the DNA has been extracted from cells, cell culture, tissue, tissue culture or biological fluids.
6. A method according to any of claims 1 to 5, wherein the first region is highly conserved over at least about 25 base pairs at the 5' end of the region, the 3' end of the region or both.
7. A method according to claim 6, wherein the first region is highly conserved over at least about 30 base pairs at the 5' end of the region, the 3' end of the region or both.
8. A method according to any of claims 1 to 7, wherein the highly conserved sequences of the first region have at least 80% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.
9. A method according to claim 8, wherein the highly conserved sequences of the first region have at least 90% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.
10. A method according to any of claims 1 to 9, wherein the variable sequences in the middle of the first region have less than 70% identity among the aligned AAVs.
11. A method according to any of claims 1 to 10, wherein the first region spans about bp 2800 to about 3200 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.
12. A method according to claim 11, wherein the first region is 257 bp spanning bp 2886 to about 3143 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.
13. A method according to any of claims 1 to 5, wherein the primers are AV1ns, having the sequence of nucleotides 1398 to 1423 of SEQ ID NO:6, and AV2cas, having the sequence of SEQ ID NO:7.
14. A method according to claim 1 or claim 2, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample, the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.
15. A method according to any of claims 1 to 14, wherein the sample comprises AAV integrated into the chromosome.
16. A method according to any of claims 1 to 15, wherein the sample comprises human tissue.
17. A method according to any of claims 1 to 16, wherein the sample contains proviral AAV sequences.
18. A method according to any of claims 1 to 17, wherein the first region is a signature region.

19. A method according to any of claims 1 to 18, wherein the base pairs of the highly conserved sequences are highly conserved relative to an alignment of AAVs 1,2,3,4,5 and 6 and AAVs isolated from geese and ducks.

20. A method according to any of claims 1 to 19, wherein the variable sequence is a hypervariable sequence.

21. A method according to any of claims 1 to 20, wherein the first region comprises up to 10 kilobasepairs in length.

22. A method according to claim 21, wherein the first region comprises a 3-1 kilobase pair fragment comprising the full-length cap sequence.

23. A kit for detecting the presence of an unknown adeno-associated virus (AAV) in a sample from cellular DNA suspected of containing a latent AAV infection, said kit comprising:

(a) a first set of primers which specifically amplify a first region comprising 250 bp of AAV capsid nucleic acid sequences, said first region having at least 18 base pairs of highly conserved sequence at its 5' end, a variable sequence, and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;

(b) optionally a second set of primers specific for a second region of the AAV nucleic acid sequences which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;

(c) optionally a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained;

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;

each of the sets of primers consisting of a 5' primer and a 3' primer, each of said primers comprising at least 15 nucleotides complementary to its respective highly conserved sequence and having exact identity with its respective highly conserved sequence over at least 5 base pairs in its 3' end.

24. A kit according to claim 23, wherein the 5' primer and/or the 3' primer comprises at least 18 nucleotides.

25. A kit according to claim 24, wherein the 5' primer and/or the 3' primer comprises 25 nucleotides.

26. A kit according to any of claims 23 to 25, wherein the 5' primer and/or the 3' primer comprises at least 9 base pairs of exact identity at its 3' end.

27. A kit according to claim 26, wherein the 5' primer and/or the 3' primer comprises at least 18 base pairs of exact identity at its 3' end.

28. A kit according to any of claims 23 to 27, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample, the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region of AAV, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.

29. A kit according to claim 23, wherein the 5' primer has a sequence comprising GCTGCGTCAACTGGACCAATGA-GAAC, which corresponds to nt 1398 to 1423 of SEQ ID NO:6.

30. A kit according to claim 23, wherein the 3' primer has a sequence comprising CGCAGAGACCAAAGTTCAACT-GAAACGA, which corresponds to the nucleotides complementary to 4462-4435 of SEQ ID NO:7.

31. A kit according to any of claims 23 to 30, wherein the sample comprises AAV integrated into the chromosome.

Patentansprüche

1. Verfahren zur Identifizierung unbekannter Sequenzen von adeno-assoziiertem Virus (AAV) in einer Probe, von der man annimmt, daß sie von einer latenten Infektion herrührendes AAV enthält, wobei man in den folgenden Verfahrensschritten

(a) die DNA-haltige Probe einer Amplifikation über eine Polymerasekettenreaktion (PCR) unter Verwendung eines ersten Primersatzes, mit dem spezifisch ein mindestens 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich eine an ihrem 5'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz und an ihrem 3'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz flankierte variable Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind, aussetzt,

(b) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines zweiten Primersatzes, mit dem spezifisch ein zweiter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

(c) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines dritten Primersatzes, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen und

die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen,

das Vorhandensein amplifizierter Sequenzen das Vorhandensein eines AAV in der Probe anzeigt, und ein Vergleich der Unterschiede zwischen den amplifizierten Sequenzen und den Sequenzen von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 das Vorhandensein eines unbekannten AAV anzeigt.

2. Verfahren nach Anspruch 1, wobei der Vergleich den Schritt des Vergleichens von Restriktionsenzymmustern für die amplifizierten Sequenzen mit Restriktionsenzymmustern von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 umfaßt.
3. Verfahren nach Anspruch 1 oder 2, wobei in Schritt (a) das Capsid-Gen in voller Länge amplifiziert wird.
4. Verfahren nach einem der Ansprüche 1 bis 3, wobei die amplifizierten Sequenzen das AAV-Capsid-Gen und das AAV-rep-Gen umfassen.
5. Verfahren nach einem der Ansprüche 1 bis 4, wobei die DNA aus Zellen, Zellkultur, Gewebe, Gewebekultur oder biologischen Flüssigkeiten extrahiert wurde.
6. Verfahren nach einem der Ansprüche 1 bis 5, wobei der erste Bereich über mindestens etwa 25 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.
7. Verfahren nach Anspruch 6, wobei der erste Bereich über mindestens etwa 30 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.
8. Verfahren nach einem der Ansprüche 1 bis 7, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von mindestens 80% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.
9. Verfahren nach Anspruch 8, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend

angeordneten AAVs eine Identität von mindestens 90% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.

10. Verfahren nach einem der Ansprüche 1 bis 9, wobei die variablen Sequenzen in der Mitte des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von weniger als 70% aufweisen.

11. Verfahren nach einem der Ansprüche 1 bis 10, wobei der erste Bereich von etwa Bp 2800 bis etwa 3200 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reicht.

12. Verfahren nach Anspruch 11, wobei es sich bei dem ersten Bereich um 257 Bp handelt, die von Bp 2886 bis etwa 3143 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reichen.

13. Verfahren nach einem der Ansprüche 1 bis 5, wobei es sich bei den Primern um AV1ns mit der Sequenz der Nukleotide 1398 bis 1423 der SEQ ID NO:6 sowie um AV2cas mit der Sequenz der SEQ ID NO:7 handelt.

14. Verfahren nach Anspruch 1 oder Anspruch 2, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet, wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 3'-Primer umfaßt.

15. Verfahren nach einem der Ansprüche 1 bis 14, wobei die Probe in das Chromosom integriertes AAV umfaßt.

16. Verfahren nach einem der Ansprüche 1 bis 15, wobei die Probe menschliches Gewebe umfaßt.

17. Verfahren nach einem der Ansprüche 1 bis 16, wobei die Probe provirale AAV-Sequenzen enthält.

18. Verfahren nach einem der Ansprüche 1 bis 17, wobei es sich bei dem ersten Bereich um einen Signaturbereich handelt.

19. Verfahren nach einem der Ansprüche 1 bis 18, wobei die Basenpaare der hochkonservierten Sequenzen relativ zu einer vergleichenden Anordnung von AAV 1, 2, 3, 4, 5 und 6 und aus Gans und Ente isolierten AAV hochkonserviert sind.

20. Verfahren nach einem der Ansprüche 1 bis 19, wobei es sich bei der variablen Sequenz um eine hypervariable Sequenz handelt.

21. Verfahren nach einem der Ansprüche 1 bis 20, wobei der erste Bereich eine Länge von bis zu 10 Kilobasenpaaren umfaßt.

22. Verfahren nach Anspruch 21, wobei der erste Bereich ein die cap-Sequenz in voller Länge umfassendes Fragment von 3,1 Kilobasenpaaren umfaßt.

23. Kit zum Nachweis des Vorhandenseins eines unbekannten adeno-assoziierten Virus (AAV) in einer Probe aus zellulärer DNA, von der man annimmt, daß sie eine latente AAV-Infektion enthält, wobei der Kit umfaßt:

(a) einen ersten Primersatz, mit dem spezifisch ein 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich an seinem 5'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz, eine variable Sequenz und an seinem 3'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind,

(b) gegebenenfalls einen für einen zweiten Bereich der AAV-Nukleinsäuresequenzen, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, spezifischen zweiten Primersatz, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

(c) gegebenenfalls einen dritten Primersatz, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten

Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen, die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen, wobei jeder Primer mindestens 15 zur hochkonservierten Sequenz des jeweils anderen Primers komplementäre Nukleotide umfaßt und an seinem 3'-Ende über mindestens 5 Basenpaare eine genaue Identität mit der hochkonservierten Sequenz des jeweils anderen Primers aufweist.

24. Kit nach Anspruch 23, wobei der 5'-Primer und/oder der 3'-Primer mindestens 18 Nukleotide umfaßt.

25. Kit nach Anspruch 24, wobei der 5'-Primer und/oder der 3'-Primer mindestens 25 Nukleotide umfaßt.

26. Kit nach einem der Ansprüche 23 bis 25, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 9 Basenpaare genauer Identität umfaßt.

27. Kit nach Anspruch 26, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 18 Basenpaare genauer Identität umfaßt.

28. Kit nach einem der Ansprüche 23 bis 27, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet, wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer umfaßt.

29. Kit nach Anspruch 23, wobei der 5'-Primer eine GCTGCGTCAACTGGACCAATGAGAAC umfassende Sequenz aufweist, die Nt 1398 bis 1423 der SEQ ID NO:6 entspricht.

30. Kit nach Anspruch 23, wobei der 3'-Primer eine CGCAGAGACCAAAGTTCAACTGAAACGA umfassende Sequenz aufweist, die den zu 4462-4435 der SEQ ID NO:7 komplementären Nukleotiden entspricht.

31. Kit nach einem der Ansprüche 23 bis 30, wobei die Probe in das Chromosom integriertes AAV umfaßt.

Revendications

1. Procédé pour identifier des séquences de virus associés à l'adénovirus (VAA) inconnus dans un échantillon dont on suspecte qu'il contient des VAA provenant d'une infection latente, ledit procédé comprenant les étapes :

(a) de soumission de l'échantillon contenant l'ADN à une amplification via une réaction de polymérase en chaîne (PCR) en utilisant une première série d'amorces qui amplifient spécifiquement une première région de VAA comprenant au moins 250 pb des séquences d'acides nucléiques de capsid de VAA, ladite première région présentant une séquence variable adjacente à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5' et à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

(b) éventuellement de soumission de l'ADN à une autre amplification en utilisant une deuxième série d'amorces qui amplifient spécifiquement une deuxième région qui comprend la première région de séquences des VAA et des séquences qui sont côté 5' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 5' de VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;

(c) éventuellement de soumission de l'ADN à une autre amplification utilisant une troisième série d'amorces qui amplifient spécifiquement une troisième région qui comprend la première région de séquences de VAA et

les séquences qui sont situées côté 3' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces pour la première région,

- 5
10
15
20
25
30
35
40
45
50
55
- chacune desdites deuxième et troisième régions étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', des séquences éventuellement variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6; et
- chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3';
- la présence de séquences amplifiées indiquant la présence d'un VAA dans l'échantillon et
- une comparaison des différences entre les séquences amplifiées et les séquences des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6 indiquant la présence d'un VAA inconnu.
2. Procédé selon la revendication 1, dans lequel la comparaison comprend l'étape de comparaison de modèles d'enzymes de restriction pour les séquences amplifiées à des modèles d'enzymes de restriction des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6.
3. Procédé selon la revendication 1 ou 2, dans lequel l'étape (a) amplifie toute la longueur du gène cap.
4. Procédé selon l'une quelconque des revendications 1 à 3, dans lequel les séquences amplifiées comprennent le gène cap du VAA et le gène rep du VAA.
5. Procédé selon l'une quelconque des revendications 1 à 4, dans lequel l'ADN a été extrait de cellules, d'une culture cellulaire, de tissu, d'une culture de tissu ou de fluides biologiques.
6. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel la première région est hautement conservée sur au moins 25 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.
7. Procédé selon la revendication 6, dans lequel la première région est hautement conservée sur au moins 30 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.
8. Procédé selon l'une quelconque des revendications 1 à 7, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 80% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.
9. Procédé selon la revendication 8, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 90% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.
10. Procédé selon l'une quelconque des revendications 1 à 9, dans lequel les séquences variables au centre de la première région présentent une identité inférieure à 70% avec les VAA alignés.
11. Procédé selon l'une quelconque des revendications 1 à 10, dans lequel la première région s'étend de la paire de bases 2800 à environ 3200 du VAA 1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.
12. Procédé selon la revendication 11, dans lequel la première région représente 257 paires de bases, s'étendant de la paire de bases 2886 à environ 3143 du VAA1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.
13. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel les amorces sont des AV1ns, présentant la séquence des nucléotides 1398 à 1423 de la SEQ ID NO:6, et des AV2cas, présentant la séquence de la SEQ ID NO:7.
14. Procédé selon la revendication 1 ou 2, dans lequel la première série d'amorces permet l'isolement de toute la longueur de séquences de capsid du virus associé à l'adénovirus d'un échantillon, la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep du VAA, sur base d'une région prédéterminée conservée et une amorce 3', dirigée sur une région en aval d'un gène cap du VAA, basée sur une

région prédéterminée conservée du VAA.

15. Procédé selon l'une quelconque des revendications 1 à 14, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.

16. Procédé selon l'une quelconque des revendications 1 à 15, dans lequel l'échantillon comprend du tissu humain.

17. Procédé selon l'une quelconque des revendications 1 à 16, dans lequel l'échantillon contient des séquences de VAA provirales.

18. Procédé selon l'une quelconque des revendications 1 à 17, dans lequel la première région est une région de signature.

19. Procédé selon l'une quelconque des revendications 1 à 18, dans lequel les paires de bases des séquences hautement conservées sont hautement conservées par rapport à un alignement des VAA 1,2,3,4,5 et 6 et des VAA isolés à partir d'oies et de canards.

20. Procédé selon l'une quelconque des revendications 1 à 19, dans lequel la séquence variable est une séquence hypervariable.

21. Procédé selon l'une quelconque des revendications 1 à 20, dans lequel la première région comprend jusqu'à 10 kilopaires de bases en longueur.

22. Procédé selon la revendication 21, dans lequel la première région comprend un fragment de 3,1 kilopaires de bases comprenant toute la longueur de la séquence du capsid.

23. Kit pour détecter la présence d'un virus associé à l'adénovirus (VAA) inconnu dans un échantillon d'ADN cellulaire dont on suspecte qu'il contient une infection latente par un VAA, ledit kit comprenant:

(a) une première série d'amorces qui amplifient spécifiquement une première région comprenant 250 paires de bases de séquences d'acides nucléiques d'un capsid de VAA, ladite première région présentant au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5', une séquence variable et au moins 18 paires de base d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

(b) éventuellement une deuxième série d'amorces spécifiques d'une deuxième région des séquences d'acides nucléiques de VAA qui comprend la première région des séquences de VAA et des séquences qui se situent côté 5' par rapport à la première région, de manière à obtenir des séquences d'extension 5' des VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;

(c) éventuellement une troisième série d'amorces qui amplifient spécifiquement une troisième région, qui comprend la première région de séquences de VAA et des séquences qui se situent côté 3' par rapport à la première région, de manière à obtenir des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces de la première région;

chacune desdites deuxième et troisième région étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins les VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', éventuellement des séquences variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences au moins des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3', chacune desdites amorces comprenant au moins 15 nucléotides complémentaires à sa séquence respective hautement conservée et présentant une identité exacte avec sa séquence respective hautement conservée sur au moins 5 paires de bases en son extrémité 3'.

24. Kit selon la revendication 23, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 nucléotides.

25. Kit selon la revendication 24, dans lequel l'amorce 5' et/ou l'amorce 3' comprend 25 nucléotides.

26. Kit selon l'une quelconque des revendications 23 à 25, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins

9 paires de bases d'identité exacte en son extrémité 3'.

27. Kit selon la revendication 26, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 paires de bases d'identité exacte en son extrémité 3'.

28. Kit selon l'une quelconque des revendications 23 à 27, dans lequel la première série d'amorces permet l'isolement de toute la longueur des séquences de capsid d'un virus associé à l'adénovirus d'un échantillon, la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep d'un VAA, basée sur une région prédéterminée conservée d'un VAA et une amorce 3' dirigée sur une région en aval d'un gène cap d'un VAA, basée sur une région prédéterminée conservée d'un VAA.

29. Kit selon la revendication 23, dans lequel l'amorce 5' présente une séquence comprenant GCTGCGTCAACTG-GACCAATGAGAAC, ce qui correspond aux nucléotides 1398 à 1423 de la SEQ ID NO:6.

30. Kit selon la revendication 23, dans lequel l'amorce 3' présente une séquence comprenant CGCAGAGACCAAAGTT-CAACTGAAACGA, qui correspond aux nucléotides complémentaires à 4462-4435 de la SEQ ID NO:7.

31. Kit selon l'une quelconque des revendications 23 à 30, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.